

Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene blue a									
Revision date: 19.04.2024	Product code: 18347		Page 1 of 13						
SECTION 1: Identification of the s	SECTION 1: Identification of the substance/mixture and of the company/undertaking								
<u>1.1. Product identifier</u> Phenolphthalein indicator soluti	on 10 g/l in ethanol 50 vol. % for determi	nation of methylene blue a							
	ubstance or mixture and uses advised	against							
	nces as such or in preparations at industr in (administration, education, entertainm								
Uses advised against									
Do not use for private purposes	(household).								
1.3. Details of the supplier of the safe	ety data sheet								
Company name:	AnalytiChem GmbH ACD								
Street:	Stempelstraße 6								
Place:	D-47167 Duisburg	<b>T</b>   ( )							
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290							
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117							
E-mail:	produktsicherheit@analytichem.de	·							
Internet:	www.analytichem.de								
Responsible Department:	Abteilung Produktsicherheit								
1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)									
Further Information									

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Flam. Liq. 3; H226 Muta. 2; H341 Carc. 1B; H350

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling phenolphthalein Danger

Signal word:

Pictograms:





Phenolphthalein indicator solution	10 g/l in ethanol 50 vol. % for de	termination of methylene
	blue a	
ion date: 19.04.2024	Product code: 18347	Page
are d et et emente		

Page 2 of 13

#### Hazard statements

Revisio

H226	Flammable liquid and vapour.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
Precautionary st	atements

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P280	Wear protective gloves and eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.

#### Special labelling of certain mixtures

Restricted to professional users.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulati				
64-17-5	ethanol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2				
77-09-8	phenolphthalein	1 - < 5 %			
	201-004-7				
	Carc. 1B, Muta. 2, Repr. 2; H350 H341 H361f				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
64-17-5	200-578-6	200-578-6 ethanol			
	inhalation: LC 100	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100			
77-09-8	201-004-7	phenolphthalein	1 - < 5 %		
	Carc. 1B; H350	Carc. 1B; H350: >= 1 - 100			

#### **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: phenolphthalein

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

No data available



# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene blue a Revision date: 19.04.2024 Product code: 18347 Page 3 of 13 After inhalation Provide fresh air. Call a physician immediately. After contact with skin Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately. After contact with eyes After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. After ingestion Rinse mouth immediately and drink plenty of water. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting 4.3. Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

#### Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Beware of reignition.

#### 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.



# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

#### blue a

Revision date: 19.04.2024

Product code: 18347

Page 4 of 13

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.



# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

Product code: 18347

according to Regulation (EC) No 1907/2006

blue a

Page 5 of 13

Revision date: 19.04.2024

# Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a place accessible by authorized persons only.

#### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Vapours may form explosive mixtures with air. storage temperature  $+5^{\circ}C - +30^{\circ}C$ .

#### 7.3. Specific end use(s)

Laboratory use Laboratory chemical

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm <sup>3</sup>	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

#### DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol						
Worker DNEL,	Worker DNEL, long-term inhalation systemic 950 mg/m <sup>3</sup>						
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	114 mg/m³			
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day			
Consumer DNE	EL, long-term	oral	systemic	87 mg/kg bw/day			



# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

Product code: 18347

blue a

Page 6 of 13

# PNEC values

Revision date: 19.04.2024

CAS No	Substance				
Environmental compartment Value					
64-17-5	ethanol				
Freshwater		0,96 mg/l			
Freshwater (in	2,75 mg/l				
Marine water	0,79 mg/l				
Freshwater se	3,6 mg/kg				
Marine sedim	2,9 mg/kg				
Secondary po	380 mg/kg				
Micro-organis	580 mg/l				
Soil	0,63 mg/kg				

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.



Revision date: 19.04.2024

according to Regulation (EC) No 1907/2006

# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

blue a

Product code: 18347

Page 7 of 13

Danger of explosion

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Ethanol	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		27 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		not determined
pH-Value:		No data available
' Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,895 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical haz	zard classes	
Explosive properties	ith air	
Vapours can form explosive mixtures	s with air.	Sustaining combustion
Sustaining combustion: Self-ignition temperature		Sustaining combustion
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		not applicable
Not oxidising.		
0		
Other safety characteristics		u stadiote musica sta
Evaporation rate:		not determined
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		No data available No data available
Sublimation point: Softening point:		No data available
Pour point:		No data available
No data available:		
		No data available
Viscosity / dynamic:		
Flow time:		No data available
Further Information		



# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

#### blue a

Revision date: 19.04.2024

Product code: 18347

Page 8 of 13

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapours can form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

Plastic articles

# Rubber articles

# 10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

#### **Further information**

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route Dose Species Source Method								
64-17-5	ethanol								
		LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401			
		LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403			

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (phenolphthalein)

May cause cancer. (phenolphthalein)

Reproductive toxicity: Based on available data, the classification criteria are not met.



		<u> </u>	-	· · /				
Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene blue a								
Revision dat	e: 19.04.2024	Pi	roduct co	ode: 18347		Page 9 of 13		
Based STOT-rep Based Aspiratio Based Specific	ngle exposure d on available data, the cl peated exposure d on available data, the cl n hazard d on available data, the cl effects in experiment on e are no data available on	assification criteria are assification criteria are <b>an animal</b>	e not me	t.				
	al information on tests are no data available on	the mixture itself.						
	<b>experience</b> are no data available on	the mixture itself.						
Other inf								
Dizzir	ness iroduct causes narcotic-lik ation	e effects.						
	rmation nged or repeated skin cor imation).	tact may cause remo	val of na	tural fat from the skin ı	resulting in dermatiti	s (skin		
SECTION 1	2: Ecological informat	ion						
<u>12.1. Toxicit</u> Base	<b>Y</b> d on available data, the cl	assification criteria are	e not me	t.				
CAS No	Chemical name							
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method		
64-17-5	ethanol							
	Acute fish toxicity	LC50 15400 mg/l	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 ca. 22000 mg/l	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201		
	Acute crustacea toxicity	EC50 > 10000	48 h	Daphnia magna	Water Research	other: DIN 38412		

# 12.2. Persistence and degradability

Algae toxicity

Crustacea toxicity

phenolphthalein Acute algae toxicity mg/l

NOEC

NOEC

ErC50

mg/l

5400

2 mg/l

8,9 mg/l

77-09-8

5 d Skeletonema

costatum

72 h Desmodesmus

subspicatus

10 d Ceriodaphnia dubia

Teil 11

Study to

the th

201

determine the

sensitivity of a

Follows the basic

methodology for

OECD Guideline

23(4): 495-499

Environ Toxicol

8(5):451-455.

Contam Toxicol

20(2):211-21

Study report

(2010)

(1989)

Chem

(1989 Arch Environ



Revision date: 19.04.2024

#### according to Regulation (EC) No 1907/2006

# Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene

blue a Product code: 18347

Page 10 of 13

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
77-09-8	phenolphthalein	0,9

#### BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E



Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene			
blue a			
Revision date: 19.04.2024	Product code: 18347	Page 11 of 13	
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 1170		
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	III		
Hazard label:	3		
Classification code:	F1		
Special Provisions:	144 601		
Limited quantity:	5 L		
Excepted quantity:	E1		
Marine transport (IMDG)			
14.1. UN number or ID number:			
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	3 		
Hazard label:	3		
Special Provisions:	5 144, 223		
Limited quantity:	5 L		
Excepted quantity:	E1		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1170		
14.2. UN proper shipping name:	ETHYL ALCOHOL SOLUTION		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	III		
Hazard label:	3		
Special Provisions:	A3 A58 A180		
Limited quantity Passenger:	10 L		
Passenger LQ:	Y344		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:	355 60 L		
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	366		
IATA-packing instituctions - Cargo: IATA-max. quantity - Cargo:	220 L		
	220 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
<b>14.6. Special precautions for user</b> Warning: Combustible liquid.			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture		
EU regulatory information Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenolphthalein	IC (REACH, article 59):		
Restrictions on use (REACH, annex XVII) Entry 3, Entry 28, Entry 40 Information according to Directive 2012/18/EU (SEVESO III):	: P5c FLAMMABLE LIQUIDS		



Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene blue a			
Revision date: 19.04.2024	Product code: 18347	Page 12 of 13	
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles accord work protection guideline' (94/33/EC). Observe employn under the Maternity Protection Directive (92/85/EEC) for nursing mothers.	nent restrictions	
Water hazard class (D):	3 - highly hazardous to water		
15.2. Chemical safety assessment			
For this substance a chemical s	safety assessment has not been carried out.		
SECTION 16: Other information			
Changes			
-	es from the previous version in section(s): 9,12.		
Abbreviations and acronyms Flam. Liq: Flammable liquid Eye Irrit: Eye irritation Muta: Germ cell mutagenicity Carc: Carcinogenicity			
Repr: Reproductive toxicity			
(European Agreement concern IMDG: International Maritime C IATA: International Air Transpo			
EINECS: European Inventory of Existing Commercial Chemical Substances			

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Muta. 2; H341	Calculation method
Carc. 1B; H350	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users



Phenolphthalein indicator solution 10 g/l in ethanol 50 vol. % for determination of methylene	
blue a	

Revision date: 19.04.2024

Product code: 18347

Page 13 of 13

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)