

according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

REACH Registration Number:	01-2119463273-41-XXXX
CAS No:	110-82-7
Index No:	601-017-00-1
EC No:	203-806-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

.3.	Details	of the	supplier	of the	safety	data sheet

1.3. Details of the supplier of the s	afety data sheet	
Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	bus Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

### **Further Information**

No data available

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2: H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Danger



Revision date: 26.07.2023	Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur. Product code: 18709	Page 2 of 12
Pictograms:		
Hazard statements	• • • • •	
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P273	Avoid release to the environment.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula:	C6H12
Molecular weight:	84,16 g/mol

#### Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	EC No Index No REACH No		
	Classification (Regulation (EC) No 1272/2008)			
110-82-7	cyclohexane			100 %
	203-806-2 601-017-00-1 01-2119463273-41-XXXX			
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
110-82-7	203-806-2	cyclohexane	100 %
inhalation: LC50 = > 5540 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available



### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 3 of 12

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness, Vomiting, Circulatory collapse May cause drowsiness or dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Foam

Extinguishing powder

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting. Beware of reignition.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,



according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 4 of 12

and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

For containment

### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

### Advice on protection against fire and explosion

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 5 of 12

#### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Keep container dry.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Keep away from: Oxidising agent

### Further information on storage conditions

Keep cool. Protect from sunlight.

storage temperature +5°C - +30°C

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
110-82-7	Cyclohexane	200	700		TWA (8 h)	

#### DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
110-82-7	cyclohexane			
Consumer DN	EL, long-term	inhalation	systemic	206 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	systemic	412 mg/m <sup>3</sup>
Consumer DN	EL, long-term	inhalation	local	206 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	local	412 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1186 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	59,4 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	700 mg/m³
Worker DNEL, acute		inhalation	systemic	1400 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	700 mg/m³
Worker DNEL,	acute	inhalation	local	1400 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	2016 mg/kg bw/day



### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 6 of 12

#### **PNEC** values

CAS No	Substance	
Environment	Environmental compartment Value	
110-82-7	cyclohexane	
Freshwater		0,207 mg/l
Freshwater (intermittent releases) 0,207 mg/l		0,207 mg/l
Marine water 0,207 mg/l		0,207 mg/l
Freshwater sediment 16,68 mg/kg		16,68 mg/kg
Marine sediment 16,68 mg/kg		16,68 mg/kg
Micro-organisms in sewage treatment plants (STP) 3,24 mg/l		3,24 mg/l
Soil 3,38 mg/kg		3,38 mg/kg

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Face protection umbrella

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: A

### Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.



### AnalytiChem GmbH

# Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 7 of 12

Danger of explosion

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	emical properties
Physical state:	Liquid
Colour:	colourless
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	6,5 °C
Boiling point or initial boiling point and	81 °C
boiling range:	
Flammability:	No data available
Lower explosion limits:	1.3 vol. %
Upper explosion limits:	8,4 vol. %
	-18 °C
Flash point:	-18 C 260 °C
Auto-ignition temperature:	No data available
Decomposition temperature:	
pH-Value:	No data available
Viscosity / kinematic:	1,26 mm²/s
(at 20 °C)	
Water solubility:	0,05 g/L
(at 20 °C)	
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	124 hPa
(at 20 °C)	
Vapour pressure:	No data available
Density:	0,78 g/cm³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available
9.2. Other information	
Information with regard to physical has	zard classes
Explosive properties	
	l along floors and form explosive mixtures with air.
Sustaining combustion:	Sustaining combustion
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	
Other safety characteristics	NT- 1-4 9-1-1
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	100%
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available



Revision date: 26.07.2023	Product code: 18709	Page 8 of 12
Pour point:	No data available	
	No data available	
Viscosity / dynamic: (at 20 °C)	No data available	
Flow time:	No data available	
Further Information		

No data available

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Vapours may form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent NO2

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Rubber articles

plastic

### 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

### Further information

No data available

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

### Acute toxicity

Based on available data, the classification criteria are not met. Irritation to respiratory tract Pulmonary oedema Pneumonia

CAS No Chemical name Dose Source Method Exposure route Species 110-82-7 cyclohexane LD50 > 5000 Rat OECD Guideline 401 oral Study report (1982) mg/kg LD50 > 2000 Rabbit OECD Guideline 402 dermal Study report (1982) mg/kg inhalation (4 h) vapour LC50 > 5540 Rat Study report (1981) OECD Guideline 403 mg/l

#### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 9 of 12

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (cyclohexane)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

### No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

No data available

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No data available

### Further information

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness, Vomiting, Circulatory collapse May cause drowsiness or dizziness.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
110-82-7	cyclohexane	cyclohexane						
	Acute fish toxicity	LC50 mg/l	4,53	96 h	Pimephales promelas	Vol. 5, Centre for Lake Superior Studies	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	9,317		Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	0,9 mg/l	48 h	Daphnia magna	Publication (1987)	OECD Guideline 202	

#### 12.2. Persistence and degradability

77 %; 28 d; aerob

Readily biodegradable (according to OECD criteria).

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 10 of 12

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-82-7	cyclohexane	3,44
BCF	•	

CAS No	Chemical name	BCF	Species	Source
110-82-7	cyclohexane	167	Pimephales promelas	J. Fish. Board Can.

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### Further information

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1145
14.2. UN proper shipping name:	CYCLOHEXANE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 1145
14.2. UN proper shipping name:	CYCLOHEXANE
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L



according to Regulation (EC) No 1907/2006

Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.			
Revision date: 26.07.2023	Product	code: 18709	Page 11 of 12
Excepted quantity:	E2		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 1145		
14.2. UN proper shipping name:	CYCLOHEXANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	11		
Hazard label:	3		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1145		
14.2. UN proper shipping name:	CYCLOHEXANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Limited quantity Passenger:	1 L		
Passenger LQ:	Y341		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:		353	
IATA-max. quantity - Passenger:		5 L	
IATA-packing instructions - Cargo:		364	
IATA-max. quantity - Cargo:		60 L	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	Yes		
Danger releasing substance:	cyclohexane		
SECTION 15: Regulatory information			

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EU regulatory information</b> Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 57	
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment
Additional information:	P5c
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water
SECTION 16: Other information	

### Changes

This data sheet contains changes from the previous version in section(s): 9,11,12.





according to Regulation (EC) No 1907/2006

### Cyclohexane > 99.5 % for analysis, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 18709

Page 12 of 12

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.