

according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

UFI: C11Q-51VR-E00J-P64M

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

Telefax: 0203/5194-290

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Acute Tox. 2; H310 Acute Tox. 3; H301 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 Muta. 1B; H340 Carc. 1B; H350 STOT RE 2; H373 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 2 of 15

Hazard components for labelling

sulphuric acid mercury sulphate potassium dichromate

Signal word: Danger

Pictograms:









Hazard statements

H290 May be corrosive to metals.
H301+H331 Toxic if swallowed or if inhaled.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H340 May cause genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 3 of 15

Relevant ingredients

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)		
7664-93-9	sulphuric acid			15 - < 20 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr. 1A, Eye D	am. 1; H290 H314 H318		
7783-35-9	mercury sulphate		5 - < 10 %	
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute H330 H300 H373 H400 H410	, Aquatic Chronic 1; H310		
7778-50-9	potassium dichromate		< 1 %	
	231-906-6	024-002-00-6	01-2119454792-32	
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Re Resp. Sens. 1, Skin Sens. 1, STO H360FD H330 H301 H312 H314 F			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

	,	****	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	15 - < 20 %
	oral: LD50 = 2 Eye Irrit. 2; H31	140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15	
7783-35-9	231-992-5	mercury sulphate	5 - < 10 %
	l l	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 ral: LD50 = 57 mg/kg	
7778-50-9	231-906-6	potassium dichromate	< 1 %
	l l	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 g; oral: LD50 = 129,5 mg/kg	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium dichromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium dichromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 4 of 15

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Vomiting, Cardiac arrhythmias

Gastrointestinal complaints, Abdominal pain

Blood pressure drop, Circulatory collapse

For Hg compounds applies: they act in a cytotoxic and protoplasmatoxic. Symptoms of poisoning: Eye contact leads to severe lesions. Ingestion and inhalation of dusts (acute): Diarrhea metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia, reduction in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure (chronic): Mouth inflammation with loss of teeth and mercurial line. Speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

mercury and its compounds

Metal oxide smoke, toxic

Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 5 of 15

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use.

Handle and open container with care.

Do not breathe vapour/aerosol.

When using do not eat, drink, smoke, sniff.

Keep container tightly closed.

Use personal protection equipment.

Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 6 of 15

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Unsuitable container/equipment material: Metal

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7664-93-9	sulphuric acid			
Worker DNEL, long-term		inhalation	local	0,05 mg/m³
Worker DNEL, acute		inhalation	local	0,1 mg/m³



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 7 of 15

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7664-93-9	sulphuric acid	
Freshwater		0,003 mg/l
Marine wate	r	0 mg/l
Freshwater	sediment	0,002 mg/kg
Marine sedir	nent	0,002 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	8,8 mg/l
7778-50-9	potassium dichromate	
Freshwater		0 mg/l
Freshwater (intermittent releases)		0 mg/l
Freshwater	sediment	0,15 mg/kg
Marine sedir	Marine sediment	
Secondary poisoning		17000000 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,21 mg/l
Soil		0,035 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 8 of 15

Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Wasii iialius belole bleaks aliu allei w

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: yellow
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available not applicable Flash point: No data available Auto-ignition temperature: Decomposition temperature: No data available pH-Value: acidic Viscosity / kinematic: No data available Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

1,18231 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available





according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 9 of 15

Pour point: No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

Ammonia (NH3)

Metal

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal in contact with skin.

Toxic if swallowed.

Toxic if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Resorption (oral)

Resorption (by inhalation)

Resorption (dermal)

Symptoms may be delayed.

ATEmix calculated

ATE (oral) 73,10 mg/kg; ATE (dermal) 73,10 mg/kg; ATE (inhalation vapour) 7,150 mg/l; ATE (inhalation dust/mist) 0,7150 mg/l



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 10 of 15

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7664-93-9	sulphuric acid						
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser	
7783-35-9	mercury sulphate						
	oral	LD50	57 mg/kg	Rat	Dictionary of Environmentally Important	other: as mentioned below	
	dermal	LD50 mg/kg	625	Rat	HSDB (Hazardous Substances Data Bank); U	other: as mentioned below	
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				
7778-50-9	potassium dichromate						
	oral	LD50 mg/kg	129,5	Rat	Study report (1983)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983)	OECD Guideline 402	
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains potassium dichromate. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (mercury sulphate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 11 of 15

Further information

Irritant, Vomiting, Cardiac arrhythmias

Gastrointestinal complaints, Abdominal pain

Blood pressure drop, Circulatory collapse, Methaemoglobinaemia

For Hg compounds applies: they act in a cytotoxic and protoplasmatoxic. Symptoms of poisoning: Eye contact leads to severe lesions. Ingestion and inhalation of dusts (acute): Diarrhea metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia, reduction in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure (chronic): Mouth inflammation with loss of teeth and mercurial line. Speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations,

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7664-93-9	sulphuric acid							
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7783-35-9	mercury sulphate	-0,07

BCF

CAS No	Chemical name	BCF	Species	Source
7783-35-9	mercury sulphate	> 0 - < 5000	Ceriodaphnia dubia	Environmental Pollut

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 12 of 15

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (sulphuric acid, mercury sulphate)

14.3. Transport hazard class(es): 8 Ш 14.4. Packing group: Hazard label: 8+6.1 Classification code: CT1 **Special Provisions:** 274 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 86 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (sulphuric acid, mercury sulphate)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Classification code:CT1Special Provisions:274 802Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (sulphuric acid, mercury sulphate)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (sulphuric acid, mercury sulphate)



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric

Revision date: 18.12.2023 Product code: 19149 Page 13 of 15

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Special Provisions:A3 A803Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: mercury sulphate

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII): Entry 3, Entry 18, Entry 29, Entry 75

Information according to Directive H1 ACUTE TOXIC

2012/18/EU (SEVESO III):

Additional information: E2

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Additional information

SVHC substance.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information



according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 14 of 15

Abbreviations and acronyms

Ox. Sol: Oxidising solids
Met. Corr: Corrosive to metals
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Eye Dam: Eye damage

Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity

Carc: Carcinogenicity
Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Ciacomication for mixtarco c	Jacomodicin for mixtures and accurate motifical according to CD CD Transport					
Classification	Classification procedure					
Met. Corr. 1; H290	On basis of test data					
Acute Tox. 2; H310	Calculation method					
Acute Tox. 3; H301	Calculation method					
Acute Tox. 3; H331	Calculation method					
Skin Corr. 1A; H314	Calculation method					
Eye Dam. 1; H318	Calculation method					
Muta. 1B; H340	Calculation method					
Carc. 1B; H350	Calculation method					
STOT RE 2; H373	Calculation method					
Aquatic Chronic 2; H411	Calculation method					

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

H300 Fatal if swallowed. H301 Toxic if swallowed.

H301+H331 Toxic if swallowed or if inhaled.
H310 Fatal in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our





according to UK REACH Regulation

Potassium dichromate solution 0.008 mol/l contains 80 g Mercury(II) sulphate/l in sulfuric acid

Revision date: 18.12.2023 Product code: 19149 Page 15 of 15

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)