

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

UFI: RC3Q-U1HF-P00W-HDVC

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290

Carc. 1B; H350i

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

cobalt(II) sulfate heptahydrate

Signal word: Danger

###### Pictograms:



**Safety Data Sheet**

according to UK REACH Regulation

**Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B**

Revision date: 11.03.2024

Product code: 19176

Page 2 of 13

**Hazard statements**

H290 May be corrosive to metals.  
H350i May cause cancer by inhalation.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P390 Absorb spillage to prevent material damage.

**Special labelling of certain mixtures**

EUH208 Contains cobalt(II) sulfate heptahydrate. May produce an allergic reaction.  
Restricted to professional users.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-93-9	sulphuric acid			< 1 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
10026-24-1	cobalt(II) sulfate heptahydrate			< 1 %
	233-334-2	027-005-00-0		
	Carc. 1B, Muta. 2, Repr. 1B, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H302 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-93-9	231-639-5	sulphuric acid	< 1 %
	oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15		
10026-24-1	233-334-2	cobalt(II) sulfate heptahydrate	< 1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1330 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10		

**Further Information**

No data available

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 3 of 13

#### General information

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

Do not breathe vapour/aerosol.

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 4 of 13

#### For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

- Read label before use.
- When using do not eat, drink, smoke, sniff.
- Handle and open container with care.
- Use personal protection equipment.
- Use extractor hood (laboratory).
- Provide adequate ventilation.
- Do not breathe vapour/aerosol.
- Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**Safety Data Sheet**

according to UK REACH Regulation

**Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B**

Revision date: 11.03.2024

Product code: 19176

Page 5 of 13

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Store in a well-ventilated place.

Store in a dry place.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7664-93-9	sulphuric acid			
Worker DNEL, long-term		inhalation	local	0,05 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,1 mg/m <sup>3</sup>
10026-24-1	cobalt(II) sulfate heptahydrate			
Consumer DNEL, long-term		oral	systemic	0,0784 mg/kg bw/day

**PNEC values**

CAS No	Substance	Environmental compartment	Value
7664-93-9	sulphuric acid		
Freshwater			0,003 mg/l
Marine water			0 mg/l
Freshwater sediment			0,002 mg/kg
Marine sediment			0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)			8,8 mg/l
10026-24-1	cobalt(II) sulfate heptahydrate		
Freshwater			0,0006 mg/l
Marine water			0,00236 mg/l
Freshwater sediment			9,5 mg/kg
Marine sediment			9,5 mg/kg
Micro-organisms in sewage treatment plants (STP)			0,37 mg/l
Soil			10,9 mg/kg

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 6 of 13

#### **8.2. Exposure controls**

##### **Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

goggles

Wear eye/face protection.

##### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### **Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

##### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

##### **Thermal hazards**

No data available

##### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### **9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	orange	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 7 of 13

Boiling point or initial boiling point and boiling range:	No data available
Flammability:	not applicable not applicable
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	X
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	1,5
Viscosity / kinematic:	No data available
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,0039 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	not determined
Particle characteristics:	No data available

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties	No data available
Sustaining combustion:	No data available
Self-ignition temperature	No data available
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	No data available

##### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

##### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 8 of 13

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Alkali (lye)

#### **10.4. Conditions to avoid**

No data available

#### **10.5. Incompatible materials**

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available

### SECTION 11: Toxicological information

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-93-9	sulphuric acid				
	oral	LD50 mg/kg 2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser
10026-24-1	cobalt(II) sulfate heptahydrate				
	oral	LD50 mg/kg 1330	Rat	Revista Española de Fisiología, 39: 291	OECD Guideline 401
	dermal	LD50 mg/kg > 2000	Rat	Study report (2007)	OECD Guideline 402

##### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

Contains cobalt(II) sulfate heptahydrate. May produce an allergic reaction.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (cobalt(II) sulfate heptahydrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.



## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 9 of 13

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

##### Other information

There are no data available on the preparation/mixture itself.

##### Further information

There are no data available on the preparation/mixture itself.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety Data Sheet**

according to UK REACH Regulation

**Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B**

Revision date: 11.03.2024

Product code: 19176

Page 10 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7664-93-9	sulphuric acid					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009) OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977 Groups of sexually mature flagfish
10026-24-1	cobalt(II) sulfate heptahydrate					
	Acute fish toxicity	LC50 mg/l	52,5	96 h	Therapon jarbua	Journal of Marine Science. 12:64-66. (19 other: APHA. Standard methods for examin
	Acute algae toxicity	ErC50 mg/l	71,314	96 h	Dunaliella tertiolecta	Study report (2010) other: American Society for Testing and
	Acute crustacea toxicity	EC50 mg/l	42,7	48 h	Aeolosoma sp.	Study report (2008) Newman, J.P., Jr. 1975. The effects of h
	Fish toxicity	NOEC mg/l	0,21	34 d	Pimephales promelas	Study report (2009) other: This study was conducted accordin
	Algae toxicity	NOEC mg/l	0,0018	7 d	Champia parvula	Study report - model refit from original other: EPA 821-R- 02-014, Method 1009.0
	Crustacea toxicity	NOEC mg/l	0,1697	14 d	Aeolosoma sp.	Study report (2008) other: Newman, J.P., Jr. 1975. The effec
	Acute bacteria toxicity	EC50 ( )	120 mg/l	0,5 h	Activated sludge	Study report (2010) OECD Guideline 209

**12.2. Persistence and degradability**

There are no data available on the preparation/mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the preparation/mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
10026-24-1	cobalt(II) sulfate heptahydrate	23	Asterias rubens	Marine Pollution Bul

**12.4. Mobility in soil**

There are no data available on the preparation/mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Harmful effect due to pH shift.

**Further information**

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 11 of 13

Do not allow to enter into soil/subsoil.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

###### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
This material and its container must be disposed of as hazardous waste.  
Handle contaminated packages in the same way as the substance itself.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

##### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

##### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

##### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3264
--------------------------------------	---------

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 12 of 13

**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** III

Hazard label: 8

Special Provisions: A3 A803

Limited quantity Passenger: 1 L

Passenger LQ: Y841

Excepted quantity: E1

IATA-packing instructions - Passenger: 852

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 856

IATA-max. quantity - Cargo: 60 L

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

No information available.

#### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
cobalt(II) sulfate heptahydrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### SECTION 16: Other information

#### **Changes**

This data sheet contains changes from the previous version in section(s): 1,9.

## Safety Data Sheet

according to UK REACH Regulation

### Kontrollstandard zur Bestimmung der Färbung von Wasser Variante B

Revision date: 11.03.2024

Product code: 19176

Page 13 of 13

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals  
 Acute Tox: Acute toxicity  
 Skin Corr: Skin corrosion  
 Eye Dam: Eye damage  
 Resp. Sens: Respiratory sensitisation  
 Skin Sens: Skin sensitisation  
 Muta: Germ cell mutagenicity  
 Carc: Carcinogenicity  
 Repr: Reproductive toxicity  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H341 Suspected of causing genetic defects.  
 H350i May cause cancer by inhalation.  
 H360F May damage fertility.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH208 Contains cobalt(II) sulfate heptahydrate. May produce an allergic reaction.

#### Further Information

Provide appropriate information, instructions and training to users  
 The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*