

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Lithium hydroxide monohydrate for analysis

REACH Registration Number: 01-2119560576-31-XXXX  
CAS No: 1310-66-3**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Acute Tox. 4; H302

Skin Corr. 1B; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 2 of 11

#### Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula:  $\text{HLiO} \cdot \text{H}_2\text{O}$   
 Molecular weight: 41,96 g/mol

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (Regulation (EC) No 1272/2008)	
1310-66-3	Lithiumhydroxid-Monohydrat	100 %
		01-2119560576-31-0002
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H302 H314 H318	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-66-3		Lithiumhydroxid-Monohydrat	100 %
		inhalation: LC50 = > 6,15 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 363 mg/kg	

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection!

##### After inhalation

Provide fresh air.  
 Call a physician immediately.

##### After contact with skin

Wash immediately with: Water  
 Take off immediately all contaminated clothing and wash it before reuse.  
 Call a physician immediately.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 3 of 11

Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water.  
Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Dizziness  
Gastrointestinal complaints  
Vomiting  
Cyanosis (blue coloured blood)  
Dyspnoea  
May cause damage to organs. (kidneys, thyroid gland, central nervous system)  
Extremely damaging effect on the tissue of the mucous membranes and upper respiratory tract, as well as on the eyes and skin.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.  
Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 4 of 11

Collect in closed and suitable containers for disposal.  
Take up carefully when dry. Take up dust-free and set down dust-free.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe dust. Avoid dust formation.  
Use extractor hood (laboratory).

##### Advice on protection against fire and explosion

Usual measures for fire prevention.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Further information on handling

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Corrosive to metals.  
Unsuitable container/equipment material: Metal, Aluminium, Tin, Zinc  
Provide adequate ventilation as well as local exhaustion at critical locations.

##### Further information on storage conditions

Store in a dry place.  
Keep container tightly closed.  
storage temperature +15°C - +25°C  
Handle and store contents under inert gas. Protect from moisture.  
Protect against: Air

#### 7.3. Specific end use(s)

Laboratory chemicals

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lithium hydroxide monohydrate for analysis**

Revision date: 21.08.2023

Product code: 19310

Page 5 of 11

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
1310-66-3	Lithiumhydroxid-Monohydrat		
Worker DNEL, long-term	inhalation	systemic	10 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	systemic	30 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	41,35 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	100 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	6,21 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	41,35 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	4,13 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	12,4 mg/kg bw/day

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
1310-66-3	Lithiumhydroxid-Monohydrat	
Freshwater	2,3 mg/l	
Freshwater (intermittent releases)	0,344 mg/l	
Marine water	0,23 mg/l	
Freshwater sediment	9 mg/kg	
Marine sediment	0,9 mg/kg	
Micro-organisms in sewage treatment plants (STP)	79,2 mg/l	
Soil	0,45 mg/kg	

**8.2. Exposure controls**

**Appropriate engineering controls**

Do not breathe dust. Avoid dust formation.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Technical measures and the application of suitable work processes have priority over personal protection equipment.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 6 of 11

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet <(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Respiratory protection necessary at: dust formation  
Filtering device with filter or ventilator filtering device of type: P3

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	colourless / light yellow
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	424 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	12 (0,4g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	216 g/L
Solubility in other solvents	not determined
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 20 °C):	1,51 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	~800 kg/m <sup>3</sup>

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 7 of 11

Relative vapour density: not determined  
Particle characteristics: No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties  
No data available  
Sustaining combustion: No data available  
Self-ignition temperature  
Solid: not applicable  
Gas: not applicable  
Oxidizing properties  
Not oxidising.

##### **Other safety characteristics**

Evaporation rate: not determined  
Solvent separation test: No data available  
Solvent content: No data available  
Solid content: 100%  
Sublimation point: No data available  
Softening point: No data available  
Pour point: No data available  
No data available:  
Viscosity / dynamic: No data available  
Flow time: No data available

##### **Further Information**

Corrosive to metals.

## SECTION 10: Stability and reactivity

### **10.1. Reactivity**

No data available

### **10.2. Chemical stability**

Handle and store contents under inert gas. Protect from moisture.  
Protect against: Air

### **10.3. Possibility of hazardous reactions**

Oxidising agent, strong  
Acid  
Aluminium  
Zinc

### **10.4. Conditions to avoid**

No data available

### **10.5. Incompatible materials**

Metal

### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

#### **Further information**

No data available

## SECTION 11: Toxicological information

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lithium hydroxide monohydrate for analysis**

Revision date: 21.08.2023

Product code: 19310

Page 8 of 11

**Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Harmful if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Extremely damaging effect on the tissue of the mucous membranes and upper respiratory tract, as well as on the eyes and skin.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-66-3	Lithiumhydroxid-Monohydrat				
	oral	LD50 363 mg/kg	Mouse	Spravochnik po Toksikologii i Gigieniche	Only data from review article available.
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1994)	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 > 6,15 mg/l	Rat	Study report (1999)	EPA OPPTS 870.1300

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

No data available

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards**

**Endocrine disrupting properties**

No data available

**Other information**

No data available

**Further information**

Dizziness

Gastrointestinal complaints



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 9 of 11

Vomiting  
Cyanosis (blue coloured blood)  
Dyspnoea  
May cause damage to organs. (kidneys, thyroid gland, central nervous system)  
Extremely damaging effect on the tissue of the mucous membranes and upper respiratory tract, as well as on the eyes and skin.

**SECTION 12: Ecological information****12.1. Toxicity**

CAS No	Chemical name		Dose		[h]   [d]	Species	Source	Method
1310-66-3	Lithiumhydroxid-Monohydrat							
	Acute fish toxicity	LC50	109 mg/l	96 h	Danio rerio	Study report (2010)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	41,62	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201	
	Fish toxicity	NOEC mg/l	17,35	34 d	Danio rerio	Study report (2012)	OECD Guideline 210	
	Crustacea toxicity	NOEC	4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211	
	Acute bacteria toxicity	(EC50 mg/l)	180,8	3 h	activated sludge, domestic	Study report (2004)	EU Method C.11	

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains.  
Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not allow to enter into surface water or drains.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
Handle contaminated packages in the same way as the substance itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lithium hydroxide monohydrate for analysis**

Revision date: 21.08.2023

Product code: 19310

Page 10 of 11

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 2680  
**14.2. UN proper shipping name:** LITHIUM HYDROXIDE  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Classification code: C6  
 Limited quantity: 1 kg  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 80  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 2680  
**14.2. UN proper shipping name:** LITHIUM HYDROXIDE  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Classification code: C6  
 Limited quantity: 1 kg  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 2680  
**14.2. UN proper shipping name:** LITHIUM HYDROXIDE  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: -  
 Limited quantity: 1 kg  
 Excepted quantity: E2  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2680  
**14.2. UN proper shipping name:** LITHIUM HYDROXIDE  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Limited quantity Passenger: 5 kg  
 Passenger LQ: Y844  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 859  
 IATA-max. quantity - Passenger: 15 kg  
 IATA-packing instructions - Cargo: 863  
 IATA-max. quantity - Cargo: 50 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithium hydroxide monohydrate for analysis

Revision date: 21.08.2023

Product code: 19310

Page 11 of 11

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

###### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 12.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Dam: Eye damage

##### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

##### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.