

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

UFI: Q9PQ-M1SE-Q00A-SRNU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household). No data available

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360FD

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

boric acid

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 2 of 14

Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eve irritation.

H360FD May damage fertility. May damage the unborn child.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity	
_	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
6381-92-6	EDTA Na 2			1 - < 5 %	
	205-358-3		01-2119486775-20		
	Acute Tox. 4, STOT RE 2; H332 H373				
1310-73-2	sodium hydroxide				
	215-185-5	011-002-00-6	01-2119457892-27		
	Met. Corr. 1, Skin Corr. 1A; H290 H314				
10043-35-3	boric acid			1 - < 5 %	
	233-139-2	005-007-00-2	01-2119486683-25		
	Repr. 1B; H360FD				

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. I	Limits, M-factors and ATE				
6381-92-6	205-358-3	EDTA Na 2	1 - < 5 %			
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 2800 mg/kg					
1310-73-2	215-185-5	sodium hydroxide				
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2					
10043-35-3	233-139-2	33-139-2 boric acid				
	inhalation: LC50 = > 2,12 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg					

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: boric acid

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Wash immediately with: Water

If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 4 of 14

Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 5 of 14

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Unsuitable container/equipment material:

Metal

Aluminium

Tin

Zinc

Further information on storage conditions

Store in a dry place.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
6381-92-6	EDTA Na 2			
Worker DNEL,	long-term	inhalation	local	1,5 mg/m³
Worker DNEL,	acute	inhalation	local	3 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,6 mg/m³
Consumer DN	EL, acute	inhalation	local	1,2 mg/m³
Consumer DN	EL, long-term	oral	systemic	25 mg/kg bw/day
1310-73-2	sodium hydroxide			
Worker DNEL,	long-term	inhalation	local	1 mg/m³
Consumer DN	EL, long-term	inhalation	local	1 mg/m³
10043-35-3	boric acid			
Worker DNEL,	long-term	inhalation	systemic	8,3 mg/m³
Worker DNEL,	long-term	dermal	systemic	392 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,15 mg/m³
Consumer DNEL, long-term		dermal	systemic	196 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,98 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,98 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmenta	l compartment	Value		
6381-92-6	EDTA Na 2			
Freshwater		2,2 mg/l		
Freshwater (ir	ntermittent releases)	1,2 mg/l		
Marine water	0,22 mg/l			
Micro-organisms in sewage treatment plants (STP)		43 mg/l		
10043-35-3	boric acid			
Freshwater	Freshwater			
Freshwater (intermittent releases)		13,7 mg/l		
Marine water 2,9		2,9 mg/l		
Micro-organisms in sewage treatment plants (STP)		10 mg/l		
Soil 5,7 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 7 of 14

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless
Odour threshold: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Sublimation point: not determined
Softening point: not determined
Pour point: not determined

not determined:



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 8 of 14

Flash point: X

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

not determined

Lower explosion limits:

Upper explosion limits:

not determined

not determined

not determined

not determined

Self-ignition temperature

Solid: not applicable Gas: not applicable not determined Decomposition temperature: pH-Value: alkaline Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Water solubility: very soluble

Solubility in other solvents

not determined

Dissolution rate: not determined Partition coefficient n-octanol/water: not determined Dispersion stability: not determined Vapour pressure: not determined Vapour pressure: not determined Density: 1,03718 g/cm³ Relative density: not determined Bulk density: not determined Relative vapour density: not determined Particle characteristics: not determined

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Solvent separation test:

Solvent content:

not determined
not determined
not determined
Evaporation rate:

not determined
not determined

Further Information
Corrosive to metals.

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 9 of 14

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Light metal

Ammonia (NH3)

Metal

Acid

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
6381-92-6	EDTA Na 2					
	oral	LD50 mg/kg	2800	Rat	Study report (1973)	BASF-TEST: In principle, the methods des
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
10043-35-3	boric acid					
	oral	LD50 mg/kg	3450	Rat	Toxicology and Applied Pharmacology 23:	other: No data
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1982)	other: FIFRA
	inhalation (4 h) dust/mist	LC50 mg/l	> 2,12	Rat	Study report (1997)	OECD Guideline 403

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 10 of 14

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (boric acid)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
6381-92-6	EDTA Na 2						
	Acute fish toxicity	LC50	41 mg/l	96 h	Lepomis macrochirus	Bull. Environm. Contam. Toxicol. 24: 543	The static water acute toxicity tests fo
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	Study report (2001)	OECD Guideline 201
	Acute crustacea toxicity	EC50	140 mg/l	48 h	Daphnia magna	Study report (1989)	other: DIN 38412, part 11
	Fish toxicity	NOEC mg/l	>= 25,7	35 d	Danio rerio	Study report (2001)	OECD Guideline 210
	Crustacea toxicity	NOEC	25 mg/l	21 d	Daphnia magna	Study report (1998)	other: EEC Guideline XI/681/86, Draft 4:
1310-73-2	sodium hydroxide						
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4	other: acute 48-h immobilization test ac
10043-35-3	boric acid						
	Acute fish toxicity	LC50 mg/l	79,7	96 h	Pimephales promelas	Study report (2010)	other: ASTM E729-95 Standard Guide for C
	Acute algae toxicity	ErC50	66 mg/l	72 h	Phaeodactylum tricornutum	Study report (2011)	ISO 10253
	Acute crustacea toxicity	EC50	109 mg/l	48 h	Ceriodaphnia dubia	Study report (2010)	other: ASTM E729-95 Standard Guide for C
	Fish toxicity	NOEC mg/l	11,2	32 d	Pimephales promelas	Study report (2010)	other: ASTM E1241-05 Standard Guide for
	Algae toxicity	NOEC mg/l	17,5	3 d	Pseudokirchneriella subcapitata	Study report (2000)	OECD Guideline 201
	Crustacea toxicity	NOEC mg/l	25,9	42 d	other aquatic crustacea: Hyalella azteca	Study report (2010)	other: US EPA 2000 Methods for assessing
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (2001)	OECD Guideline 209

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
6381-92-6	EDTA Na 2	-4,3
10043-35-3	boric acid	-1,09



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 12 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
6381-92-6	EDTA Na 2	ca. 1,8	Lepomis macrochirus	Proc. 3rd. Ann. Symp
10043-35-3	boric acid	0,558	Oncorhynchus nerka	Water Research Vol.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not empty into drains.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

	-		-	
14 1	IIN n	umber	or ID number	UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш Hazard label: 8 Classification code: C₅ Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 L



according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to FN ISO

Revision date: 17.02.2022 Product code: 19385 Page 13 of 14

Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1

EmS:
Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

F-A. S-B

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

boric acid

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alkaline reagent solution R1 pH approx. 13 for determination of NH4-N (CFA/FIA) according to EN ISO

Revision date: 17.02.2022 Product code: 19385 Page 14 of 14

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,5,6,7,8,9,11,12,13,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Met. Corr. 1; H290 On basis of test data		
Skin Irrit. 2; H315	Calculation method	
Eye Irrit. 2; H319	Calculation method	
Repr. 1B; H360FD Calculation method		

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)