

according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Cyclohexane HPLC isocratic grade

REACH Registration Number: 01-2119463273-41-XXXX

CAS No: 110-82-7 Index No: 601-017-00-1 EC No: 203-806-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

## **Further Information**

No data available

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

Signal word: Danger

Print date: 26.07.2023



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 2 of 12

### Pictograms:









#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P273 Avoid release to the environment.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Sum formula: C6H12

Molecular weight: 84,16 g/mol

# **Hazardous components**

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
110-82-7	cyclohexane			
	203-806-2 601-017-00-1 01-2119463273-41-XXXX			
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
110-82-7	203-806-2	cyclohexane	100 %	
	inhalation: LC50 = > 5540 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

No data available



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 3 of 12

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of eye irritation consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness,

Vomiting, Circulatory collapse

May cause drowsiness or dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2)

Foam

Extinguishing powder

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 4 of 12

and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

## Advice on protection against fire and explosion

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 5 of 12

## Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Keep container dry.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Further information on storage conditions

Keep cool. Protect from sunlight. storage temperature +5°C - +30°C

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
110-82-7	Cyclohexane	200	700		TWA (8 h)	

### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
110-82-7	cyclohexane				
Consumer DN	EL, long-term	inhalation	systemic	206 mg/m³	
Consumer DN	EL, acute	inhalation	systemic	412 mg/m³	
Consumer DN	EL, long-term	inhalation	local	206 mg/m³	
Consumer DN	EL, acute	inhalation	local	412 mg/m³	
Consumer DNEL, long-term		dermal	systemic	1186 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	59,4 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	700 mg/m³	
Worker DNEL,	acute	inhalation	systemic	1400 mg/m³	
Worker DNEL, long-term		inhalation	local	700 mg/m³	
Worker DNEL, acute		inhalation	local	1400 mg/m³	
Worker DNEL,	long-term	dermal	systemic	2016 mg/kg bw/day	

### **PNEC** values

CAS No	Substance			
Environmen	Environmental compartment			
110-82-7	cyclohexane			
Freshwater		0,207 mg/l		
Freshwater	(intermittent releases)	0,207 mg/l		
Marine water		0,207 mg/l		
Freshwater sediment		16,68 mg/kg		
Marine sediment		16,68 mg/kg		
Micro-organisms in sewage treatment plants (STP)		3,24 mg/l		
Soil	3,38 mg/kg			



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 6 of 12

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Face protection umbrella

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: A

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point: 6,5 °C
Boiling point or initial boiling point and 81 °C

boiling range:

Flammability: No data available Lower explosion limits: 1,3 vol. %



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 7 of 12

Upper explosion limits: 8.4 vol. % -18 °C Flash point: Auto-ignition temperature: 260 °C Decomposition temperature: No data available pH-Value: No data available 1,26 mm<sup>2</sup>/s Viscosity / kinematic:

(at 20 °C)

Water solubility: 0,05 g/L

(at 20 °C)

Solubility in other solvents No data available

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available 124 hPa Vapour pressure: (at 20 °C)

Vapour pressure: No data available Density: 0.78 a/cm<sup>3</sup> Relative density: No data available No data available Bulk density: Relative vapour density: No data available Particle characteristics: No data available

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Sustaining combustion: Sustaining combustion

Self-ignition temperature

Solid: No data available No data available Gas:

Oxidizing properties No data available

# Other safety characteristics

Evaporation rate: No data available Solvent separation test: No data available Solvent content: 100% No data available Solid content: Sublimation point: No data available Softening point: No data available Pour point: No data available No data available No data available Viscosity / dynamic:

(at 20 °C)

Flow time:

No data available

# **Further Information** No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Vapours may form explosive mixtures with air.

## 10.2. Chemical stability

Print date: 26.07.2023



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 8 of 12

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

NO<sub>2</sub>

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Rubber articles

plastic

#### 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation to respiratory tract

Pulmonary oedema

Pneumonia

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
110-82-7	cyclohexane	cyclohexane						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1982)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50 mg/l	> 5540	Rat	Study report (1981)	OECD Guideline 403		

### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (cyclohexane)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

No data available



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 9 of 12

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

### Practical experience

No data available

### 11.2. Information on other hazards

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No data available

#### **Further information**

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness, Vomiting, Circulatory collapse

May cause drowsiness or dizziness.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
110-82-7	cyclohexane						
	Acute fish toxicity	LC50 mg/l	4,53	96 h	Pimephales promelas	Vol. 5, Centre for Lake Superior Studies	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	9,317		Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Acute crustacea toxicity	EC50	0,9 mg/l	48 h	Daphnia magna	Publication (1987)	OECD Guideline 202

# 12.2. Persistence and degradability

77 %; 28 d; aerob

Readily biodegradable (according to OECD criteria).

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-82-7	cyclohexane	3,44

# **BCF**

CAS No	Chemical name	BCF	Species	Source
110-82-7	cyclohexane	167	Pimephales promelas	J. Fish. Board Can.

#### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.



according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 10 of 12

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

# 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

#### **Further information**

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

<u>14.1</u>	<u>. UN numbe</u>	<u>r or ID</u>	number:	UN 1145
				01/01/01/

14.2. UN proper shipping name: CYCLOHEXANE

14.3. Transport hazard class(es): 3 14.4. Packing group: П Hazard label: 3 F1 Classification code: Limited quantity: 1 I Excepted quantity: F2 Transport category: Hazard No: 33 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1145

14.2. UN proper shipping name: CYCLOHEXANE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1145

14.2. UN proper shipping name: CYCLOHEXANE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-D



according to Regulation (EC) No 1907/2006

Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 11 of 12

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1145

14.2. UN proper shipping name: CYCLOHEXANE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: cyclohexane

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 57

Information according to 2012/18/EU

E1 Hazardous to the Aquatic Environment

(SEVESO III):

Additional information: P5c

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 9,11,12,13.

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

Print date: 26.07.2023



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Cyclohexane HPLC isocratic grade

Revision date: 26.07.2023 Product code: 19681 Page 12 of 12

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.