

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

UFI: 5DKR-41G7-V005-3D6X

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard components for labelling

acetic acid

Signal word: Danger

Pictograms:



## Hazard statements

H290 May be corrosive to metals.



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 2 of 13

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulat	ion (EC) No 1272/2008)		
64-19-7	acetic acid			80 - < 85 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A; H226 H314			
7761-88-8	silver nitrate			< 0.01 %
	231-853-9	047-001-00-2	01-2119513705-43	
	Ox. Sol. 2, Met. Corr. 1 H290 H314 H318 H40	, Skin Corr. 1B, Eye Dam. 1, Aquatic <i>I</i> ) H410	Acute 1, Aquatic Chronic 1; H272	

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

- p	=	•••••	
CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	80 - < 85 %
		250 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg	
7761-88-8	231-853-9	silver nitrate	< 0.01 %
		= > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 ic 1; H410: M=100	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Self-protection of the first aider

### After inhalation

Provide fresh air.

Call a physician immediately.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 3 of 13

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

Circulatory collapse

Corneal opacity.

Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2) Carbon monoxide

Acetic acid vapour

Nitrogen oxides (NOx)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

## Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 4 of 13

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

## 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

### Advice on protection against fire and explosion

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/I - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 5 of 13

## Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Further information on storage conditions

storage temperature +15°C - +25°C

Protect against: Light

## 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-19-7	acetic acid			
Worker DNEL,	long-term	inhalation	local	25 mg/m³
Worker DNEL,	Worker DNEL, acute		local	25 mg/m³
Consumer DNEL, long-term		inhalation	local	25 mg/m³
Consumer DNEL, acute		inhalation	local	25 mg/m³
7761-88-8	7761-88-8 silver nitrate			
Consumer DNI	EL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	0,016 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	0,006 mg/m³



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/I - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 6 of 13

#### **PNEC** values

CAS No	Substance		
Environmen	Environmental compartment		
64-19-7	acetic acid		
Freshwater	Freshwater 3,058 mg/l		
Freshwater	(intermittent releases)	30,58 mg/l	
Marine wate	r	0,306 mg/l	
Freshwater	sediment	11,36 mg/kg	
Marine sedir	Marine sediment		
Micro-organisms in sewage treatment plants (STP)  85 mg/l		85 mg/l	
Soil		0,47 mg/kg	
7761-88-8	silver nitrate		
Freshwater	Freshwater		
Marine wate	Marine water		
Freshwater sediment 438,13		438,13 mg/kg	
Marine sediment 438,13 r		438,13 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,025 mg/l	
Soil		1,41 mg/kg	

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Face protection umbrella

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 7 of 13

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: No data available No data available Lower explosion limits: Upper explosion limits: No data available >60 °C Flash point: Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

No data available

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: 1,03 g/cm<sup>3</sup> No data available Relative density: No data available Bulk density: No data available Relative vapour density: Particle characteristics: No data available

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

## Other safety characteristics

Evaporation rate: No data available



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 8 of 13

Solvent separation test:

Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

Flow time:

No data available

Further Information

# rurtner information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

Protect against: Light

### 10.3. Possibility of hazardous reactions

Oxidising agent

peroxides, for example hydrogen peroxide

permanganates, e.g. potassium permanganate

Oxidising agent, strong

Metal

iron and steel

Zinc

Alkali (lye)

aldehydes

Alcohols

Nitric acid

# 10.4. Conditions to avoid

storage temperature < 17 °C

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Protect against: Light

### 10.5. Incompatible materials

Metal

### 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 9 of 13

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-19-7	acetic acid					
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403
7761-88-8	silver nitrate					
	oral	LD50 mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 mg/kg	> 348	Guinea pig	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met. Observe risk of aspiration if vomiting occurs.

### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.

### **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

### Other information

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

Circulatory collapse

Corneal opacity.

Risk of serious damage to eyes.



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 10 of 13

### **Further information**

kidneys

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
7761-88-8	silver nitrate						
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry.	A guideline was not specified. The test
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44	eline: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry.	The protective effect of reactive sulphi
	Fish toxicity	NOEC 0,00125 n	> ng/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2	other: ASTM 1241-98
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E	The toxicity tests lasted 11 days for th
	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati

# 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17

### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil

# 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



according to Regulation (EC) No 1907/2006

## Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 11 of 13

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Avoid release to the environment.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

Land	transp	ort (A	DR/RII	D)
------	--------	--------	--------	----

14.1. UN number or ID number:	UN 2790
-------------------------------	---------

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 8 Classification code: C3 Limited quantity: 1 I Excepted quantity: F2 Transport category: Hazard No: 80 Tunnel restriction code: Ε

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C3Limited quantity:1 LExcepted quantity:E2

## Marine transport (IMDG)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023 Product code: 19712 Page 12 of 13

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

### Abbreviations and acronyms

Ox. Sol: Oxidising solid

Met. Corr: Substance or mixture corrosive to metals

Flam. Liq: Flammable liquid Skin Corr: Skin corrosion Eye Dam: Eye damage

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

oracomodicin for mixtures and acoust variables method according to regulation (20) for 12122000 [cm.]					
Classification	Classification procedure				
Met. Corr. 1; H290	On basis of test data				
Skin Corr. 1B; H314	Calculation method				
Eye Dam. 1; H318	Calculation method				
Aquatic Chronic 3; H412	Calculation method				

## Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.0002 mol/l - 0.0002 N solution in acetic acid 80 % for analysis

Revision date: 29.11.2023	Product code: 19712	Page 13 of 13
---------------------------	---------------------	---------------

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)