

according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Triethylamine > 99% pure

REACH Registration Number: CAS No:	01-2119475467-26-XXXX 121-44-8
Index No:	612-004-00-5
EC No:	204-469-4

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

.3. Details of the supplier of the safety data sheet
--

1.3. Details of the supplier of the s	afety data sheet	
Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls

## **Further Information**

No data available

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H331 Acute Tox. 3; H311 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word:

Danger



## Triethylamine > 99% pure

Revision date: 21.07.2023

**Pictograms:** 

# Product code: 19887

Page 2 of 12



## Hazard statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311+H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

#### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308	IF exposed or concerned:
P310	Immediately call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Sum formula:	C6H15N
Molecular weight:	101,19 g/mol

## Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)			
121-44-8	triethylamine			100 %
	204-469-4 612-004-00-5 01-2119475467-26-XXXX			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, STOT SE 3; H225 H331 H311 H302 H314 H318 H335			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
121-44-8	204-469-4	triethylamine	100 %
inhalation: LC50 = 3496 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 580 mg/kg; oral: LD50 = 730 mg/kg STOT SE 3; H335: >= 1 - 100			

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).



## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 3 of 12

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider

## After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant corrosive Dyspnoea Risk of serious damage to eyes. Corneal opacity. Cough Spasms Vomiting Gastrointestinal complaints

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Extinguishing powder

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Carbon dioxide (CO2), Carbon monoxide Vapours are heavier than air, spread along floors and form explosive mixtures with air. Beware of reignition.



## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 4 of 12

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

Take action to prevent static discharge

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling



## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 5 of 12

## Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

## 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep container tightly closed and dry.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a place accessible by authorized persons only.

#### Further information on storage conditions

Keep cool. Protect from sunlight.

storage temperature < +30°C

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
121-44-8	Triethylamine	2	8.4		TWA (8 h)	
		3	12.6		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
121-44-8	triethylamine			
Worker DNEL	., long-term	inhalation	systemic	8,4 mg/m³
Worker DNEL	., acute	inhalation	systemic	12,6 mg/m <sup>3</sup>
Worker DNEL	., long-term	inhalation	local	8,4 mg/m³
Worker DNEL	., acute	inhalation	local	12,6 mg/m <sup>3</sup>
Worker DNEL	., long-term	dermal	systemic	12,1 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 6 of 12

#### **PNEC** values

CAS No	Substance		
Environmental compartment Value			
121-44-8	triethylamine		
Freshwater		0,11 mg/l	
Freshwater (intermittent releases) 0,08 mg/l			
Marine water		0,011 mg/l	
Freshwater sediment		1,575 mg/kg	
Marine sediment		0,158 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil		0,25 mg/kg	

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles Face protection umbrella

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact > 480 min

By short-term hand contact Trade name/designation KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: A-(P3)

## **Environmental exposure controls**

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.



according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 7 of 12

Danger of explosion

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Amines	
Melting point/freezing point:	-115	-
Boiling point or initial boiling point and	90	°C
boiling range:		
Flammability:	No data availal	
Lower explosion limits:	1,2 vol.	
Upper explosion limits:	9,3 vol.	
Flash point:	-11	•
Auto-ignition temperature:	215	-
Decomposition temperature:	No data availal	
pH-Value (at 15 °C):	12,7 (100 g	
Viscosity / kinematic:	No data availal	ble
Water solubility:	133 (	g/L
(at 20 °C)		
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	log Pow: 1,	
Vapour pressure:	72 h	Ра
(at 20 °C)	No data availal	bla
Vapour pressure: Density:	0,73 g/c	
Bulk density:	No data availal	
Relative vapour density:	No data availal	
9.2. Other information		010
Information with regard to physical Explosive properties	nazaru classes	
	ad along floors and form explosive mixtures with air.	
Sustaining combustion:	Sustaining combusti	ion
Self-ignition temperature		
Solid:	No data availal	ble
Gas:	No data availal	ble
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data availal	ble
Solvent separation test:	No data availal	ble
Solvent content:	No data availal	ble
Solid content:	No data availal	ble
Sublimation point:	No data availal	ble
Softening point:	No data availal	ble
Pour point:	No data availal	
	No data availal	ble
Viscosity / dynamic:	0,36 mPa	a∙s
(at 20 °C)		
Flow time:	No data availal	ble
Further Information		



## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 8 of 12

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent Exothermic reaction with: anhydrides halohydrocarbon organic nitro compounds

## 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Rubber articles Plastic articles

## 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

## **Further information**

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### Acute toxicity

Toxic in contact with skin. Toxic if inhaled. Harmful if swallowed. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Pulmonary oedema

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
121-44-8	triethylamine					
	oral	LD50 mg/kg	730	Rat	Study report (1960)	OECD Guideline 401
	dermal	LD50 mg/kg	580	Rabbit	Toxic Substance Mechanisms 16: 151-193,	OECD Guideline 402
	inhalation (1 h) vapour	LC50	3496 mg/l	Rat	Study report (1995)	other: EPAOTS 798.1150
	inhalation dust/mist	ATE	0,5 mg/l			

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.



according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 9 of 12

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (triethylamine)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

## Additional information on tests

No data available

## Practical experience No data available

### 11.2. Information on other hazards

Endocrine disrupting properties No data available

#### Other information

Causes damage to organs. Organs affected: Liver and kidney damage

### **Further information**

Irritant corrosive Dyspnoea Risk of serious damage to eyes. Corneal opacity. Cough Spasms Vomiting Gastrointestinal complaints

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
121-44-8	triethylamine							
	Acute fish toxicity	LC50	24 mg/l	96 h	Oryzias latipes	Data published (1999)	OECD Guideline 203	
	Acute algae toxicity	ErC50	8 mg/l	72 h	Pseudokirchneriella subcapitata	Data published (1999)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	17 mg/l	48 h	Ceriodaphnia dubia	Study report (1994)	other: U.S. EPA. 1991. Methods for measu	
	Crustacea toxicity	NOEC	11 mg/l	21 d	l Daphnia magna	Data published (1999)	OECD Guideline 211	

## 12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 10 of 12

80,3 %; 28 d; aerob OECD-301B

Readily biodegradable (according to OECD criteria).

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
121-44-8	triethylamine	1,45

BCF
-----

CAS No	Chemical name	BCF	Species	Source
121-44-8	triethylamine	< 0,5	Cyprinus carpio	Based on the CSCL Ja

#### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1296
14.2. UN proper shipping name:	TRIETHYLAMINE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	338
Tunnel restriction code:	D/E
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 1296



## according to Regulation (EC) No 1907/2006

	Triethylamine	e > 99% pure	
Revision date: 21.07.2023	Product c	ode: 19887	Page 11 of 12
14.2. UN proper shipping name:	TRIETHYLAMINE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3+8		
Classification code:	FC		
Limited quantity:	1 L		
Excepted quantity:	E2		
Marine transport (IMDG)			
<u>14.1. UN number or ID number:</u>	UN 1296		
14.2. UN proper shipping name:	TRIETHYLAMINE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3+8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-E, S-C		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1296		
14.2. UN proper shipping name:	TRIETHYLAMINE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3+8		
Limited quantity Passenger:	0.5 L		
Passenger LQ:	Y340		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:		352	
IATA-max. quantity - Passenger:		1 L	
IATA-packing instructions - Cargo:		363	
IATA-max. quantity - Cargo:		5 L	

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EU regulatory information</b> Restrictions on use (REACH, annex XVII): Entry 3, Entry 40	
Information according to 2012/18/EU (SEVESO III):	H2 ACUTE TOXIC
Additional information:	P5c
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	1 - slightly hazardous to water

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 11,12.



according to Regulation (EC) No 1907/2006

## Triethylamine > 99% pure

Revision date: 21.07.2023

Product code: 19887

Page 12 of 12

## Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H311+H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.