

Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

REACH Registration Number:	01-2119431362-50-XXXX
CAS No:	67-68-5
EC No:	200-664-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This substance is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	(CH3)2SO
Molecular weight:	78,13 g/mol



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
67-68-5	dimethyl sulfoxide			100 %
	200-664-3		01-2119431362-50-XXXX	
			•	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE						
CAS No	EC No	Chemical name	Quantity			
	Specific Conc	. Limits, M-factors and ATE				
67-68-5	200-664-3	dimethyl sulfoxide	100 %			
	dermal: LD50) = ca. 40000 mg/kg; oral: LD50 = 28300 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Water, to which activated charcoal may be added Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache Gastrointestinal complaints Irritant

4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Foam Extinguishing powder

Unsuitable extinguishing media no restriction



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Sulphur oxides In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 4 of 11

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a cool dry place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect against: Heat

Hints on joint storage

No data available

Further information on storage conditions

Protect from sunlight.

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
67-68-5	dimethyl sulfoxide					
Worker DNEL	, long-term	inhalation	systemic	484 mg/m³		
Worker DNEL	, long-term	inhalation	local	265 mg/m³		
Worker DNEL	, long-term	dermal	systemic	200 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	120 mg/m ³		
Consumer DN	EL, long-term	inhalation	local	47 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	100 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	60 mg/kg bw/day		



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 5 of 11

PNEC values

CAS No	Substance				
Environmental compartment Value					
67-68-5	dimethyl sulfoxide				
Freshwater		17 mg/l			
Marine wate	ne water 1,7 mg/l				
Freshwater sediment 13,4 mg/kg					
Secondary poisoning 700 mg/kg					
Micro-organisms in sewage treatment plants (STP) 11 mg/l					
Soil		3,02 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation:KCL 730 Camatril® VeloursRecommended material:NBR (Nitrile rubber) 0,4 mmWearing time with occasional contact (splashes):> 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear full chemical protective clothing. Take off immediately all contaminated clothing and wash it before reuse. Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands and face before breaks and after work and take a shower if necessary.



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 6 of 11

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: A

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dhysical state:	Liquid
Physical state: Colour:	colourless
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	18,5 °C
Boiling point or initial boiling point and	18,9 °C
boiling range:	
Flammability:	No data available
Lower explosion limits:	1.8 vol. %
Upper explosion limits:	63 vol. %
Flash point:	87 °C
Auto-ignition temperature:	300-302 °C
Decomposition temperature:	>190 °C
pH-Value:	No data available
Viscosity / kinematic:	2,14 mm²/s
(at 20 °C)	
Water solubility:	1000 g/L
(at 20 °C)	
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	log Pow: -1,35
Dispersion stability:	No data available
Vapour pressure:	0,6 hPa
(at 20 °C)	
Vapour pressure:	No data available
Density: Relative density:	1,104 g/cm³ No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available
9.2. Other information	
Information with regard to physical ha	assed classes
Explosive properties	
In case of warming:	
-	d along floors and form explosive mixtures with air.
Sustaining combustion:	Sustaining combustion
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	
Other safety characteristics	
Evaporation rate:	No data available



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023	Product code: 19933	Page 7 of 11
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
	No data available	
Viscosity / dynamic: (at 20 °C)	2,14 mPa·s	
Flow time:	No data available	

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

10.2. Chemical stability

Protect against: Humidity

10.3. Possibility of hazardous reactions

Oxidising agent Strong acid Acid chlorides, inorganic Nitric acid Acid halides Reducing agent Acid chlorides, inorganic permanganates, e.g. potassium permanganate

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

plastic Metal

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 8 of 11

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
67-68-5	dimethyl sulfoxide	dimethyl sulfoxide							
	oral	LD50 mg/kg	28300	Rat	Toxicol. Appl. Pharmacol. 7: 104-112 (19	OECD Guideline 401			
	dermal	LD50 mg/kg	ca. 40000	Rat	J Clin Pharmacol, 8(5), 315-321 (1968)	Rats were immersed in a DMSO solution			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Liver and kidney damage

Further information

Headache Gastrointestinal complaints Irritant

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-68-5	dimethyl sulfoxide	dimethyl sulfoxide					
	Acute fish toxicity	LC50 mg/l	34000	96 h	Pimephales promelas	Center for Lake Superior Environmental S	
	Acute algae toxicity	ErC50 mg/l	17000		Pseudokirchneriella subcapitata	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	24600	48 h	Daphnia magna	Bull Environ Contam Toxicol, 70, 1264-12	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	10 - 100	í í	activated sludge, domestic	Study report (1990)	ISO 8192

12.2. Persistence and degradability

31 %; 28 d; aerob OECD 301D Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-68-5	dimethyl sulfoxide	-1,35

BCF

CAS No	Chemical name	BCF	Species	Source
67-68-5	dimethyl sulfoxide	3,16		EPI Suite, Version 3

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 10 of 11

	3				
Land transport (ADR/RID)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Inland waterways transport (ADN)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
No dangerous good in sense of this transport regulation.					
14.7. Maritime transport in bulk according to	o IMO instruments				
No dangerous good in sense of this tra					
SECTION 15: Regulatory information					
SECTION 15. Regulatory mormation					
15.1. Safety, health and environmental regul	lations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 75					

National regulatory information

Information according to 2012/18/EU

Water hazard class (D):

1 - slightly hazardous to water

Not subject to 2012/18/EU (SEVESO III)

SECTION 16: Other information

Changes

(SEVESO III):

This data sheet contains changes from the previous version in section(s): 12.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



Dimethylsulfoxid HPLC mind. 99,5 % (DMSO, Methylsulfinylmethan) isocratic grade

Revision date: 20.07.2023

Product code: 19933

Page 11 of 11