

Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

UFI:

VH9S-Q1JN-V00U-RFJK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:		REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling nitric acid

Signal word:

Pictograms:





according to UK REACH Regulation

Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

	.	
Revision date: 16.03.2023	Product code: 19970	Page 2 of 11
Hazard statements		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H332	Harmful if inhaled.	
Precautionary statemen	ts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	ain mixtures	
EUH071	Corrosive to the respiratory tract.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
Classification (GB CLP Regulation)				
7697-37-2	nitric acid			
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox.	3, Skin Corr. 1A; H272 H290 H331 H	1314 EUH071	

Full text of H and EUH statements: see section 16.

Specific Con	c. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	10 - < 15 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 3 of 11

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 4 of 11

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 5 of 11

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contactTrade name/designation:KCL 730 Camatril® VeloursRecommended material:NBR (Nitrile rubber) 0,4 mmWearing time with permanent contact:> 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 6 of 11

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	emical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,07103 g/cm³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical ha	rard classos	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		No data avaliable
Solid content:		0
		Ū



according to UK REACH Regulation

Reagent 1A nitric acid with Polymetron 9210 Silica analyzer						
Revision date: 16.03.2023	Product code: 19970	Page 7 of 11				
Sublimation point:	No data available					
Softening point:	No data available					
Pour point:	No data available					
No data available:						
Viscosity / dynamic:	No data available					
Flow time:	No data available					

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity


Harmful if inhaled.

ATEmix calculated

ATE (inhalation dust/mist) 3,906 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7697-37-2	nitric acid						
	inhalation vapour	ATE 2,65 mg/l					

Irritation and corrosivity





according to UK REACH Regulation

	rand				REACH Regulation		
	Reage	nt 1A nitr	ic acid w	ith Pol	lymetron 9210 Silio	ca analyzer	
evision date	e: 16.03.2023		Pr	oduct co	ode: 19970		Page 8 c
Cause Follow Irritati Pulmo Muco	es severe skin burns and es serious eye damage. ving ingestion Gastric pe ng to respiratory system. onary oedema us membrane irritation in lso Section 4	rforation		phagus	and gastrointestinal tra	act.	
Sensitisir		lassification	criteria are	not me	t.		
Carcinog	enic/mutagenic/toxic ef d on available data, the c	fects for re	production				
STOT-sin	gle exposure d on available data, the c						
Based Aspiratio							
Informati	d on available data, the c on on likely routes of ex ore no data available or	kposure			ι.		
	are no data available or effects in experiment or		ation/mixtui	e itself.			
-	are no data available or		ation/mixtu	re itself.			
	al information on tests are no data available or	the prepar	ation/mixtu	e itself.			
Practical	experience are no data available or						
	ation on other hazards	i ille prepai		e nsen.			
Endocrin	e disrupting properties are no data available or	the prepar	ation/mixtu	e itself.			
Other info							
urther infor							
There	are no data available or	the prepar	ation/mixtu	re itself.			
ECTION 1	2: Ecological informa	tion					
2.1. Toxicity	-						
	are no data available or	the prepar	ation/mixtu	e itself.			
CAS No	Chemical name						
		Deres			Species	Source	
	Aquatic toxicity	Dose		[[ii] [u]	opecies	00000	Method
697-37-2	Aquatic toxicity	Dose		[[1]] [0]	Species		Method
697-37-2		LC50 mg/l	1559	-	Topeka shiner	Environmental Toxicology and	Method other: ASTM E729-26
697-37-2	nitric acid	LC50	1559 268 mg/l	96 h		Environmental	other: ASTM
697-37-2	nitric acid Acute fish toxicity	LC50 mg/l		96 h 30 d	Topeka shiner juvenile Topeka shiner and with juvenile	Environmental Toxicology and Chemistry, Study report	other: ASTM E729-26 Growth tests estimated the test



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 9 of 11

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the preparation/mixture itself.

12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
nland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8

h



Reagent 1A nitric acid with Polymetron 9210 Silica analyzer						
Revision date: 16.03.2023	Product co	ode: 19970	Page 10 of 1			
Classification code:	C1					
Limited quantity:	1 L					
Excepted quantity:	E2					
Marine transport (IMDG)						
14.1. UN number or ID number:	UN 2031					
14.2. UN proper shipping name:	NITRIC ACID					
14.3. Transport hazard class(es):	8					
14.4. Packing group:	II					
Hazard label:	8					
Special Provisions:	-					
Limited quantity:	1 L					
Excepted quantity:	E2					
EmS:	F-A, S-B					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	UN 2031					
14.2. UN proper shipping name:	NITRIC ACID					
14.3. Transport hazard class(es):	8					
14.4. Packing group:	II					
Hazard label:	8					
Special Provisions:	A212					
Limited quantity Passenger:	Forbidden					
Passenger LQ:	Forbidden					
Excepted quantity:	E0					
IATA-packing instructions - Passenger:		Forbidden				
IATA-max. quantity - Passenger:		Forbidden				
IATA-packing instructions - Cargo:		855				
IATA-max. quantity - Cargo:		30 L				
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regul	ations/legislation spe	ecific for the substance or mixture				
EU regulatory information						
Restrictions on use (REACH, annex XVII):						
Entry 3	Not out is at to 2012/					
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/	18/EU (SEVESU III)				
National regulatory information						
Employment restrictions:	Observe restrictions	to employment for juveniles according to the 'juve	anile			
	work protection guid					
Water hazard class (D):						
water nazaru ciass (D).	 1 - slightly hazardou 	s to water				

Changes

This data sheet contains changes from the previous version in section(s): 9.



according to UK REACH Regulation

Reagent 1A nitric acid with Polymetron 9210 Silica analyzer

Revision date: 16.03.2023

Product code: 19970

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
EUH071	Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)