

according to Regulation (EC) No 1907/2006

Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bariumhydroxid-Octahydrat

| 12230-71-6 |
|--------------|
| 056-002-00-7 |
| 241-234-5 |
| |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | Fa. Bernd Kraft GmbH | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| e-mail: | info@berndkraft.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone:0203/5194-107/117 |
| e-mail: | produktsicherheit@berndkraft.de | |
| Internet: | www.berndkraft.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| number: | • | REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls |
| | accepted) | |

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Acute Tox. 4; H302 Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Pictograms:





according to Regulation (EC) No 1907/2006

| | Bariumhydroxid-Octahydrat | |
|---------------------------|---|--------------|
| Revision date: 10.08.2021 | Product code: 20087 | Page 2 of 11 |
| Hazard statements | | |
| H302+H332 | Harmful if swallowed or if inhaled. | |
| H314 | Causes severe skin burns and eye damage. | |
| Precautionary statemer | nts | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P310 | Immediately call a POISON CENTER/doctor. | |
| 2.3. Other hazards | | |
| No data available | | |

SECTION 3: Composition/information on ingredients

3.1. Substances

| Sum formula: | Ba(OH)2 * 8 H2O |
|-------------------|-----------------|
| Molecular weight: | 315,48 g/mol |

Hazardous components

| CAS No | Chemical name | | | Quantity | | | |
|------------|---|------------------------------|--|----------|--|--|--|
| | EC No | EC No Index No REACH No | | | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | | | |
| 12230-71-6 | barium hydroxide octahy | barium hydroxide octahydrate | | | | | |
| | 241-234-5 | 241-234-5 056-002-00-7 | | | | | |
| | Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H332 H302 H314 | | | | | | |

Full text of H and EUH statements: see section 16.

| Specific Conc | Specific Conc. Limits, M-factors and ATE | | | | | |
|--|---|--|--|--|--|--|
| CAS No | CAS No EC No Chemical name | | | | | |
| Specific Conc. Limits, M-factors and ATE | | | | | | |
| 12230-71-6 | 241-234-5 barium hydroxide octahydrate | | | | | |
| | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg | | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.



Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 3 of 11

Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant corrosive Cough Dyspnoea Abdominal pain Vomiting Circulatory collapse Dizziness Risk of serious damage to eyes. Gastrointestinal complaints Circulatory collapse Spasms Cardiac arrhythmias

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

in case of file. Wear self-contained breathing a

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



according to Regulation (EC) No 1907/2006

Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. Avoid dust formation. Do not breathe dust. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. storage temperature +5°C - +30°C

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals



Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 5 of 11

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | | | | |
|---|------------------------------|----------------|--------|-------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 12230-71-6 | barium hydroxide octahydrate | | | | | |
| Consumer DNEL, long-term oral systemic 3,4 mg/kg bw/day | | | | | | |
| | | | | | | |

PNEC values

| CAS No | Substance | | | |
|--|-------------|--|--|--|
| Environmental compartment Value | | | | |
| 12230-71-6 barium hydroxide octahydrate | | | | |
| Freshwater 0,115 mg/l | | | | |
| Freshwater sediment 600,4 mg/kg | | | | |
| Micro-organisms in sewage treatment plants (STP) 62,2 mg/l | | | | |
| Soil | 207,7 mg/kg | | | |

Additional advice on limit values

(anhydrous form)

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 6 of 11

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | solid | |
|---|-------------------|-------------------|
| Colour: | white | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Changes in the physical state | | |
| Melting point/freezing point: | | 78 °C |
| Boiling point or initial boiling point and | | No data available |
| boiling range: Sublimation point: | | No data available |
| Softening point: | | No data available |
| Pour point: | | No data available |
| No data available: | | |
| Flash point: | | No data available |
| Flammability | | |
| Solid/liquid: | | No data available |
| Gas: | | No data available |
| Explosive properties No data available | | |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Auto-ignition temperature: | | No data available |
| Self-ignition temperature | | |
| Solid: | | No data available |
| Gas: | | No data available |
| Decomposition temperature: | | 100-780 °C |
| pH-Value (at 20 °C): | | 14 |
| Viscosity / dynamic: | | No data available |
| Viscosity / kinematic: | | No data available |
| Flow time: | | No data available |
| Water solubility: (at 20 °C) | | 72 g/L |
| Solubility in other solvents No data available | | |

Partition coefficient n-octanol/water:

No data available



| Bariu | mhydroxid-Octahydrat | |
|--|------------------------|--------------|
| Revision date: 10.08.2021 | Product code: 20087 | Page 7 of 11 |
| Vapour pressure: | No data available | |
| Vapour pressure: | No data available | |
| Density: | 2,18 g/cm ³ | |
| Bulk density: | 900-1100 kg/m³ | |
| Relative vapour density: | No data available | |
| 9.2. Other information | | |
| Information with regard to physical hazard classes | S | |
| Sustaining combustion: | No data available | |
| Oxidizing properties No data available | | |
| Other safety characteristics | | |
| Solvent separation test: | No data available | |
| Solvent content: | 0 | |
| Solid content: | 0 | |
| Evaporation rate: | No data available | |
| Further Information | | |
| No data available | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Acid

Hydrogen sulphide (H2S)

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Light metal

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution No data available

Acute toxicity

Harmful if swallowed. Harmful if inhaled.



Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 8 of 11

| CAS No | Chemical name | | | | | | | | |
|------------|-------------------------|------------------------------|----------|---------|--------|--------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 12230-71-6 | barium hydroxide octahy | barium hydroxide octahydrate | | | | | | | |
| | oral | ATE mg/kg | 500 | | | | | | |
| | inhalation vapour | ATE | 11 mg/l | | | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Further information

Irritant corrosive Cough Dyspnoea Abdominal pain Vomiting Circulatory collapse Dizziness Risk of serious damage to eyes. Gastrointestinal complaints Circulatory collapse Spasms Cardiac arrhythmias

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 9 of 11

12.1. Toxicity

| CAS No | Chemical name | | | | | | |
|------------|--------------------------|----------------|---------|-----------|--|------------------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 12230-71-6 | barium hydroxide octahyd | Irate | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 3,5 | 96 h | Danio rerio | Study report (2010) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 mg/l | > 1,15 | 72 h | Pseudokirchneriella subcapitata | Study report (2010) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | 14,5 | 48 h | Daphnia magna | Publication (1972) | Not a guideline study but meets generall |
| | Fish toxicity | NOEC mg/l | >= 100 | 33 d | Danio rerio | Study report (2014) | OECD Guideline 210 |
| | Crustacea toxicity | NOEC | 10 mg/l | 7 d | other aquatic arthropod: Cancer anthonyi | Publication (1988) | |
| | Acute bacteria toxicity | (EC50 mg/l) | > 1000 | 3 h | activated sludge of a predominantly domestic sewag | Study report (2010) | OECD Guideline 209 |

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|------------------------------|------|---------------------|----------------------|
| 12230-71-6 | barium hydroxide octahydrate | 68,4 | Lepomis macrochirus | Arch.Environ.Contam. |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No data available

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



according to Regulation (EC) No 1907/2006

Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 10 of 11

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

| Land transport (ADR/RID) | |
|--|---|
| 14.1. UN number or ID number: | UN 2923 |
| 14.2. UN proper shipping name: | CORROSIVE SOLID, TOXIC, N.O.S. (barium hydroxide octahydrate) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | |
| Hazard label: | 8+6.1 |
| Classification code: | CT2 |
| Special Provisions: | 274 |
| Limited quantity: | 2/4 1 kg |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 2 86 |
| Tunnel restriction code: | E |
| | E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 2923 |
| 14.2. UN proper shipping name: | CORROSIVE SOLID, TOXIC, N.O.S. (barium hydroxide octahydrate) |
| <u>14.3. Transport hazard class(es):</u> | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8+6.1 |
| Classification code: | CT2 |
| Special Provisions: | 274 802 |
| Limited quantity: | 1 kg |
| Excepted quantity: | E2 |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 2923 |
| 14.2. UN proper shipping name: | CORROSIVE SOLID, TOXIC, N.O.S. (barium hydroxide octahydrate) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | U I |
| Hazard label: | 8+6.1 |
| | 274 |
| Special Provisions: | |
| Limited quantity: | 1 kg E2 |
| Excepted quantity: EmS: | |
| | F-A, S-B |
| Air transport (ICAO-TI/IATA-DGR) | |
| 14.1. UN number or ID number: | UN 2923 |
| 14.2. UN proper shipping name: | CORROSIVE SOLID, TOXIC, N.O.S. (barium hydroxide octahydrate) |
| <u>14.3. Transport hazard class(es):</u> | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8+6.1 |
| Special Provisions: | A3 A803 |
| Limited quantity Passenger: | 5 kg |
| Passenger LQ: | Y844 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 859 |
| IATA-max. quantity - Passenger: | 15 kg |
| IATA-packing instructions - Cargo: | 863 |
| IATA-max. quantity - Cargo: | 50 kg |
| 14.5. Environmental hazards | |
| | No |
| ENVIRONMENTALLY HAZARDOUS: | No |
| | |



according to Regulation (EC) No 1907/2006

Bariumhydroxid-Octahydrat

Revision date: 10.08.2021

Product code: 20087

Page 11 of 11

Fa. Bernd Kraft GmbH

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,8,9,11,12,13,15.

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|-----------|--|
| H302+H332 | Harmful if swallowed or if inhaled. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.