

according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Succinic acid pure chrystalline

REACH Registration Number: 01-2119896114-34-XXXX

CAS No: 110-15-6 EC No: 203-740-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H318 Causes serious eye damage.



according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 2 of 10

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: HOOCCH2CH2COOH

Molecular weight: 118,09 g/mol

Relevant ingredients

| CAS No | Chemical name | | Quantity | |
|----------|---|----------|-----------------------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 110-15-6 | succinic acid | | 100 % | |
| | 203-740-4 | | 01-2119896114-34-XXXX | |
| | Eye Dam. 1; H318 | | | |

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Gastrointestinal complaints



according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 3 of 10

Vomiting

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible solids

Danger of dust explosion.

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 4 of 10

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Handle and open container with care.

Avoid dust formation. Do not breathe dust.

When using do not eat, drink, smoke, sniff.

Keep container tightly closed.

Use personal protection equipment.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat or drink.

Further information on handling

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature +5°C - +30°C

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 5 of 10

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|--------------------------|----------------|----------|-----------------|
| DNEL type | | Exposure route | Effect | Value |
| 110-15-6 | succinic acid | | | |
| Worker DNEL | , long-term | inhalation | systemic | 10 mg/m³ |
| Worker DNEL | , acute | inhalation | systemic | 10 mg/m³ |
| Worker DNEL | , long-term | inhalation | local | 10 mg/m³ |
| Worker DNEL | , acute | inhalation | local | 10 mg/m³ |
| Worker DNEL | , long-term | dermal | systemic | 71 mg/kg bw/day |
| Worker DNEL, acute | | dermal | systemic | 67 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 10 mg/m³ |
| Consumer DNEL, acute | | inhalation | systemic | 10 mg/m³ |
| Consumer DN | IEL, long-term | inhalation | local | 10 mg/m³ |
| Consumer DN | IEL, acute | inhalation | local | 10 mg/m³ |
| Consumer DN | IEL, long-term | dermal | systemic | 43 mg/kg bw/day |
| Consumer DN | Consumer DNEL, acute | | systemic | 67 mg/kg bw/day |
| Consumer DN | Consumer DNEL, long-term | | systemic | 43 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 67 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|------------------------|-------------|
| Environment | al compartment | Value |
| 110-15-6 | succinic acid | |
| Freshwater | | 0,1 mg/l |
| Freshwater (| intermittent releases) | 1 mg/l |
| Marine water | • | 0,01 mg/l |
| Freshwater s | rediment | 0,079 mg/kg |
| Marine sediment | | 0,008 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 3 mg/l |
| Soil | | 0,018 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye protection/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11 mm



according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 6 of 10

Wearing time with permanent contact: > 480 min

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: white
Odour: odourless

Melting point/freezing point:

185-190 °C
Boiling point or initial boiling point and

235 °C

boiling range:

No data available Flammability: No data available Lower explosion limits: Upper explosion limits: No data available Flash point: 206 °C °C Auto-ignition temperature: 470 °C Decomposition temperature: >235 °C pH-Value (at 20 °C): 2,7 (10 q/l) Viscosity / kinematic: No data available Water solubility: 58 g/L

(at 20 °C)

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

No data available

No data available

1,56 g/cm³

Bulk density:

940 kg/m³

Relative vapour density:

No data available

9.2. Other information



according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 7 of 10

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: 560 °C
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

Solid content:

Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Danger of dust explosion.

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, strong Alkali (lye)

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 8 of 10

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritant

corrosive

Gastrointestinal complaints

Vomiting

Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | | |
|----------|-------------------------|------------------|-------|-----------|--|------------------------|-----------------------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 110-15-6 | succinic acid | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Danio rerio | Study report (2010) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 mg/l | > 100 | I . — · · | Pseudokirchneriella subcapitata | Study report (2010) | OECD Guideline 201 |
| | Acute bacteria toxicity | EC50 mg/l () | > 300 | | activated sludge of a predominantly domestic sewag | Study report (2010) | OECD Guideline 209 |

12.2. Persistence and degradability

96,55 %; 28 d; aerob

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------|---------|
| 110-15-6 | succinic acid | -0,754 |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 9 of 10

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| ····- ·· ···- · · · · · · · · · · · · · | |
|---|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Succinic acid pure chrystalline

Revision date: 22.04.2024 Product code: 20089 Page 10 of 10

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

Eye Dam: Eye damage

Relevant H and EUH statements (number and full text)

H318 Causes serious eve damage.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.