

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Perchloric acid 1 mol/l - 1 N solution in water

UFI: GWQS-P17K-P001-XQFN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Liq. 2; H272
Met. Corr. 1; H290
Skin Irrit. 2; H315
Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

perchloric acid 9,5 %

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 2 of 12

Hazard statements

H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep away from clothing and other combustible materials.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7601-90-3	perchloric acid			5 - < 10 %
	231-512-4	017-006-00-4		
	Flam. Liq. 3, Ox. Liq. 1, Skin Corr. 1A; H226 H271 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7601-90-3	231-512-4	perchloric acid	5 - < 10 %
	oral: LD50 = 200 - 2000 mg/kg Ox. Liq. 1; H271: >= 50 - 100 Ox. Liq. 2; H272: >= 0 - < 50 Skin Corr. 1A; H314: >= 50 - 100 Skin Corr. 1B; H314: >= 10 - < 50 Skin Irrit. 2; H315: >= 1 - < 10 Eye Irrit. 2; H319: >= 1 - < 10		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.
Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 3 of 12

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.
Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
corrosive
Cough
Dyspnoea
Cardiac arrhythmias
Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Oxidizing
In case of warming: Decomposition with: Danger of explosion
Hazardous combustion products
In case of fire may be liberated:
Hydrogen chloride (HCl)

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 4 of 12

Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.
Handle and open container with care.
Provide adequate ventilation.
Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol.
Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.
Wash hands before breaks and after work.
Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.
Keep away from combustible material.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 5 of 12

Hints on joint storage

Keep away from combustible material.

Further information on storage conditions

Unsuitable container/equipment material: Light metal, Metal

Keep cool. Protect from sunlight.

storage temperature: +5°C bis +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route	Effect	Value	
7601-90-3	perchloric acid			
Consumer DNEL, long-term	oral	systemic	0,0167 mg/kg bw/day	

PNEC values

CAS No	Substance	
Environmental compartment	Value	
7601-90-3	perchloric acid	
Freshwater	0,021 mg/l	
Freshwater (intermittent releases)	147 mg/l	
Marine water	0,002 mg/l	
Freshwater sediment	4,67 mg/kg	
Marine sediment	0,467 mg/kg	
Micro-organisms in sewage treatment plants (STP)	8,2 mg/l	
Soil	0,021 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 6 of 12

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

- Wear suitable protective clothing.
- Take off immediately all contaminated clothing.
- Wash hands before breaks and after work.

Respiratory protection

- Respiratory protection necessary at: aerosol or mist formation
- Filtering device with filter or ventilator filtering device of type: B

Environmental exposure controls

- Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value (at 20 °C):		acidic
Viscosity / kinematic:		No data available
Water solubility:		Soluble in: Water
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		1,05487 g/cm ³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

9.2. Other information

Information with regard to physical hazard classes

- Explosive properties
- No data available
- Sustaining combustion:
- No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 7 of 12

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

The product is: oxidising, Oxidising.

Oxidizing liquids, Category 2

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive

Oxidizing

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Explosive reaction with:

Hydrogen, Combustible substance

Hydrocarbons, halogenated; Hydrogen halide

Fluorine, Ether

Dimethylsulfoxide (DMSO), Alcohols

Nitriles, Hydrogen chloride (HCl)

Acetic anhydride, Metal

Ethanol, Methanol

Dichloromethane, Phenol

Phosphine, Phosphorus oxides (e.g. P₂O₅)

Reducing agent, sulphuric acid

iron and steel, coal

Nitric acid, Acetic acid

Exothermic reaction with:

Ketone, Alkali (lye)

Ignition hazard: Hydrogen iodide (HI), Aniline (Formaldehyde)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Rubber articles

Metal

Light metal

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 8 of 12

Fat

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7601-90-3	perchloric acid				
	oral	LD50 200 - 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 423

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 9 of 12

Other information

There are no data available on the mixture itself.

Further information

Irritant
corrosive
Cough
Dyspnoea
Cardiac arrhythmias
Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7601-90-3	perchloric acid					
	Acute fish toxicity	LC50 mg/l	1470	96 h	Lepomis macrochirus	Publication (2004) EPA OPPTS 850.1075
	Acute algae toxicity	ErC50 mg/l	> 435,7	72 h	Pseudokirchneriella subcapitata	Study report (1998) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2004) OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	0,5 h	Activated sludge	Study report (1997) ISO 8192

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7601-90-3	perchloric acid	> 0,12 - < 0,14	Danio rerio	Chemosphere 65 (2006)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 10 of 12

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1802
14.2. UN proper shipping name:	Perchloric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+5.1
Classification code:	CO1
Special Provisions:	522
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Hazard No:	85
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1802
14.2. UN proper shipping name:	Perchloric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+5.1
Classification code:	CO1
Special Provisions:	522
Limited quantity:	1 L
Excepted quantity:	E0

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1802
14.2. UN proper shipping name:	Perchloric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+5.1
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E0
EmS:	F-H, S-Q
Segregation group:	heavy metals and their salts (including their organometallic compounds)

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1802
14.2. UN proper shipping name:	Perchloric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+5.1
Special Provisions:	A1
Limited quantity Passenger:	Forbidden
Passenger LQ:	Forbidden
Excepted quantity:	E2

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 11 of 12

IATA-packing instructions - Passenger:	Forbidden
IATA-max. quantity - Passenger:	Forbidden
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to Directive 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

Abbreviations and acronyms

Ox. Liq: Oxidising liquid

Met. Corr: Substance or mixture corrosive to metals

Flam. Liq: Flammable liquid

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 1 mol/l - 1 N solution in water

Revision date: 16.01.2024

Product code: 20126

Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Ox. Liq. 2; H272	On basis of test data
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)