Print date: 07.02.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Formic acid 20 % pure

UFI: SDSS-81YA-V00F-6HCR

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

formic acid

Signal word: Danger

Pictograms:





# **Hazard statements**

H314 Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 2 of 11

H332 Harmful if inhaled.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

### Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

#### 2.3. Other hazards

P310

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
64-18-6	formic acid	formic acid			
	200-579-1 607-001-00-0 01-2119491174-37				
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1A; H226 H331 H302 H314 EUH071				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

Opcomo Co	positio conor Elittico, in factoro ana 711 E					
CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
64-18-6	200-579-1	formic acid	20 - < 25 %			
	inhalation: LC50 = 7,85 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 730 mg/kg					

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse.

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 3 of 11

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

## 4.2. Most important symptoms and effects, both acute and delayed

Dyspnoea

Irritation to respiratory tract

Risk of serious damage to eyes.

Conjunctival oedema (chemosis).

strongly corrosive.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquids

In case of warming: Vapours can form explosive mixtures with air.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2)

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Danger of bursting container.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 4 of 11

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Read label before use.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. In case of warming: Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container dry.

# Further information on storage conditions

Protect against: Light

Keep cool. Protect from sunlight.

Corrosive to metals.

Unsuitable container/equipment material: Metal

### 7.3. Specific end use(s)

Laboratory chemicals



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 5 of 11

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-18-6	Formic acid	5	9		TWA (8 h)	

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64-18-6	formic acid					
Consumer DNEL, long-term		inhalation	local	3 mg/m³		
Worker DNEL, long-term		inhalation	local	9,5 mg/m³		

### **PNEC values**

CAS No	Substance			
Environment	Environmental compartment			
64-18-6	-18-6 formic acid			
Freshwater		2 mg/l		
Freshwater (intermittent releases)		1 mg/l		
Marine water	Marine water			
Freshwater sediment		13,4 mg/kg		
Marine sediment		1,34 mg/kg		
Micro-organisms in sewage treatment plants (STP)		7,2 mg/l		
Soil		1,5 mg/kg		

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

Face protection shield

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 6 of 11

Wearing time with permanent contact: >480 min

By short-term hand contact

Trade name/designation KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): >480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Material, acid-resistant

Wear fire resistant or flame retardant clothing.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Thermal hazards

No data available

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: acidic No data available Viscosity / kinematic: Water solubility: easily soluble

Solubility in other solvents

No data available

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density (at 20 °C): 1,0467 g/cm<sup>3</sup> Relative density: No data available Bulk density: No data available No data available Relative vapour density:



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 7 of 11

Particle characteristics: No data available

## 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

In case of warming: Vapours may form explosive mixtures with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

### Other safety characteristics

Evaporation rate: No data available No data available Solvent separation test: Solvent content: No data available Solid content: No data available Sublimation point: No data available Softening point: No data available Pour point: No data available Viscosity / dynamic: No data available Flow time: No data available

#### **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

In case of warming: Vapours can form explosive mixtures with air.

### 10.2. Chemical stability

Protect against:

Light

Heat

# 10.3. Possibility of hazardous reactions

Reaction with:

Alkali (lye)

Oxidising agent, strong

sulphuric acid

Catalyst (Metal)

Phosphorus oxides

Nitric acid

NO3

Ignition hazard: Aluminium

Explosion hazard with: , Hydrogen peroxide Exothermic reaction with: Alkali (lye), Amines

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

In case of warming: Vapours can form explosive mixtures with air.

Light

### 10.5. Incompatible materials

Corrosive to metals.



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 8 of 11

# 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### **Acute toxicity**

Harmful if inhaled.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 2,500 mg/l

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
64-18-6	formic acid							
	oral	LD50 mg/kg	730	Rat	Study report (1985)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2007)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50	7,85 mg/l	Rat	Study report (1980)	OECD Guideline 403		
	inhalation dust/mist	ATE	0,5 mg/l					

## Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Corrosive to the respiratory tract.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

Print date: 07.02.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 9 of 11

## **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

#### Other information

gastric perforation

Pulmonary oedema, Conjunctival oedema (chemosis)., Risk of serious damage to eyes.

#### **Further information**

Cough

Dyspnoea

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-18-6	formic acid						
	Acute fish toxicity	LC50	130 mg/l	96 h	Danio rerio	Study report (2005)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	1240	72 h	Pseudokirchneriella subcapitata	Study report (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50	365 mg/l	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	>= 100	21 d	Daphnia magna	Study report (2007)	OECD Guideline 211

### 12.2. Persistence and degradability

Readily biodegradable (according to OECD criteria). 100 %; 28 d; aerob

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Does not significantly accumulate in organisms.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-18-6	formic acid	-2,1

# BCF

CAS No	Chemical name	BCF	Species	Source
64-18-6	formic acid	3,16		Other company data (

## 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

# Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 10 of 11

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 8 Classification code: C3 Limited quantity: 1 I Excepted quantity: F2 Transport category: 2 Hazard No: 80 Tunnel restriction code: F

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 3412 **14.2. UN proper shipping name:** FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C3Limited quantity:1 LExcepted quantity:E2

## Marine transport (IMDG)

14.1. UN number or ID number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-BSegregation group:1 - acids

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger: 851



according to Regulation (EC) No 1907/2006

Formic acid 20 % pure

Revision date: 07.02.2024 Product code: 20143 Page 11 of 11

IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled. H332 Harmful if inhaled.

EUH071 Corrosive to the respiratory tract.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)