

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 1 of 18

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

UFI: 2QXS-N1RX-V004-6PGR

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
ACD

Street: Stempelstraße 6

Place: D-47167 Duisburg

Telephone: 0203/5194-0

Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit

Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1B; H314

Eye Dam. 1; H318

Skin Sens. 1; H317

Carc. 1B; H350i

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

nitric acid 5,8 %

hydrofluoric acid 0,2 %

nickel dinitrate

cobalt dinitrate

Signal word: Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 2 of 18

#### Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract. Restricted to professional users.
--------	--

#### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 3 of 18

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
7664-38-2	phosphoric acid			< 1 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			
7664-39-3	hydrofluoric acid ... %			< 1 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			
13138-45-9	nickel dinitrate			< 0.1 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			
10141-05-6	cobalt dinitrate			< 0.1 %
	233-402-1	027-009-00-2		
	Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H334 H317 H400 H410			
7647-01-0	Hydrochloric acid			< 0.1 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 4 of 18

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
7664-38-2	231-633-2	phosphoric acid	< 1 %
		oral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
7664-39-3	231-634-8	hydrofluoric acid ... %	< 1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	
10141-05-6	233-402-1	cobalt dinitrate	< 0.1 %
		Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	
7647-01-0	231-595-7	Hydrochloric acid	< 0.1 %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100	

**Further Information**

No data available

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant — skin irritation and eye damage

Causes burns.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 5 of 18

Cough  
Dyspnoea  
Risk of serious damage to eyes.  
Vomiting  
Methaemoglobinaemia  
Allergic reactions

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

##### **Unsuitable extinguishing media**

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NOx)  
Hydrogen fluoride

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.  
Do not inhale explosion and combustion gases.  
Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Corrosive to metals.

##### **For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

##### **For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 6 of 18

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Material, oxygen-rich, Oxidising

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations.

Keep in a cool place.

#### Further information on storage conditions

Unsuitable container/equipment material: Metal, Light metal, Glass

Store in a place accessible by authorized persons only.

### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 7 of 18

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7440-36-0	Antimony	-	0.5		TWA (8 h)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
13494-80-9	Tellurium	-	0.1		TWA (8 h)	
7440-31-5	Tin (Metal)	-	2		TWA (8 h)	

**Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 8 of 18

**DNEL/DMEL values**

CAS No	Substance	DNEL type	Exposure route	Effect	Value
7664-38-2	phosphoric acid	Worker DNEL, acute	inhalation	local	2 mg/m <sup>3</sup>
		Worker DNEL, long-term	inhalation	local	2,92 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	systemic	4,57 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	local	0,36 mg/m <sup>3</sup>
		Consumer DNEL, long-term	oral	systemic	0,1 mg/kg bw/day
		Worker DNEL, long-term	inhalation	systemic	10,7 mg/m <sup>3</sup>
7664-39-3	hydrofluoric acid ... %	Worker DNEL, long-term	inhalation	systemic	1,5 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	systemic	2,5 mg/m <sup>3</sup>
		Worker DNEL, long-term	inhalation	local	1,5 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	2,5 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	systemic	0,03 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	systemic	0,03 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	local	0,2 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	local	1,25 mg/m <sup>3</sup>
		Consumer DNEL, long-term	oral	systemic	0,01 mg/kg bw/day
		Consumer DNEL, acute	oral	systemic	0,01 mg/kg bw/day
13138-45-9	nickel dinitrate	Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
		Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
		Worker DNEL, acute	inhalation	systemic	104 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	1,6 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>
10043-35-3	boric acid	Worker DNEL, long-term	inhalation	systemic	8,3 mg/m <sup>3</sup>
		Worker DNEL, long-term	dermal	systemic	392 mg/kg bw/day
		Consumer DNEL, long-term	inhalation	systemic	4,15 mg/m <sup>3</sup>
		Consumer DNEL, long-term	dermal	systemic	196 mg/kg bw/day
		Consumer DNEL, long-term	oral	systemic	0,98 mg/kg bw/day
		Consumer DNEL, acute	oral	systemic	0,98 mg/kg bw/day
7647-01-0	Hydrochloric acid	Worker DNEL, long-term	inhalation	local	8 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	15 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	local	8 mg/m <sup>3</sup>



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 9 of 18

Consumer DNEL, acute	inhalation	local	15 mg/m <sup>3</sup>
7440-31-5	tin		
Worker DNEL, long-term	inhalation	systemic	71 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	17 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day

**PNEC values**

CAS No	Substance		Value
Environmental compartment			Value
7664-39-3	hydrofluoric acid ... %		
	Freshwater		0,89 mg/l
	Marine water		0,089 mg/l
	Freshwater sediment		3,38 mg/kg
	Marine sediment		0,338 mg/kg
	Micro-organisms in sewage treatment plants (STP)		51 mg/l
	Soil		10,6 mg/kg
13138-45-9	nickel dinitrate		
	Freshwater		0,0071 mg/l
	Freshwater (intermittent releases)		0 mg/l
	Marine water		0,0086 mg/l
	Freshwater sediment		109 mg/kg
	Marine sediment		109 mg/kg
	Secondary poisoning		0,12 mg/kg
	Micro-organisms in sewage treatment plants (STP)		0,33 mg/l
	Soil		29,9 mg/kg
10043-35-3	boric acid		
	Freshwater		2,9 mg/l
	Freshwater (intermittent releases)		13,7 mg/l
	Marine water		2,9 mg/l
	Micro-organisms in sewage treatment plants (STP)		10 mg/l
	Soil		5,7 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Face protection shield  
goggles.

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 10 of 18

specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative density:		No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 11 of 18

Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties	No data available
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Oxidising.	

##### **Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

##### **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Corrosive to metals.  
Oxidising agent, strong

### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

Danger of explosion:  
Acetone, Alcohol, Aniline, Substance, organic, Benzene, Aniline, Amines, Hydrocarbons, halogenated, Diethyl ether, Hydrazine, Dioxane, Acetic acid, Acetic anhydride, Ethanol, Fluorine, Formaldehyde, Rubber articles, Hydrocarbons, Copper, Powdered metals, Methanol, Phosphorus trichloride, Hydrogen phosphides, Gasoline, Reducing agent, titanium, Toluene, Hydrogen peroxide, tin, Xylene, Dichloromethane, carbon black, Potassium chlorate, permanganates, e.g. potassium permanganate

Ignition hazard:  
Amines, Ammonia (NH<sub>3</sub>), Combustible substance, aldehydes, Hydrogen iodide (HI), White/yellow phosphor, Hydrogen sulphide (H<sub>2</sub>S), Alkali metals, Alkaline earth metal

Violent reaction with:  
Nitriles, antimony, arsenic, boron, Alkali (lye), , Formic acid, sulphuric acid, sulphuric acid, sulphuric acid, selenium

### **10.4. Conditions to avoid**

Heat

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 12 of 18

**10.5. Incompatible materials**

Cellulose, Metal, Glass

Keep away from: Metal.

Keep away from combustible material.

The product develops hydrogen in an aqueous solution in contact with metals. / Nitrogen oxides (NOx)

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
7664-38-2	phosphoric acid				
	oral	ATE 500 mg/kg			
7664-39-3	hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 2240 ppm	Rat	Study report (1990)	OECD Guideline 403
13138-45-9	nickel dinitrate				
	oral	LD50 361,9 mg/kg	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

Corrosive to the respiratory tract.

Risk of serious damage to eyes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 13 of 18

#### Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate; cobalt dinitrate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (nickel dinitrate; cobalt dinitrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

There are no data available on the mixture itself.

##### Other information

There are no data available on the mixture itself.

#### Further information

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Vomiting

Methaemoglobinaemia

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 14 of 18

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
7664-38-2	phosphoric acid					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010) EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010) OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewage	Study report (2010) OECD Guideline 209
7664-39-3	hydrofluoric acid ... %					
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACH Registration Dossier other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACH Registration Dossier Methods not detailed in the review.
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACH Registration Dossier The publication is a review article of v
	Acute bacteria toxicity	EC50 mg/l ( )	2930	3 h	Activated sludge	REACH Registration Dossier ISO 8192
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004) other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2 other: not reported

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 15 of 18

	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	EC50 )	33 mg/l (	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
7664-39-3	hydrofluoric acid ... %	53 - 58	not specified	REACH Registration D
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not empty into drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.  
Do not mix with other wastes.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 16 of 18

Classification code: C1  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 80  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Classification code: C1  
 Limited quantity: 1 L  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: -  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: A212  
 Limited quantity Passenger: Forbidden  
 Passenger LQ: Forbidden  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: Forbidden  
 IATA-max. quantity - Passenger: Forbidden  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Oxidising substances. strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### "Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro

Revision date: 02.04.2024

Product code: 20205

Page 17 of 18

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
cobalt dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 28, Entry 30, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

#### Abbreviations and acronyms

Pyr. Sol: Pyrophoric solid

Water-react: Substance and mixture which, in contact with water, emits flammable gas

Ox. Liq: Oxidising liquid

Ox. Sol: Oxidising solid

Met. Corr: Substance or mixture corrosive to metals

Flam. Sol: Flammable solid

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation

Muta: Germ cell mutagenicity

Carc: Carcinogenicity

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**"Multi element standard solution ""solid Calib"" 25 elements in nitric acid 1 mol/l with 0.2 % hydro**

Revision date: 02.04.2024

Product code: 20205

Page 18 of 18

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 1B; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*