

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

UFI: RVXS-P14R-G004-HCNV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
E-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
E-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290
Acute Tox. 3; H311
Acute Tox. 4; H302
Skin Corr. 1A; H314
Eye Dam. 1; H318
STOT RE 1; H372
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

sodium hydroxide
potassium iodide
sodium azide

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN

25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 2 of 14

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1310-73-2	sodium hydroxide			25 - < 30 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
7681-11-0	potassium iodide			20 - < 25 %
	231-659-4		01-2119906339-35	
	STOT RE 1; H372			
26628-22-8	sodium azide			< 1 %
	247-852-1	011-004-00-7	01-2119457019-37	
	Acute Tox. 1, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H300 H373 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	25 - < 30 %
		Skin Corr. 1A; H314: ≥ 5 - 100 Skin Corr. 1B; H314: ≥ 2 - < 5 Skin Irrit. 2; H315: $\geq 0,5$ - < 2 Eye Irrit. 2; H319: $\geq 0,5$ - < 2	
7681-11-0	231-659-4	potassium iodide	20 - < 25 %
		oral: LD50 = 3118 mg/kg	
26628-22-8	247-852-1	sodium azide	< 1 %
		inhalation: LC50 = $> 0,054$ - < 0,52 mg/l (dusts or mists); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Adverse human health effects and symptoms:

Gastric perforation.

Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

corrosive

Irritant

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 4 of 14

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable.

Hazardous combustion products

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 5 of 14

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Use personal protection equipment.
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.
Unsuitable container/equipment material:
Metal, Aluminium, Zinc, tin

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.
Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
26628-22-8	Sodium azide (as NaN ₃)	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 6 of 14

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Consumer DNEL, long-term		inhalation	local	1 mg/m ³
26628-22-8	sodium azide			
Worker DNEL, long-term		inhalation	systemic	0,164 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,0467 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,0167 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,0167 mg/kg bw/day

PNEC values

CAS No	Substance	Value
26628-22-8	sodium azide	
Freshwater		0,00035 mg/l
Freshwater (intermittent releases)		0,0035 mg/l
Freshwater sediment		0,0167 mg/kg
Marine sediment		0,00072 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,03 mg/l

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 7 of 14

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		not applicable
		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		X
Auto-ignition temperature:		not applicable
Decomposition temperature:		No data available
pH-Value:		14,0
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		1,49459 g/cm ³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

9.2. Other information

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN

25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 8 of 14

Information with regard to physical hazard classes

Explosive properties	
not applicable	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Not oxidising.	

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

metals, Light metal (Formation of: Hydrogen)
Combustible substance, Phenols
Acid, Nitriles, Alkaline earth metal (Metal powder)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Aluminium, Brass
metals (including their alloys), Zinc
Tin, Light metal
Glass, plastics
Material, containing silicate

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 9 of 14

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic in contact with skin.

Harmful if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

ATEmix calculated

ATE (oral) 625,0 mg/kg; ATE (dermal) 625,0 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-11-0	potassium iodide				
	oral	LD50 3118 mg/kg	Rat	Study report (1980)	OECD Guideline 401
26628-22-8	sodium azide				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation (4 h) dust/mist	LC50 > 0,054 - < 0,52 mg/l	Rat	Study report (2009)	EPA OPPTS 870.1300

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (potassium iodide)

Aspiration hazard

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 10 of 14

Other information

There are no data available on the mixture itself.

Further information

corrosive
Irritant
Dyspnoea
Cough
Circulatory collapse

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4 other: acute 48-h immobilization test ac
7681-11-0	potassium iodide					
	Acute fish toxicity	LC50 mg/l	3780	96 h	Oncorhynchus mykiss	Publication (1995) other: Protocol to d
	Acute crustacea toxicity	EC50 mg/l	1,27	48 h	Daphnia magna	Study report (2012) OECD Guideline 202
26628-22-8	sodium azide					
	Acute fish toxicity	LC50 mg/l	5,46	96 h	Pimephales promelas	Center for Lake Superior Environmental S OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,35	96 h	Pseudokirchneriella subcapitata	REACH Registration Dossier OECD Guideline 201
	Acute crustacea toxicity	EC50	5 mg/l	48 h	Gammarus fasciatus	REACH Registration Dossier other: EPA/600/R-95-13 6: Short-term meth
	Acute bacteria toxicity	(EC50 mg/l)	79,3	3 h	Activated sludge	Study report (2017) OECD Guideline 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 11 of 14

Further information

Do not allow to enter into surface water or drains.
Harmful effect due to pH shift.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not allow to enter into surface water or drains.
Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (sodium hydroxide, sodium azide)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (sodium hydroxide, sodium azide)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	1 L
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (sodium hydroxide, sodium azide)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 12 of 14

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (sodium hydroxide, sodium azide)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Special Provisions:	A3 A803
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.

Safety Data Sheet

according to UK REACH Regulation

"Reagent according to Winkler for determination of dissolved oxygen according to EN 25813:1992, DE

Revision date: 21.09.2023

Product code: 20207

Page 13 of 14

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
Met. Corr: Corrosive to metals
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Eye Dam: Eye damage
STOT RE: Specific target organ toxicity - repeated exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT RE 1; H372	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H300 Fatal if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H372 Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH032 Contact with acids liberates very toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Safety Data Sheet

according to UK REACH Regulation

**"Reagent according to Winkler for determination of dissolved oxygen according to EN
25813:1992, DE**

Revision date: 21.09.2023

Product code: 20207

Page 14 of 14

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)