

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023	Product code: 20262		Page 1 of 9					
SECTION 1: Identification of the substance/mixture and of the company/undertaking								
1.1. Product identifier								
Sodium chloride for analysis fo	or salt spray test according to DIN EN ISO	9227:2023-03						
REACH Registration Number:	01-2119485491-33-XXXX							
CAS No:	7647-14-5							
EC No:	231-598-3							
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised a	gainst						
Use of the substance/mixture								
Laboratory chemicals								
	nces as such or in preparations at industri							
Professional uses: Public doma	ain (administration, education, entertainme	nt, services, craftsmen)						
Uses advised against								
Do not use for private purposes	s (household).							
1.3. Details of the supplier of the safe	<u>ety data sheet</u>							
Company name:	AnalytiChem GmbH							
Street:	Stempelstraße 6							
Place:	D-47167 Duisburg							
Telephone:	0203/5194-0	Telefax: 0203/5194-290						
e-mail:	info@analytichem.de							
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117						
e-mail:	produktsicherheit@analytichem.de							
Internet:	www.analytichem.de							
Responsible Department:	Abteilung Produktsicherheit							
1.4. Emergency telephone	For Hazardous Materials [or Dangerous							
number:	•	C Day or Night Within USA and Canada:						
	1-800-424-9300 Outside USA and Can	ada: +1 /03-/41-59/0 (collect calls						
	accepted)							

# Further Information

No data available

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

This substance is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Sum formula:	NaCl
Molecular weight:	58,44 g/mol



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023

Product code: 20262

Page 2 of 9

### Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	C No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)				
7647-14-5	sodium chloride	sodium chloride			
	231-598-3		01-2119485491-33-XXXX		

# Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE						
CAS No	EC No	Chemical name	Quantity			
	Specific Con	c. Limits, M-factors and ATE				
7647-14-5	231-598-3	sodium chloride	100 %			
	dermal: LD5	0 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

No data available

# After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Vomiting

Gastrointestinal complaints

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Hazardous combustion products



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023

Product code: 20262

Page 3 of 9

In case of fire may be liberated: Hydrogen chloride (HCI)

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Keep container tightly closed. Do not breathe dust. Avoid dust formation. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion Usual measures for fire prevention.

### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

4 of 9



according to Regulation (EC) No 1907/2006

# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023	Product code: 20262	Page
		_

Do not breathe dust. Avoid dust formation. Avoid contact with skin, eyes and clothes.

## Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

No data available

### Further information on storage conditions

Store in a dry place.

storage temperature +5°C - +30°C

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# DNEL/DMEL values

CAS No	Substance					
DNEL type	•	Exposure route	Effect	Value		
7647-14-5	sodium chloride					
Consumer DN	EL, long-term	dermal	systemic	126,65 mg/kg bw/day		
Consumer DN	EL, acute	dermal	systemic	126,65 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	126,65 mg/kg bw/day		
Consumer DN	EL, acute	oral	systemic	126,65 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	2068,62 mg/m <sup>3</sup>		
Worker DNEL,	acute	inhalation	systemic	2068,62 mg/m <sup>3</sup>		
Worker DNEL,	acute	dermal	systemic	295,52 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	443,28 mg/m <sup>3</sup>		
Consumer DN	EL, acute	inhalation	systemic	443,28 mg/m <sup>3</sup>		
Worker DNEL,	long-term	dermal	systemic	295,52 mg/kg bw/day		

# **PNEC** values

CAS No	Substance	
Environmental compartment Value		
7647-14-5 sodium chloride		
Freshwater 5 mg/l		5 mg/l
Micro-organisms in sewage treatment plants (STP) 500		500 mg/l
Soil		4,86 mg/kg

### 8.2. Exposure controls



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023

Product code: 20262

Page 5 of 9

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

# Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P1

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		801 °C
Boiling point or initial boiling point and		1461 °C
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value (at 20 °C):		4,5 - 7,8 (100 g/l)
Viscosity / kinematic:		No data available



Sodium chloride for analysis for s	salt spray test according to DIN EN ISO 922	7:2023-03
Revision date: 06.03.2023	Product code: 20262	Page 6 of 9
Water solubility:	358 g/L	
(at 20 °C)		
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	1,3 hPa	
(at 865 °C)		
Vapour pressure:	No data available	
Density (at 20 °C):	2,17 g/cm <sup>3</sup>	
Relative density:	No data available	
Bulk density:	~1140 kg/m³	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard classe	S	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	100%	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Alkali metals Lithium

# 10.4. Conditions to avoid

No data available



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023

Product code: 20262

Page 7 of 9

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

# No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7647-14-5	sodium chloride							
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared		
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

No data available

### Specific effects in experiment on an animal

No data available

### Additional information on tests

No data available

#### Practical experience No data available

#### 11.2. Information on other hazards

# Endocrine disrupting properties

No data available

## Other information No data available



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

Revision date: 06.03.2023

Product code: 20262

Page 8 of 9

# **Further information**

Vomiting Gastrointestinal complaints

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7647-14-5	sodium chloride							
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729	
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202	
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210	
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211	

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. No data available

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

# No data available

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not empty into drains. Do not mix with other wastes.

# Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

14.1. UN number or ID number:

### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation.



# Sodium chloride for analysis for salt spray test according to DIN EN ISO 9227:2023-03

according to Regulation (EC) No 1907/2006

	lysis for salt spray test according to DIN EN ISO 9227:2	
Revision date: 06.03.2023	Product code: 20262	Page 9 of 9
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this t		
14.7. Maritime transport in bulk according		
No dangerous good in sense of this t	ransport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental req	ulations/legislation specific for the substance or mixture	
EU regulatory information	· · · · · · · · · · · · · · · · · · ·	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
Additional information		

No data available

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1.