

according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Acetonitrile LC-MS > 99.9 %

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 2; H330 Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

pyridine

acetic anhydride

Signal word: Danger



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 2 of 13

Pictograms:







Hazard statements

H225 Highly flammable liquid and vapour.

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor. P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation	on (EC) No 1272/2008)				
110-86-1	pyridine			75 - < 80 %		
	203-809-9	613-002-00-7	01-2119493105-40			
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H225 H332 H312 H302 H315 H319					
108-24-7	acetic anhydride			20 - < 25 %		
	203-564-8	607-008-00-9	01-2119486470-36			
	Flam. Liq. 3, Acute Tox. 2, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H226 H330 H302 H314 H335					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	Limits, M-factors and ATE	
110-86-1	203-809-9	pyridine	75 - < 80 %
	1	0 = 4900 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: - < 2000 mg/kg; oral: LD50 = > 800 - < 1600 mg/kg	
108-24-7	203-564-8	acetic anhydride	20 - < 25 %
	630 mg/kg Ski	= 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: LD50 = n Corr. 1B; H314: >= 25 - 100	



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 3 of 13

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dyspnoea

Cough

Anaesthetic state

Gastrointestinal complaints

Vomiting

Cardiac arrhythmias / Circulatory collapse

Headache

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Acetic acid-Vapour

Beware of reignition.

Print date: 02.01.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 4 of 13

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Danger of bursting container.

Use water spray jet to protect personnel and to cool endangered containers.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 5 of 13

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
108-24-7	Acetic anhydride	1	2.5		TWA (8 h)	
		3	10		STEL (15 min)	
110-86-1	Pyridine	5	15		TWA (8 h)	
		10	30		STEL (15 min)	



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 6 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
110-86-1	pyridine			
Consumer DNI	EL, long-term	oral	systemic	0,07 mg/kg bw/day
Worker DNEL,	acute	inhalation	systemic	7,5 mg/m³
Worker DNEL, long-term		dermal	systemic	0,14 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,6 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,07 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,5 mg/m³
108-24-7	acetic anhydride			
Worker DNEL, long-term		inhalation	systemic	4,2 mg/m³
Worker DNEL, long-term		inhalation	local	4,2 mg/m³
Worker DNEL,	acute	inhalation	local	12,6 mg/m³

PNEC values

CAS No	Substance	
Environment	al compartment	Value
110-86-1	pyridine	·
Freshwater		0,3 mg/l
Freshwater (intermittent releases)	3 mg/l
Marine water		0,03 mg/l
Freshwater s	ediment	3,2 mg/kg
Marine sedin	nent	0,32 mg/kg
Micro-organisms in sewage treatment plants (STP)		2 mg/l
Soil		0,46 mg/kg
108-24-7	acetic anhydride	
Freshwater		3,058 mg/l
Freshwater (intermittent releases)	30,58 mg/l
Marine water		0,306 mg/l
Freshwater sediment		11,36 mg/kg
Marine sediment 1,13		1,136 mg/kg
Micro-organisms in sewage treatment plants (STP)		115 mg/l
Soil		0,47 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 7 of 13

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: pungent

Odour threshold:

No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

~115 °C

boiling range: Flammability

Solid/liquid: not applicable Gas: not applicable Lower explosion limits: No data available No data available Upper explosion limits: ~20 °C Flash point: Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: acidic No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

No data available

No data available



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 8 of 13

Density: 1,00332 g/cm³
Bulk density: No data available
Relative vapour density: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours may form explosive mixtures with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: No data available

(at 25 °C)

Flow time: No data available

Further InformationNo data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Danger of explosion: Nitrogen oxides (NOx), perchloric acid

Exothermic reaction with: Fluorine, sulphuric acid, silver perchlorate

Ignition hazard: Oxidising agent, Nitric acid

chromium trioxide, acid anhydride, perchromates, oleum

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Plastic articles Rubber articles Metal articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

Print date: 02.01.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 9 of 13

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Fatal if inhaled.

Harmful if swallowed.

Harmful in contact with skin.

ATEmix calculated

ATE (oral) 749,9 mg/kg; ATE (dermal) 1329,3 mg/kg; ATE (inhalation vapour) 1,77 mg/l; ATE (inhalation dust/mist) 0,183 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
110-86-1	pyridine						
	oral	LD50 > 800 - < 1600 mg/kg	Rat	Study report (1978)	Precedes establishment of guideline and		
	dermal	LD50 > 1000 - < 2000 mg/kg	Rabbit	Study report (1973)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50 4900 mg/	Rat	Other company data (1984)	EPA OPPTS 870.1300		
	inhalation dust/mist	ATE 1,5 mg/l					
108-24-7	acetic anhydride						
	oral	LD50 630 mg/kg	Rat	Study report (1980)	5 animals per gender per group Starved f		
	inhalation vapour	ATE 0,5 mg/l					
	inhalation dust/mist	ATE 0,05 mg/l					

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (acetic anhydride)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 10 of 13

Other information

There are no data available on the mixture itself.

Further information

Irritant

Dyspnoea

Cough

Anaesthetic state

Gastrointestinal complaints

Vomiting

Cardiac arrhythmias / Circulatory collapse

Headache

Allergic reactions

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
110-86-1	pyridine						
	Acute fish toxicity	LC50 1000 mg/l	> 560 - <	96 h	Danio rerio	Study report (1991)	OECD Guideline 203
	Acute algae toxicity	ErC50	320 mg/l		Pseudokirchneriella subcapitata	Study report (1991)	OECD Guideline 201
108-24-7	acetic anhydride						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-86-1	pyridine	0,64
108-24-7	acetic anhydride	-0,577

BCF

CAS No	Chemical name	BCF	Species	Source
108-24-7	acetic anhydride	3,16	fish	Environ. Toxicol. Ch

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 11 of 13

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not empty into drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land	transc	- m+ /		/DID/
Lanu	transt	OFT (AUR	/RIU)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, acetic anhydride)

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3+8 Classification code: FC **Special Provisions:** 274 Limited quantity: 1 I Excepted quantity: F2 Transport category: 2 Hazard No: 338 Tunnel restriction code: D/F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, acetic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Classification code:FCSpecial Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, acetic anhydride)

14.3. Transport hazard class(es):14.4. Packing group:IIHazard label:3+8Special Provisions:274Limited quantity:1 LExcepted quantity:E2

Page 12 of 13



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326

EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, acetic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:A3Limited quantity Passenger:0.5 LPassenger LQ:Y340Excepted quantity:E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:363IATA-max. quantity - Cargo:5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,5,7,8,9,11,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

Acetonitrile LC-MS > 99.9 %

Revision date: 02.01.2023 Product code: 20326 Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 2; H330	Calculation method
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
□3 03± □ 313	Harmful if swallowed or in contact wit

H302+H312 Harmful if swallowed or in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)