

according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

REACH Registration Number: 01-2119457610-43-XXXX

CAS No: 64-17-5 Index No: 603-002-00-5 EC No: 200-578-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 2 of 11

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

ALCOHOL

Sum formula: C2H5OH

Molecular weight: 46,07 g/mol

Hazardous components

| CAS No | Chemical name | Chemical name | | |
|---------|---------------------------------|------------------|-----------------------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (E0 | C) No 1272/2008) | | |
| 64-17-5 | ethanol | | | |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43-XXXX | |
| | Flam. Liq. 2, Eye Irrit. 2; H22 | 5 H319 | • | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|---------|---|---------------------------|----------|
| | Specific Conc. I | Limits, M-factors and ATE | |
| 64-17-5 | 200-578-6 | ethanol | 100 % |
| | inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg | | |

Further Information

No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 3 of 11

ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Beware of reignition.

5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases.

Avoid contact with skin, eves and clothes.

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 4 of 11

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Print date: 01.05.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 5 of 11

Further information on storage conditions

Vapours may form explosive mixtures with air.

7.3. Specific end use(s)

Laboratory use Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|---------------|------|-------|---------|---------------|--------|
| 64-17-5 | Ethyl alcohol | 1000 | - | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|---------------|----------------|----------|------------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 64-17-5 | ethanol | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 950 mg/m³ | | |
| Worker DNEL, long-term | | dermal | systemic | 343 mg/kg bw/day | | |
| Consumer DNEL, long-term | | inhalation | systemic | 114 mg/m³ | | |
| Consumer DNEL, long-term | | dermal | systemic | 206 mg/kg bw/day | | |
| Consumer DNE | EL, long-term | oral | systemic | 87 mg/kg bw/day | | |

PNEC values

| CAS No | Substance | | | | | |
|---------------------------------|------------------------------------|-----------|--|--|--|--|
| Environmental compartment Value | | | | | | |
| 64-17-5 | ethanol | | | | | |
| Freshwater | | 0,96 mg/l | | | | |
| Freshwater | Freshwater (intermittent releases) | | | | | |
| Marine water | 0,79 mg/l | | | | | |
| Freshwater | 3,6 mg/kg | | | | | |
| Marine sedi | 2,9 mg/kg | | | | | |
| Secondary p | Secondary poisoning | | | | | |
| Micro-organ | 580 mg/l | | | | | |
| Soil | 0,63 mg/kg | | | | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 6 of 11

Trade name/designation KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Ethanol
Odour threshold: No data available

Melting point/freezing point:

-114,5 °C

Boiling point or initial boiling point and

78 °C

boiling range:

Flammability: not applicable

not applicable 3,1 vol. %

Lower explosion limits: 3,1 vol. % Upper explosion limits: 27,7 vol. %

Flash point: 12 °C Auto-ignition temperature: 425 °C

Decomposition temperature: not determined pH-Value (at 20 $^{\circ}$ C): 7 (10g/l)

Viscosity / kinematic: No data available

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

-0,31

Dispersion stability:

Vapour pressure:

No data available
59 hPa

(at 50 °C)

Vapour pressure:No data availableDensity:0,79000 g/cm³Relative density:No data available



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 7 of 11

Bulk density:

Relative vapour density:

Particle characteristics:

No data available

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Sustaining combustion: Sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: 1,2 mPa·s

(at 20 °C)

Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 8 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|---------|-------------------------|---------------|-------|---------|---------------------|--------------------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 64-17-5 | ethanol | | | | | | |
| | oral | LD50 mg/kg | 10470 | Rat | Study report (1976) | OECD Guideline 401 | |
| | inhalation (4 h) vapour | LC50 mg/l | 124,7 | Rat | Study report (1980) | OECD Guideline 403 | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomiting

Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 9 of 11

| CAS No | Chemical name | | | | | | | |
|---------|--------------------------|---------------------|---------|-----------|------------------------------------|---|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 64-17-5 | ethanol | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Lepomis macrochirus | Bulletin of Environmental Contamination | other: EPA-660/3-75-00 9, 1975 | |
| | Acute algae toxicity | ErC50 22000 mg/l | ca. | | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia magna | Water Research 23(4): 495-499 (1989) | other: DIN 38412 Teil 11 | |
| | Algae toxicity | NOEC mg/l | 5400 | | Skeletonema costatum | Environ Toxicol Chem 8(5):451-455. (1989 | Study to determine the sensitivity of a | |
| | Crustacea toxicity | NOEC | 2 mg/l | 10 d | Ceriodaphnia dubia | Arch Environ Contam Toxicol 20(2):211-21 | Follows the basic methodology for the th | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 64-17-5 | ethanol | -0,77 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|-----------------|----------------------|
| 64-17-5 | ethanol | 1 | Cyprinus carpio | Comparative Biochemi |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

There are no data available on the mixture itself.

12.7. Other adverse effects

Do not empty into drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 10 of 11

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 **Special Provisions:** 144 601 Limited quantity: 1 I Excepted quantity: E2 Transport category: 2 Hazard No: 33 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Special Provisions:144 601Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:144Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L



according to Regulation (EC) No 1907/2006

Ethanol anhydrous > 99.5 % Reag. Ph. Eur.

Revision date: 01.05.2023 Product code: 20490 Page 11 of 11

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.