

Chloroform / phenol mi	Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for					
	determi					
Revision date: 23.08.2023	Product code: 2053	37	Page 1 of 15			
SECTION 1: Identification of the su	ubstance/mixture and of the com	ipany/undertaking				
1.1. Product identifier Chloroform / phenol mixture mixe	ed 3 : 2 volumetrically / gravimetrically	y (V/m) suitable for determi				
1.2. Relevant identified uses of the su	bstance or mixture and uses advise	d against				
	ces as such or in preparations at indu n (administration, education, entertain					
Uses advised against						
Do not use for private purposes	(household).					
1.3. Details of the supplier of the safe	v data sheet					
Company name:	AnalytiChem GmbH					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada Canada: +1 703-741-5970 (collect calls	:			
Further Information This product is a mixture. REAC	H Registration Number see section 3.					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 2; H330 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Muta. 2; H341 Carc. 2; H351 Repr. 2; H361d STOT SE 3; H336 STOT RE 1; H372 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling trichloromethane phenol Signal word: Danger



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

Revision date: 23.08.2023

determi Product code: 20537

Page 2 of 15



Hazard statements

Pictograms:

H330	Fatal if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs (kidneys, liver) through prolonged or repeated exposure.
ocautionary stat	ements

Precautionary statements

countional	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P3	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P3	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

For use in industrial installations only.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC)	No 1272/2008)			
67-66-3	trichloromethane				
	200-663-8	602-006-00-4 01-2119486657-20			
	Carc. 2, Muta. 2, Repr. 2, Acute RE 1; H351 H341 H361d H331				
108-95-2	phenol			30 - < 35 %	
	203-632-7	604-001-00-2	01-2119471329-32		
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H341 H331 H311 H301 H314 H373 H411				

Full text of H and EUH statements: see section 16.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Page 3 of 15

Revision date: 23.08.2023

Product code: 20537

Specific 0	Conc. Li	mits, N	I-factors	and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
67-66-3	200-663-8	trichloromethane	65 - < 70 %
	inhalation: ATE mg/kg	E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 908	
108-95-2	203-632-7	phenol	30 - < 35 %
	850 mg/kg; ora	E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = l: LD50 = 530 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - 2; H319: >= 1 - < 3	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse Cardiac arrhythmias



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

according to Regulation (EC) No 1907/2006

determi

Revision date: 23.08.2023

Product code: 20537

Page 4 of 15

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Phosgene

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.



Revision date: 23.08.2023

according to Regulation (EC) No 1907/2006

Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi Product code: 20537

Page 5 of 15

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

Further information on storage conditions

Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-66-3	Chloroform	2	9.8		TWA (8 h)	
108-95-2	Phenol	2	8		TWA (8 h)	
		4	16		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
108-95-2	Phenol	Phenol	120 mg/g	Creatinine	End of shift



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Revision date: 23.08.2023

Product code: 20537

Page 6 of 15

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
67-66-3	trichloromethane				
Worker DNE	L, long-term	inhalation	systemic	2,5 mg/m ³	
Worker DNE	L, acute	inhalation	systemic	333 mg/m ³	
Worker DNE	L, long-term	inhalation	local	2,5 mg/m ³	
Worker DNE	L, long-term	dermal	systemic	0,94 mg/kg bw/day	
Consumer D	NEL, long-term	inhalation	systemic	0,18 mg/m³	
108-95-2	phenol				
Worker DNE	L, long-term	inhalation	systemic	8 mg/m³	
Worker DNE	L, acute	inhalation	local	16 mg/m ³	
Worker DNE	L, long-term	dermal	systemic	1,23 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	1,32 mg/m ³	
Consumer D	NEL, long-term	dermal	systemic	0,4 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,4 mg/kg bw/day	

PNEC values

CAS No	Substance			
Environmental compartment		Value		
67-66-3	trichloromethane			
Freshwater		0,146 mg/l		
Freshwater	(intermittent releases)	0,133 mg/l		
Marine wate	r	0,015 mg/l		
Freshwater	sediment	0,45 mg/kg		
Marine sedir	nent	0,09 mg/kg		
Micro-organisms in sewage treatment plants (STP)		0,048 mg/l		
Soil		0,56 mg/kg		
108-95-2	phenol			
Freshwater		0,008 mg/l		
Freshwater	(intermittent releases)	0,031 mg/l		
Marine wate	r	0,001 mg/l		
Freshwater	sediment	0,091 mg/kg		
Marine sediment		0,009 mg/kg		
Micro-organisms in sewage treatment plants (STP)		2,1 mg/l		
Soil		0,136 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Revision date: 23.08.2023

Product code: 20537

Page 7 of 15

Eye/face protection

goggles Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contactTrade name/designation:KCL 890 Vitoject®Recommended material:FKM (fluoro rubber) 0,7 mmWearing time with permanent contact:> 480 min

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless characteristic No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		>35 °C
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		>60 °C
Auto-ignition temperature:		No data available



Chloroform / phenol mixture mixed 3	: 2 volumetrically / gravimetrically (V/m) suita determi	able for
Revision date: 23.08.2023	Product code: 20537	Page 8 of 15
Decomposition temperature:	No data available	
pH-Value:	No data available	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,288 g/cm³ No data available	
Bulk density:	No data available	
Relative vapour density: Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard classes Explosive properties	spread along floors and form explosive mixtures with air.	
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:	Nie steden eine Stellte	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		

10.1. Reactivity

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

10.2. Chemical stability

Protect against: Heat

10.3. Possibility of hazardous reactions

Ammonia (NH3), Amines Nitrogen oxides (NOx), Alkali (Iye) Fluorine, Alkali metals



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Revision date: 23.08.2023

Product code: 20537

Page 9 of 15

Alkaline earth metal, metals Powdered metals, Methanol Light metal, Ketone Oxidising agent, Acid Formaldehyde aldehydes, peroxides, for example hydrogen peroxide

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Rubber articles plastics Metal

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal if inhaled.

Toxic if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) 258,7 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 3,000 mg/l; ATE (inhalation dust/mist) 0,5000 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
67-66-3	trichloromethane						
	oral	LD50 mg/kg	908	Rat	Toxicology and Applied Pharmacology 52,	OECD Guideline 401	
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0,5 mg/l				
108-95-2	phenol						
	oral	LD50 mg/kg	530	Rat	J Pharmacol Exp Ther 80: 233-240 (1944)	OECD Guideline 401	
	dermal	LD50 mg/kg	850	Rabbit	Am Ind Hyg Assoc J 37: 596-606 (1976)	OECD Guideline 402	
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0,5 mg/l				

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Revision date: 23.08.2023

Product code: 20537

Page 10 of 15

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (trichloromethane; phenol) Suspected of causing cancer. (trichloromethane) Suspected of damaging the unborn child. (trichloromethane)

STOT-single exposure

May cause drowsiness or dizziness. (trichloromethane)

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (trichloromethane) May cause damage to organs through prolonged or repeated exposure. (phenol)

Aspiration hazard

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs. (Pulmonary oedema Pneumonia)

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse Cardiac arrhythmias

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Page 11 of 15

Revision	date:	23.	08.	2023
1101011	uulo.	20.	00.	2020

Product code: 20537

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
67-66-3	trichloromethane							
	Acute fish toxicity	LC50 171 mg/l	103 -	96 h	Pimephales promelas	Bulletin of Environmental Contamination	Method after: Procedures recommended by	
	Acute algae toxicity	ErC50 mg/l	13,3	72 h	Chlamydomonas reinhardtii	Environmental Science and Pollution Rese	A modified cell multiplication inhibitio	
	Acute crustacea toxicity	EC50 mg/l	152,5	48 h	other aquatic mollusc: Crassostrea gigas	Study report (2002)	other: ASTM Method E724-94	
	Crustacea toxicity	NOEC	13 mg/l	21 d	Daphnia magna	Water Research 23(4), 501-510 (1989)	other: Recommendation of the	
	Acute bacteria toxicity	(EC50 mg/l)	840	0,5 h	activated sludge of a predominantly domestic sewag	Toxicity Assessment: An International Jo	OECD Guideline 209	
108-95-2	phenol							
	Acute fish toxicity	LC50	8,9 mg/l	96 h	Oncorhynchus mykiss	Publication (1980)	other:	
	Acute algae toxicity	ErC50 mg/l	61,1	96 h	Pseudokirchneriella subcapitata	Environ. Toxicol. Water Qual. 7: 35-48 (other: US EPA	
	Acute crustacea toxicity	EC50	3,1 mg/l	48 h	Ceriodaphnia dubia	Publication (1991)	Test performance in compliance with EPA	
	Fish toxicity	NOEC mg/l	0,077	60 d	Cirrhina mrigala	Publication (1984)	Method: other	
	Crustacea toxicity	NOEC mg/l	0,16	16 d	Daphnia magna	Ecotoxicol. Envir. Saf. 15: 72-77 (1988)	other: NEN 6502	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-66-3	trichloromethane	1,97
108-95-2	phenol	1,47
BCF		

50		
~ ^	<u> </u>	

CAS No	Chemical name	BCF	Species	Source
67-66-3	trichloromethane	690	Selenastrum capricornutum	Environmental Scienc
108-95-2	phenol	17,5	Danio rerio	Publication (1985)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for

determi

Revision date: 23.08.2023

Product code: 20537

Page 12 of 15

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2927
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol,
	trichloromethane)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	ll
Hazard label:	6.1+8
Classification code:	TC1
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
Transport category:	2
Hazard No:	68
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2927
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane)
<u>14.3. Transport hazard class(es):</u>	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Classification code:	TC1
Special Provisions:	274 802
Limited quantity:	100 mL
Excepted quantity:	E4
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2927
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8



Revision date: 23.08.2023Product code: 20537Special Provisions:274Limited quantity:100 mLExcepted quantity:E4EmS:F-A, S-BAir transport (ICAO-TI/IATA-DGR)UN 292714.1. UN number or ID number:UN 292714.2. UN proper shipping name:TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane)14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Special Provisions:A4 A137Limited quantity Passenger:0.5 L	Page 13 of 15
Limited quantity:100 mLExcepted quantity:E4EmS:F-A, S-BAir transport (ICAO-TI/IATA-DGR)UN 292714.1. UN number or ID number:UN 292714.2. UN proper shipping name:TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane)14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Special Provisions:A4 A137	
Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 2927 14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane) 14.3. Transport hazard class(es): 6.1 14.4. Packing group: II Hazard label: 6.1+8 Special Provisions: A4 A137	
14.1. UN number or ID number:UN 292714.2. UN proper shipping name:TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (phenol, trichloromethane)14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Special Provisions:A4 A137	
14.4. Packing group:IIHazard label:6.1+8Special Provisions:A4 A137	
Limited quantity Passenger: 0.5 L Passenger LQ: Y640 Excepted quantity: E4	
IATA-packing instructions - Passenger: 653 IATA-max. quantity - Passenger: 1 L IATA-packing instructions - Cargo: 660 IATA-max. quantity - Cargo: 30 L 14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS: No	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 32, Entry 75 Information according to 2012/18/EU (SEVESO III):	
National regulatory information	
Employment restrictions: Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	ns
Water hazard class (D): 3 - highly hazardous to water	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for determi				
Revision date: 23.08.2023	Product code: 20537	Page 14 of 15		
Aquatic Chronic: Chronic aqu	an toxicity - single exposure an toxicity - repeated exposure			
Classification	Classification procedure			
Acute Tox. 2; H330	Calculation method			
Acute Tox. 3; H301	Calculation method			
Skin Corr. 1B; H314	Calculation method			
Eye Dam. 1; H318	Calculation method			
Muta. 2; H341	Calculation method			
Carc. 2; H351	Calculation method			
Repr. 2; H361d	Calculation method			
STOT SE 3; H336	Calculation method			
STOT RE 1; H372	Calculation method			
STOT RE 2; H373	Calculation method			

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs (kidneys, liver) through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



Chloroform / phenol mixture mixed 3 : 2 volumetrically / gravimetrically (V/m) suitable for determi

Revision date: 23.08.2023

Product code: 20537

Page 15 of 15

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)