

Acetic acid / cyclohe	kane mixture mixed 1 : 4 volumetri	cally suitable for determination of	of the				
	iodin						
Revision date: 23.08.2023	Product code: 2053	3	Page 1 of 13				
SECTION 1: Identification of the substance/mixture and of the company/undertaking							
1.1. Product identifier							
	ixture mixed 1 : 4 volumetrically suitable fo	r determination of the iodin					
1.2. Relevant identified uses of th	e substance or mixture and uses advised	l against					
Use of the substance/mixture							
Laboratory chemicals							
Industrial uses: Uses of sub	stances as such or in preparations at indus	trial sites					
Professional uses: Public do	omain (administration, education, entertain	nent, services, craftsmen)					
Uses advised against							
Do not use for private purpo	oses (household).						
1.3. Details of the supplier of the	<u>safety data sheet</u>						
Company name:	AnalytiChem GmbH						
Street:	Stempelstraße 6						
Place:	D-47167 Duisburg						
Telephone:	0203/5194-0	Telefax: 0203/5194-290					
E-mail:	info@analytichem.de						
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117					
E-mail:	produktsicherheit@analytichem.de						
Internet:	www.analytichem.de						
Responsible Department:	Abteilung Produktsicherheit						
1.4. Emergency telephone	For Hazardous Materials [or Dangero	ous Goods] Incidents Spill, Leak, Fire,					
<u>number:</u>	Exposure, or Accident Call CHEMTR	EC Day or Night Within USA and Canada	a:				
	1-800-424-9300 Outside USA and Ca	anada: +1 703-741-5970 (collect calls					
	accepted)						
Further Information							
This product is a mixture. R	This product is a mixture. REACH Registration Number see section 3.						
·							

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H336 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.


2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling cyclohexane acetic acid

Danger Signal word:





2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
110-82-7	cyclohexane				
	203-806-2 601-017-00-1 01-2119463273-41		01-2119463273-41		
	Flam. Liq. 2, Skin Irrit. 2, 5 H315 H336 H304 H400 H	STOT SE 3, Asp. Tox. 1, Aquatic A 410	cute 1, Aquatic Chronic 1; H225		
64-19-7	acetic acid			25 - < 30 %	
	200-580-7	607-002-00-6	01-2119475328-30		
	Flam. Liq. 3, Skin Corr. 1A; H226 H314				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name						
	Specific Conc	Specific Conc. Limits, M-factors and ATE						
110-82-7	203-806-2	203-806-2 cyclohexane						
	inhalation: LC50 = > 5540 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg							
64-19-7	200-580-7	acetic acid	25 - < 30 %					
	inhalation: L0 100 Skin Co 10 - < 25							



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

Product code: 20538

iodin

Page 3 of 13

Further Information

Revision date: 23.08.2023

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive, Irritant

Vapours may cause drowsiness and dizziness. Dizziness, Unconsciousness, Vomiting, Headache

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Extinguishing powder

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

iodin

Page 4 of 13

Revision date: 23.08.2023

Product code: 20538

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

Take action to prevent state disena

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory).



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the iodin Revision date: 23.08.2023 Product code: 20538 Page 5 of 13 Provide adequate ventilation. Do not breathe vapour. Advice on protection against fire and explosion Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Advice on general occupational hygiene Keep away from food, drink and animal feedingstuffs. Further information on handling Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used. 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Further information on storage conditions Keep container tightly closed and dry. Keep cool. Protect from sunlight. 7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
110-82-7	Cyclohexane	200	700		TWA (8 h)	



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

iodin

Revision date: 23.08.2023

Product code: 20538

Page 6 of 13

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
110-82-7	cyclohexane				
Consumer D	NEL, long-term	inhalation	systemic	206 mg/m ³	
Consumer D	NEL, acute	inhalation	systemic	412 mg/m ³	
Consumer D	NEL, long-term	inhalation	local	206 mg/m ³	
Consumer D	NEL, acute	inhalation	local	412 mg/m ³	
Consumer DNEL, long-term		dermal	systemic	1186 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	59,4 mg/kg bw/day	
Worker DNE	L, long-term	inhalation	systemic	700 mg/m³	
Worker DNE	L, acute	inhalation	systemic	1400 mg/m ³	
Worker DNE	L, long-term	inhalation	local	700 mg/m³	
Worker DNE	L, acute	inhalation	local	1400 mg/m ³	
Worker DNE	L, long-term	dermal	systemic	2016 mg/kg bw/day	
64-19-7	acetic acid				
Worker DNE	L, long-term	inhalation	local	25 mg/m³	
Worker DNE	L, acute	inhalation	local	25 mg/m³	
Consumer DNEL, long-term		inhalation	local	25 mg/m³	
Consumer D	NEL, acute	inhalation	local	25 mg/m ³	

PNEC values

CAS No	Substance	
Environment	al compartment	Value
110-82-7	cyclohexane	
Freshwater		0,207 mg/l
Freshwater (intermittent releases)	0,207 mg/l
Marine wate	r	0,207 mg/l
Freshwater s	sediment	16,68 mg/kg
Marine sedir	16,68 mg/kg	
Micro-organi	3,24 mg/l	
Soil		3,38 mg/kg
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater (intermittent releases)	30,58 mg/l
Marine wate	r	0,306 mg/l
Freshwater s	sediment	11,36 mg/kg
Marine sedir	1,136 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg

8.2. Exposure controls



Revision date: 23.08.2023

according to Regulation (EC) No 1907/2006

Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

Product code: 20538

iodin

Page 7 of 13

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless characteristic No data available	
Melting point/freezing point: Boiling point or initial boiling point and boiling range:		No data available >35 °C
Flammability: Lower explosion limits:		No data available No data available
Upper explosion limits: Flash point: Auto-ignition temperature: Decomposition temperature:		No data available <21 °C No data available No data available



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the iodin					
Revision date: 23.08.2023	Product code: 20538	Page 8 of 13			
pH-Value:	No data available				
Viscosity / kinematic:	No data available				
Water solubility:	No data available				
Solubility in other solvents					
No data available					
Dissolution rate:	No data available				
Partition coefficient n-octanol/water:	No data available				
Dispersion stability:	No data available				
Vapour pressure:	No data available				
Vapour pressure:	No data available				
Density:	0,8324 g/cm ³				
Relative density:	No data available				
Bulk density:	No data available				
Relative vapour density:	No data available				
Particle characteristics:	No data available				
9.2. Other information					
Information with regard to physical hazard Explosive properties Vapours are heavier than air, spread alor Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties No data available	ng floors and form explosive mixtures with air. No data available No data available No data available				
Other safety characteristics					
Evaporation rate:	No data available				
Solvent separation test:	No data available				
Solvent content:	No data available				
Solid content:	No data available				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available No data available				
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					
No data available					
SECTION 10: Stability and reactivity					

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

Revision date: 23.08.2023

iodin Product code: 20538

Page 9 of 13

10.5. Incompatible materials

Plastic articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
110-82-7	cyclohexane								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1982)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50 mg/l	> 5540	Rat	Study report (1981)	OECD Guideline 403			
64-19-7	acetic acid								
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin			
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (cyclohexane) Organs affected: central nervous system

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

There are no data available on the mixture itself.



Acetic acid / cyclohexane mixture mix	ed 1 : 4 volumetrically suitable for dete	rmination of the
	iodin	
Revision date: 23.08.2023	Product code: 20538	Page 10 of 13
Specific effects in experiment on an animal There are no data available on the mixture itself.		
Additional information on tests There are no data available on the mixture itself.		
Practical experience No data available		
11.2. Information on other hazards		
Endocrine disrupting properties There are no data available on the mixture itself.		
Other information There are no data available on the mixture itself.		
Further information corrosive, Irritant		

Vapours may cause drowsiness and dizziness. Dizziness, Unconsciousness, Vomiting, Headache

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose	Dose		Species	Source	Method		
110-82-7	cyclohexane	cyclohexane							
	Acute fish toxicity	LC50 mg/l	4,53	96 h	Pimephales promelas	Vol. 5, Centre for Lake Superior Studies	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	9,317	72 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201		
	Acute crustacea toxicity	EC50	0,9 mg/l	48 h	Daphnia magna	Publication (1987)	OECD Guideline 202		
64-19-7	acetic acid								
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257		
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253		
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-82-7	cyclohexane	3,44
64-19-7	acetic acid	-0,17



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

iodin

Revision date: 23.08.2023

Product code: 20538

Page 11 of 13

CAS No	Chemical name	BCF	Species	Source	
110-82-7	cyclohexane	167	Pimephales promelas	J. Fish. Board Can.	
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch	

12.4. Mobility in soil

BCF

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (cyclohexane, acetic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	338
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (cyclohexane, acetic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	ll
Hazard label:	3+8
Classification code:	FC



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the iodin				
Revision date: 23.08.2023	Product code: 20538 Page 12 of 13			
Special Provisions:	274			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2924			
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (cyclohexane, acetic acid)			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	ll			
Hazard label:	3+8			
Special Provisions:	274			
Limited quantity:	1L			
Excepted quantity:	E2			
EmS:	F-E, S-C			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2924			
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (cyclohexane, acetic acid)			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	ll			
Hazard label:	3+8			
Special Provisions:	A3			
Limited quantity Passenger:	0.5 L			
Passenger LQ:	Y340			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	352 1 L			
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	363			
IATA-max. quantity - Cargo:	505 5 L			
	5 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes			
Danger releasing substance:	cyclohexane			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 40, Entry 57				
Information according to 2012/18/EU	E1 Hazardous to the Aquatic Environment			
(SEVESO III):	ET hazardous to the Aquate Environment			
Additional information:	P5c			
National regulatory information				
	Observe restrictions to employment for investigation according to the linearity			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.			
Water hazard class (D):	2 - obviously hazardous to water			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,12.



Acetic acid / cyclohexane mixture mixed 1 : 4 volumetrically suitable for determination of the

Product code: 20538

iodin

Page 13 of 13

Abbreviations and acronyms

Revision date: 23.08.2023

Flam. Lig: Flammable liquid Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eve Dam: Eve damage STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)