

according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Triton® X-100 - solution 5 % in water

UFI:

FJ2U-5104-7002-S92X

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dange	rous Goods] Incidents Spill, Leak, Fire,
number: Exposure, or Accident Call CHEMTREC Day or Night 1-800-424-9300 Outside USA and Canada: +1 703-74 accepted)		, ,

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 (M-Factor (self-classification) = 10) Aquatic Chronic 1; H410 (M-Factor (self-classification) = 10)

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling poly(oxyethylene) octylphenyl ether

Signal word:

Pictograms:





according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 2 of 10

Hazard statements

H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary stateme	nts
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
9036-19-5	poly(oxyethylene) octylphenyl ether		5 - < 10 %	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H400 H410	. 1, Aquatic Acute 1, Aquatic Chronic	c 1; H302 H315 H318	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
9036-19-5		poly(oxyethylene) octylphenyl ether	5 - < 10 %
oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10			
	Aquatic Chronic	: 1; H410: M=10	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: poly(oxyethylene) octylphenyl ether This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: poly(oxyethylene) octylphenyl ether

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 3 of 10

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Vomiting

Has degreasing effect on the skin., Corneal opacity. Irritant, corrosive Risk of serious damage to eves.,

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

- Combustible liquids
 - Hazardous combustion products In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 4 of 10

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Advice on protection against fire and explosion

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place.

Hints on joint storage

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight. storage temperature: +2°C - +8°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 5 of 10

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid colourless	
Odour:	characteristic weak	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		5,0
Viscosity / kinematic:		No data available
Water solubility:		Soluble in: Water
Solubility in other solvents		
No data available		
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		1,0026 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
2 Other information		

9.2. Other information



No data available

No data available

No data available No data available

No data available

No data available

No data available

No data available

No data available

according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 6 of 10

Information with regard to physical hazard classes

Explosive properties In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air. Sustaining combustion: No data available Self-ignition temperature Solid: No data available Gas: No data available Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: No data available: Viscosity / dynamic: Flow time:

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent, strong Acid

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
9036-19-5	poly(oxyethylene) octylphenyl ether				
		ATE 500 mg/kg			

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

Vomiting Has degreasing effect on the skin., Corneal opacity. Irritant, corrosive Risk of serious damage to eyes.,

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 8 of 10

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not mix with other wastes.

Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number or ID number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (poly(oxyethylene) octylphenyl ether)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(poly(oxyethylene) octylphenyl ether)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(poly(oxyethylene) octylphenyl ether)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1



according to UK REACH Regulation

Tr	riton® X-100 - solution 5 % in water	
Revision date: 26.09.2023	Product code: 20611	Page 9 of 10
EmS:	F-A, S-F	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
	(poly(oxyethylene) octylphenyl ether)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:		
Hazard label:	9	
Special Provisions:	A97 A158 A197	
Limited quantity Passenger: Passenger LQ:	30 kg G Y964	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	964	
IATA-max. quantity - Passenger:	450 L	
IATA-packing instructions - Cargo:	964	
IATA-max. quantity - Cargo:	450 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	poly(oxyethylene) octylphenyl ether	
14.6. Special precautions for user No dangerous good in sense of this train 14.7. Maritime transport in bulk according to not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Authorisations (REACH, annex XIV): poly(oxyethylene) octylphenyl ether		
Restrictions on use (REACH, annex XVII): Entry 3		
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water hazard class (D):	2 - obviously hazardous to water	
SECTION 16: Other information		

Changes

This data sheet contains changes from the previous version in section(s): 3,9.



according to UK REACH Regulation

Triton® X-100 - solution 5 % in water

Revision date: 26.09.2023

Product code: 20611

Page 10 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.