

Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN 38405-13:2011, DEV

UFI:

4S6U-X1TK-700A-50N3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Dam. 1; H318 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling Zinc sulphate heptahydrate Danger

Signal word:

Pictograms:



Hazard statements H318

Causes serious eye damage.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

H411

Toxic to	aquatic	life	with	long	lasting	effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
F303+F331+F330	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Quantity					
	EC No Index No REACH No						
	Classification (GB CLP Regulation)						
7446-20-0	Zinc sulphate heptahydrate	Zinc sulphate heptahydrate					
	231-793-3						
	Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H318 H400 H410						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7446-20-0	231-793-3 Zinc sulphate heptahydrate		5 - < 10 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = ca. 926 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 3 of 12

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides Metal oxide smoke, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Page 4 of 12

Revision date: 05.12.2022

Product code: 20660

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off contaminated clothing.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 5 of 12

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
7446-20-0	Zinc sulphate heptahydrate							
Worker DNEL	, long-term	dermal	systemic	8,3 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	1,25 mg/m ³				
Consumer DNEL, long-term		dermal	systemic	8,3 mg/kg bw/day				
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day				
Worker DNEL	, long-term	inhalation	systemic	1 mg/m³				

PNEC values

CAS No	Substance					
Environmenta	al compartment	Value				
7446-20-0	Zinc sulphate heptahydrate					
Freshwater		0,0206 mg/l				
Marine water		0,0061 mg/l				
Freshwater sediment		117,8 mg/kg				
Marine sediment		56,5 mg/kg				
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l				
Soil		35,6 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 6 of 12

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability		
Solid/liquid:		not determined
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		5,4
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		not determined
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		1,05352 g/cm ³
Relative density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not determined
9.2. Other information		
Information with regard to physical baz	ard classes	

Information with regard to physical hazard classes Explosive properties

not applicable



Zine sulfate solution 100 a ZnSO4 * 7 H2O// in water DIN 38405 7:2002 DEV DZ DIN

38405-13:2011, DEV						
evision date: 05.12.2022	Product code: 20660	Page 7 of 12				
Sustaining combustion:	No data available					
Self-ignition temperature						
Solid:	not determined					
Gas:	not applicable					
Oxidizing properties						
Not oxidising.						
Other safety characteristics						
Evaporation rate:	not determined					
Solvent separation test:	not determined					
Solvent content:	0					
Solid content:	0					
Sublimation point:	not determined					
Softening point:	not determined					
Pour point:	not determined					
not determined:						
Viscosity / dynamic:	not determined					
Flow time:	not determined					
Further Information						
not determined						
ECTION 10: Stability and reactivity						
.1. Reactivity						
No data available						
0.2. Chemical stability						

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 8 of 12

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7446-20-0	Zinc sulphate heptahydrate								
	oral	LD50 ca. mg/kg	926		Vet Hum Toxicol 30(3):224-228 (1988)	OECD Guideline 401			
	dermal	LD50 > 2 mg/kg	2000	Rat	Study report (1999)	OECD Guideline 402			

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV

Revision date: 05.12.2022

Product code: 20660

Page 9 of 12

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7446-20-0	Zinc sulphate heptahydrate								
	Acute fish toxicity	LC50 mg/l	0,315	96 h	Thymallus arcticus	Ecotoxicology and environmental safety 2	other: American Society for testing matr		
	Acute crustacea toxicity	EC50 mg/l	1,22	48 h	Daphnia magna	Publication (1995)	other: US EPA/600/4-85/01 3: methods for		
	Fish toxicity	NOEC mg/l	0,44	72 d	Oncorhynchus mykiss	Trans. Am. Fish. Soc. 111, 70-77 (1982)	lab -designed dose response test with sm		
	Algae toxicity	NOEC mg/l	0,313	5 d	Ulva pertusa, Green macroalga, Ulvaceae	Aquatic Toxicology 75:202–212 (2005)	5-d sporulation-inhibiti on test with mar		
	Crustacea toxicity	NOEC mg/l	0,05	4 d	Ceriodaphnia dubia	Environ. Toxicol. Chem. 10, 47-55 (1991)	other: USEPA chronic survival and reprod		
	Acute bacteria toxicity	(EC50	5,2 mg/l)	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7446-20-0	Zinc sulphate heptahydrate	96,05	Danio rerio	Chemosphere 128:125-

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

Revision date: 05.12.2022

38405-13:2011, DEV Product code: 20660

Page 10 of 12

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc
	sulphate (hydrous) (mono-, hexa-and hepta hydrate))
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1 3
Transport category: Hazard No:	3 90
Tunnel restriction code:	90
	-
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc
14.2. ON proper snipping name.	sulphate (hydrous) (mono-, hexa-and hepta hydrate))
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN 38405-13:2011, DEV				
Revision date: 05.12.2022	Product code: 20660	Page 11 of 12		
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	450 L 964 450 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes			
Danger releasing substance:	Zinc sulphate heptahydrate			
14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mix	ture		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles actively work protection guideline' (94/33/EC).	cording to the 'juvenile		
Water hazard class (D):	3 - highly hazardous to water			
<u>15.2. Chemical safety assessment</u> For this substance a chemical safety assessment has not been carried out.				

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.



Zinc sulfate solution 100 g ZnSO4 * 7 H2O/I in water DIN 38405-7:2002, DEV D7 DIN

38405-13:2011, DEV Product code: 20660

Revision date: 05.12.2022

vision date: 05.12.2022	Product code: 20660	Page 12 of 12
H410 H411	Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)