

. . . . . .

ΛΙ.

n 247 a A12/604)2 \* 19 H20/1 according to DIN 29405 24:4097 DEV

#### according to Regulation (EC) No 1907/2006

Revision date: 03.04.2024	<b>D24</b> Product code: 2	0670	Page 1 of 9
1011011 date: 00.04.2024	Troduct code. 2		rage rore
SECTION 1: Identification of the	ne substance/mixture and of the c	ompany/undertaking	
1.1. Product identifier			
Aluminium sulfate solution 2	247 g Al2(SO4)3 * 18 H2O/I according t	to DIN 38405-24:1987, DEV D24	
1.2. Relevant identified uses of th	e substance or mixture and uses adv	<u>vised against</u>	
	stances as such or in preparations at in omain (administration, education, enter		
Uses advised against			
Do not use for private purpo	oses (household).		
1.3. Details of the supplier of the Company name:	<u>safety data sheet</u> AnalytiChem GmbH ACD		
Street: Place:	Stempelstraße 6 D-47167 Duisburg		
Telephone:	0203/5194-0 info@enelutiehem.de	Telefax: 0203/5194-290	
E-mail: Contact person:	info@analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
E-mail: Internet:	produktsicherheit@analytichem. www.analytichem.de	de	
Responsible Department:	Abteilung Produktsicherheit		
1.4. Emergency telephone number:	For Hazardous Materials [or Dan Exposure, or Accident Call CHEI	gerous Goods] Incidents Spill, Leak, Fire, MTREC Day or Night Within USA and Cana nd Canada: +1 703-741-5970 (collect calls	ıda:
Further Information This product is a mixture. R	EACH Registration Number see sectio	n 3.	
SECTION 2: Hazards identifica	ition		
2.1. Classification of the substan	ce or mixture		
Regulation (EC) No 1272/2008 Eye Dam. 1; H318			
Full text of hazard statemer	ts: see SECTION 16		
2.2. Label elements			

# 2.2. Label elements

# Regulation (EC) No 1272/2008

Hazard components for labelling Aluminium sulphate 18-hydrate

Signal word: Danger

Pictograms:



# Hazard statements

H318

Causes serious eye damage.



Revision date: 03.04.2024

#### according to Regulation (EC) No 1907/2006

# Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV

Product code: 20670

D24

Page 2 of 9

Precautionary statements

i i couutionary statemer	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
2.3. Other hazards	

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7784-31-8	Aluminium sulphate 18-hydrate			20 - < 25 %
	233-135-0			
	Eye Dam. 1; H318			

Full text of H and EUH statements: see section 16.

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### Irritant

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available



## Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV

Product code: 20670

D24

Page 3 of 9

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Revision date: 03.04.2024

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### SECTION 7: Handling and storage



# Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV

Revision date: 03.04.2024

D24 Product code: 20670

Page 4 of 9

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Do not breathe vapour/aerosol.

Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off contaminated clothing. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place.

#### Hints on joint storage

**TRGS 510** 

#### Further information on storage conditions

No data available

#### 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact



# Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV

#### D24

Revision date: 03.04.2024

Product code: 20670

Page 5 of 9

Trade name/designationKCL 741 Dermatril® LRecommended material:NBR (Nitrile rubber) 0,11 mmWearing time with permanent contact:> 480 min

By short-term hand contact

Trade name/designationKCL 741 Dermatril® LRecommended material:NBR (Nitrile rubber) 0,11 mmWearing time with occasional contact (splashes):> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not empty into drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limits: Upper explosion limits: Flash point: Auto-ignition temperature: Decomposition temperature: pH-Value:	Liquid colourless odourless No data available	No data available No data available No data available No data available No data available X No data available No data available No data available
Viscosity / kinematic:		No data available
Water solubility: Solubility in other solvents not determined		very soluble
Dissolution rate: Partition coefficient n-octanol/water: Dispersion stability: Vapour pressure: Vapour pressure: Density: Relative density: Bulk density: Relative vapour density: Particle characteristics:		No data available No data available No data available No data available No data available 1,1257 g/cm <sup>3</sup> No data available No data available No data available



Aluminium sulfate solution 247 g Al2(SO4)3 * 18 H2O/I according to DIN 38405-24:1987, DEV D24			
Revision date: 03.04.2024	Product code: 20670	Page 6 of 9	
9.2. Other information			
Information with regard to physical haz	zard classes		
Explosive properties			
No data available			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No data available		
Gas:	No data available		
Oxidizing properties			
Not oxidising.			
Other safety characteristics			
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	0		
Solid content:	0		
Sublimation point:	No data available		
Softening point:	No data available No data available		
Pour point:	No data available		
Viscosity / dynamic:	No data available		
Flow time:	No data available		
Further Information			
No data available			

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No data available

- 10.4. Conditions to avoid No data available
- 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides

#### **Further information**

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Aluminium sulfate solution 247 g Al2(SO4)3 * 18 H2O/I according to DIN 38405-24:1987, DEV D24			
Revision date: 03.04.2024	Product code: 20670	Page 7 of 9	
Information on likely routes of exposure There are no data available on the mixture itself.			
Specific effects in experiment on an animal There are no data available on the mixture itself.			
Additional information on tests There are no data available on the mixture itself.			
<b>Practical experience</b> There are no data available on the mixture itself.			
11.2. Information on other hazards			
Endocrine disrupting properties There are no data available on the mixture itself.			
<b>Other information</b> There are no data available on the mixture itself.			
<b>Further information</b> There are no data available on the mixture itself.			

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### **Further information**

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**



# Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV

according to Regulation (EC) No 1907/2006

Aluminium surface solution 247 g Al2(504)3 * 18 H20/1 according to Div 36405-24:1987, DEV D24			
Revision date: 03.04.2024	Product code: 20670	Page 8 of 9	
Land transport (ADR/RID)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: strongly corrosive.			
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVII)	):		
Entry 3			
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv	enile	
	work protection guideline' (94/33/EC).	Grint	
Water hazard class (D):	1 - slightly hazardous to water		
<u>15.2. Chemical safety assessment</u>			
For this substance a chemical safety a	assessment has not been carried out.		
SECTION 16: Other information			

#### Changes

This data sheet contains changes from the previous version in section(s): 12.



#### Aluminium sulfate solution 247 g Al2(SO4)3 \* 18 H2O/I according to DIN 38405-24:1987, DEV D24 Revision date: 03.04.2024 Product code: 20670 Page 9 of 9 Abbreviations and acronyms Eye Dam: Eye damage ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP] Classification Classification procedure Eye Dam. 1; H318 Calculation method Relevant H and EUH statements (number and full text)

H318 Causes serious eye damage.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)