



according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

UFI: C9MU-U1KH-X00J-RUQH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 2 of 9

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulat	Classification (Regulation (EC) No 1272/2008)			
6153-56-6	Oxalic acid dihydrate	Oxalic acid dihydrate			
	205-634-3	607-006-00-8			
	Acute Tox. 4, Acute Tox. 4, Eye Dam. 1; H312 H302 H318				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
6153-56-6	205-634-3 Oxalic acid dihydrate		1 - < 5 %	
	dermal: LD50 = 20000 mg/kg; oral: ATE = 500 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.





according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 3 of 9

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Keep in a cool place.

Hints on joint storage

No data available



according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 4 of 9

Further information on storage conditions

Store in a dry place.

storage temperature: +2°C - +8°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
6153-56-6	Oxalic acid dihydrate				
Worker DNEL, long-term		inhalation	systemic	3,11 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,882 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,466 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,315 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,315 mg/kg bw/dav	

PNEC values

CAS No	Substance		
Environmental compartment Value			
6153-56-6	Oxalic acid dihydrate		
Freshwater 0,16 mg/l		0,16 mg/l	
Marine water 0,016 mg/l		0,016 mg/l	
Micro-organism	Micro-organisms in sewage treatment plants (STP) 1550 mg/l		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min





according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 5 of 9

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Odour threshold: No data available

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available

No data available:

Flash point: No data available

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No data available

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Auto-ignition temperature:

No data available

Self-ignition temperature

Solid: No data available No data available Gas: Decomposition temperature: No data available pH-Value: acidic Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available No data available Water solubility:

Solubility in other solvents

No data available





according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 6 of 9

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

Vapour pressure:

No data available

No data available

Pensity:

No data available

Pensity:

No data available

No data available

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion:

No data available

Oxidizing properties

No data available

Other safety characteristics

Solvent separation test:

Solvent content:

0

Solid content:

0

Evaporation rate: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Keep away from heat.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 7 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
6153-56-6	Oxalic acid dihydrate					
		ATE mg/kg	500			
	dermal	LD50 mg/kg	20000		EMEA/MRL/891/03 (2003)	No

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]	[d]	Species	Source	Method
6153-56-6	Oxalic acid dihydrate						
	Acute crustacea toxicity	EC50 162 mg/l	,2	48 h		-	OECD Guideline 202

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 8 of 9

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
6153-56-6	Oxalic acid dihydrate	-1,7

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

I and	trans	nort (ΔDR	/RID)
∟anu	เเฉเเจ	DUIL		וטורוי

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

i transport (IOAO-TMATA-DOR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No



Fa. Bernd Kraft GmbH

according to Regulation (EC) No 1907/2006

Oxalic acid eluent concentrate 0.1 mol/l for IC in water membrane-filtered (0.2 µm)

Revision date: 30.03.2022 Product code: 20806 Page 9 of 9

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): - - non-hazardous to water

Additional information

No data available

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H318 Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)