

## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Synthetic sea water for corrosion test of metals according to DIN ...

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Chemical characterization

Mixtures in aqueous solution



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 2 of 10

## **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
7647-14-5	sodium chloride				
	231-598-3		01-2119485491-33		
	_				
7791-18-6	Magnesium chlorid hexahydrate			< 1 %	
	232-094-6		01-2119485597-19		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7647-14-5	231-598-3	sodium chloride	1 - < 5 %		
	dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg				
7791-18-6	232-094-6	Magnesium chlorid hexahydrate	< 1 %		
dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg					

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available

## After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 3 of 10

## 5.2. Special hazards arising from the substance or mixture

# Non-combustible liquids

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

## Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 4 of 10

## 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep container tightly closed.

## Hints on joint storage

No data available

# Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7647-14-5	sodium chloride				
Consumer DN	EL, long-term	dermal	systemic	126,65 mg/kg bw/day	
Consumer DN	EL, acute	dermal	systemic	126,65 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	126,65 mg/kg bw/day	
Consumer DNEL, acute		oral	systemic	126,65 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	2068,62 mg/m <sup>3</sup>	
Worker DNEL,	acute	inhalation	systemic	2068,62 mg/m <sup>3</sup>	
Worker DNEL, acute		dermal	systemic	295,52 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	443,28 mg/m <sup>3</sup>	
Consumer DNEL, acute		inhalation	systemic	443,28 mg/m <sup>3</sup>	
Worker DNEL, long-term		dermal	systemic	295,52 mg/kg bw/day	
7791-18-6	Magnesium chlorid hexahydrate				
Consumer DNEL, long-term oral systemic 7 mg/kg bw/day					



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 5 of 10

#### **PNEC** values

CAS No	Substance	
Environment	al compartment	Value
7647-14-5	sodium chloride	
Freshwater		5 mg/l
Micro-organi	sms in sewage treatment plants (STP)	500 mg/l
Soil		4,86 mg/kg
7791-18-6	Magnesium chlorid hexahydrate	
Freshwater		3,21 mg/l
Freshwater (	intermittent releases)	5,48 mg/l
Marine water	r	0,32 mg/l
Freshwater s	sediment	288,9 mg/kg
Marine sedin	nent	28,89 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	90 mg/l
Soil		662,77 mg/kg

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

## Environmental exposure controls

Do not allow to enter into surface water or drains.



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 6 of 10

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and	t	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		7
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
0.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
No data available		<b>.</b>
Sustaining combustion:		No data available
Self-ignition temperature		Nie dete eveileble
Solid: Gas:		No data available No data available
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent separation test.		NO GALA AVAIIADIE
Solid content:		0
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Viscosity / dynamic:		No data available
Flow time:		No data available
Further Information		

No data available

## **SECTION 10: Stability and reactivity**



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision	date:	26.10.2023
----------	-------	------------

Product code: 20850

Page 7 of 10

#### 10.1. Reactivity

No data available

## 10.2. Chemical stability

No data available

## 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

No data available

#### **Further information**

No data available

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7647-14-5	5 sodium chloride					
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to
7791-18-6	Magnesium chlorid hexal	nydrate				
	oral	LD50 mg/kg	> 5000	Rat	Study report (2009)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 402

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.



## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023	Product code: 20850	Page 8 of 10

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

## Additional information on tests

No data available

#### Practical experience No data available

#### 11.2. Information on other hazards

Other information

### No data available

Further information

No data available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-14-5	sodium chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211
7791-18-6	Magnesium chlorid hexahydrate						
	Acute fish toxicity	LC50	541 mg/l	96 h	Pimephales promelas	Environ.Toxicol.C hem., 16 (10): 2009-201	other: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50	140 mg/l	48 h	Daphnia magna	Journal Fisheries Research Board of Cana	A bioassay procedure was developed for D
	Algae toxicity	NOEC	100 mg/l	3 d	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute bacteria toxicity	EC50 mg/l()	> 900	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

## 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment



Safety Data Sheet

# according to Regulation (EC) No 1907/2006

## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023

Product code: 20850

Page 9 of 10

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

#### **Further information**

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not empty into drains.

#### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation.

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Synthetic sea water for corrosion test of metals according to DIN ...

Revision date: 26.10.2023	Product code: 20850	Page 10 of 10
National regulatory information Water hazard class (D): Additional information	1 - slightly hazardous to water	

No data available

## **SECTION 16: Other information**

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)