

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

N,N-Dimethylformamide > 98% for synthesis

REACH Registration Number: 01-2119475605-32-XXXX
CAS No: 68-12-2
Index No: 616-001-00-X
EC No: 200-679-5

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
E-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
E-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290
Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 3; H226
Repr. 1B; H360D
Acute Tox. 4; H332
Acute Tox. 4; H312
Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 2 of 12

Hazard statements

H226 Flammable liquid and vapour.
H312+H332 Harmful in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H360D May damage the unborn child.

Precautionary statements

P201 Obtain special instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P403+P235 Store in a well-ventilated place. Keep cool.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: HCON(CH₃)₂
Molecular weight: 73,09 g/mol

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68-12-2	N,N-dimethylformamide			100 %
	200-679-5	616-001-00-X	01-2119475605-32-XXXX	
	Flam. Liq. 3, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H226 H360D H332 H312 H319			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
68-12-2	200-679-5	N,N-dimethylformamide	100 %
	inhalation: LC50 = > 5,85 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 3160 mg/kg; oral: LD50 = 3010 mg/kg		

Further Information

SVHC substance.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 3 of 12

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam
Carbon dioxide (CO₂)
Extinguishing powder
Water

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NO_x)
Vapours are heavier than air, spread along floors and form explosive mixtures with air.
Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.
This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).
Take action to prevent static discharges.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 4 of 12

For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

- Do not allow to enter into surface water or drains.
- The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.
- Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Avoid exposure - obtain special instructions before use.
- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

- Take off immediately all contaminated clothing and wash it before reuse.
- Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Store in a place accessible by authorized persons only.

7.2. Conditions for safe storage, including any incompatibilities

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 5 of 12

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep container tightly closed.

Keep cool. Protect from sunlight.

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
68-12-2	Dimethylformamide	5	15		TWA (8 h)	
		10	30		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
68-12-2	N,N-Dimethylformamide	N-Methylformamide	15 mg/L	Urine	Post shift

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
68-12-2	N,N-dimethylformamide			
	Worker DNEL, long-term	inhalation	systemic	6 mg/m ³
	Worker DNEL, long-term	dermal	systemic	1,1 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	1,1 mg/m ³
	Consumer DNEL, long-term	oral	systemic	0,16 mg/kg bw/day
	Worker DNEL, acute	inhalation	local	30 mg/m ³
	Worker DNEL, acute	dermal	systemic	26,3 mg/kg bw/day
	Consumer DNEL, acute	inhalation	systemic	30 mg/m ³
	Worker DNEL, long-term	inhalation	local	15 mg/m ³
	Worker DNEL, acute	inhalation	systemic	30 mg/m ³
	Consumer DNEL, acute	oral	systemic	5,94 mg/kg bw/day
	Consumer DNEL, acute	inhalation	local	30 mg/m ³
	Consumer DNEL, acute	dermal	systemic	15,8 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	1,98 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	local	15 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 6 of 12

PNEC values

CAS No	Substance	
Environmental compartment		Value
68-12-2	N,N-dimethylformamide	
Freshwater		30 mg/l
Freshwater (intermittent releases)		30 mg/l
Marine water		3 mg/l
Freshwater sediment		111 mg/kg
Marine sediment		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		44 mg/l
Soil		56,97 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles
Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 898 Butoject®
Suitable material: Butyl caoutchouc (butyl rubber) 0,7 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 890 Vitoject®
Suitable material: FKM (fluoro rubber) 0,7 mm
Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.
Wear fire resistant or flame retardant clothing.
Wash hands and face before breaks and after work and take a shower if necessary.
Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Filtering device with filter or ventilator filtering device of type: A-(P2)

Environmental exposure controls

Do not allow to enter into surface water or drains.
Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 7 of 12

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	like: Amines
Odour threshold:	No data available
Melting point/freezing point:	-61 °C
Boiling point or initial boiling point and boiling range:	153 °C
Flammability:	No data available
Lower explosion limits:	2,2 vol. %
Upper explosion limits:	16 vol. %
Flash point:	57,5 °C
Auto-ignition temperature:	410 °C
Decomposition temperature:	>350 °C
pH-Value (at 20 °C):	7 (200 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	1000 g/L
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure: (at 20 °C)	3,77 hPa
Vapour pressure:	No data available
Density:	0,94 g/cm ³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion: No data available

Self-ignition temperature

Solid: 435 °C

Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

Solid content: No data available

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 8 of 12

Viscosity / dynamic:
(at 20 °C)
Flow time:

No data available

0,86 mPa·s

No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming:
Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent
Alkali metals
Reducing agent
Isocyanates
Phosphorus oxides
Bromine
Chlorine
permanganates, e.g. potassium permanganate
NO₃, Na

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Plastic articles
copper
Copper alloys
Tin

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Harmful in contact with skin.
Harmful if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 9 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68-12-2	N,N-dimethylformamide				
	oral	LD50 3010 mg/kg	Rat	also cited in OECD SIDS Dimethylformamid	OECD Guideline 401
	dermal	LD50 > 3160 mg/kg	Rabbit	Study report (1978)	OECD Guideline 405
	inhalation (4 h) vapour	LC50 > 5,85 mg/l	Rat	also cited in OECD SIDS Dimethylformamid	OECD Guideline 403
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (N,N-dimethylformamide)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

kidneys

liver

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Headache

Dizziness

Dizziness

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 10 of 12

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68-12-2	N,N-dimethylformamide					
	Acute fish toxicity	LC50 mg/l	7100	96 h	Lepomis macrochirus	REACH Registration Dossier other: US EPA guideline 660/3-75-009
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Desmodesmus subspicatus	REACH Registration Dossier other: DIN 38412, part 9, "Determination
	Acute crustacea toxicity	EC50 mg/l	13100	48 h	Daphnia magna	REACH Registration Dossier OECD Guideline 202
	Fish toxicity	NOEC mg/l	> 102	21 d	Oryzias latipes	REACH Registration Dossier OECD Guideline 204
	Algae toxicity	NOEC	940 mg/l	14 d	Raphidocelis subcapitata	Bull. Environ. Contam. Toxicol. 31, 98-1 other: EPA-600/9-78-01 8
	Crustacea toxicity	NOEC mg/l	1500	21 d	Daphnia magna	REACH Registration Dossier Semi-Static toxicity test

12.2. Persistence and degradability

100 %; 21 d; aerob
OECD 301E
Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68-12-2	N,N-dimethylformamide	-0,85

BCF

CAS No	Chemical name	BCF	Species	Source
68-12-2	N,N-dimethylformamide	0,3 - 1,2	Cyprinus carpio	REACH Registration D

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 11 of 12

Send to a physico-chemical treatment facility under observation of official regulations.
Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	UN 2265
14.2. UN proper shipping name:	N,N-DIMETHYLFORMAMIDE
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 2265
14.2. UN proper shipping name:	N,N-DIMETHYLFORMAMIDE
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 2265
14.2. UN proper shipping name:	N,N-DIMETHYLFORMAMIDE
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 2265
14.2. UN proper shipping name:	N,N-DIMETHYLFORMAMIDE
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

N,N-Dimethylformamide > 98% for synthesis

Revision date: 20.07.2023

Product code: 20852

Page 12 of 12

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 40

Information according to Directive 2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

2 - obviously hazardous to water

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid

Acute Tox: Acute toxicity

Eye Irrit: Eye irritation

Repr: Reproductive toxicity

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H312+H332	Harmful in contact with skin or if inhaled.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360D	May damage the unborn child.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.