



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trichloroacetic acid solution 25 % for analysis

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling trichloroacetic acid

Signal word:

Pictograms:



Hazard statements H314

Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

Revision date: 13.07.2023	Product code: 21189	Page 2 of 11
H335	May cause respiratory irritation.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
2.3. Other hazards		
No data available		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
76-03-9	trichloroacetic acid	trichloroacetic acid				
	200-927-2 607-004-00-7 01-2119485186-30					
	Skin Corr. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H314 H335 H400 H410					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	No Chemical name			
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
76-03-9	200-927-2	trichloroacetic acid	25 - < 30 %		
oral: LD50 = 4970 mg/kg STOT SE 3; H335: >= 1 - 100					

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 3 of 11

ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant corrosive Dyspnoea Cough Risk of serious damage to eyes. Unconsciousness Gastrointestinal complaints

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Phosgene

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 4 of 11

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Keep container dry. Unsuitable container/equipment material: Metal

Further information on storage conditions

Keep cool. Protect from sunlight. storage temperature: +15°C - +25°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 5 of 11

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
76-03-9	Trichloroacetic acid	0.5	-		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
76-03-9	trichloroacetic acid	•		
Worker DNE	L, long-term	inhalation	systemic	124,3 mg/m ³
Worker DNE	L, acute	inhalation	systemic	124,3 mg/m ³
Worker DNE	L, long-term	dermal	systemic	1,41 mg/kg bw/day
Worker DNE	L, acute	dermal	systemic	1,41 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	61,3 mg/m³
Consumer D	NEL, acute	inhalation	systemic	61,3 mg/m³
Consumer D	NEL, long-term	dermal	systemic	0,705 mg/kg bw/day
Consumer D	NEL, acute	dermal	systemic	0,705 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	0,705 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,705 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmental compartment Value					
76-03-9	trichloroacetic acid				
Freshwater		0,00017 mg/l			
Freshwater (intermittent releases) 0,0027 mg/l					
Marine wate	r	0,000017 mg/l			
Freshwater sediment 0,000					
Marine sediment 0,000014 r					
Secondary poisoning 23,5 mg/kg					
Micro-organi	sms in sewage treatment plants (STP)	100 mg/l			
Soil		0,0046 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 6 of 11

specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Protective clothing, acid-resistant Take off immediately all contaminated clothing and wash it before reuse. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,1355 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

R

Page 7 of 11

Revision date: 13.07.2023	Product code: 21189
9.2. Other information	
Information with regard to physical hazard classes	
Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	
Other safety characteristics	
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Danger of explosion: silver salts Exothermic reaction with: alkalines Dimethylsulfoxide (DMSO) Amines Oxidising agent, strong,

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 8 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route Dose Species Source Method trichloroacetic acid							
76-03-9								
	oral	LD50 mg/kg	4970	Mouse	· · · · ·	The acute toxicity was determined for tr		

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (trichloroacetic acid)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

Irritant corrosive Dyspnoea Cough Risk of serious damage to eyes. Unconsciousness Gastrointestinal complaints

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis

Revision date: 13.07.2023

Product code: 21189

Page 9 of 11

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity Dose [h] [d] Species Source Met							
76-03-9	trichloroacetic acid							
	Acute algae toxicity	ErC50 > 100 mg/l	72 h Chlorella vulgaris	55	OECD Guideline 201			

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
76-03-9	trichloroacetic acid	1,33
BCF		

CAS No	Chemical name	BCF	Species	Source
76-03-9	trichloroacetic acid	3,162	not applicable	Calculation (2008)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 2564
14.2. UN proper shipping name:	TRICHLOROACETIC ACID SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



according to Regulation (EC) No 1907/2006

Revision date: 13.07.2023	Iloroacetic acid solution 25 % for analysis Product code: 21189	Page 10 of 1
Revision date. 13.07.2023		
Classification code:	C3	
Limited quantity:	1L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
<u>14.1. UN number or ID number:</u>	UN 2564	
<u>14.2. UN proper shipping name:</u>	TRICHLOROACETIC ACID SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	Ш	
Hazard label:	8	
Classification code:	C3	
Limited quantity:	1 L	
Excepted quantity:	E2	
	Ez	
Marine transport (IMDG)		
14.1. UN number or ID number:		
14.2. UN proper shipping name:	TRICHLOROACETIC ACID SOLUTION	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	ll	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2564	
14.2. UN proper shipping name:	TRICHLOROACETIC ACID SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	1 L	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	855	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	30 L	
	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	trichloroacetic acid	
SECTION 15: Regulatory information		

EU regulatory information

Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75	
Information according to 2012/18/EU	E1 Hazardous to the Aquatic Environment
(SEVESO III):	

National regulatory information



according to Regulation (EC) No 1907/2006

Trichloroacetic acid solution 25 % for analysis			
Revision date: 13.07.2023	Product code: 21189	Page 11 of 11	
Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.			
Water hazard class (D): 2 - obviously hazardous to water			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 11,12.

Abbreviations and acronyms

Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

- H318Causes serious eye damage.H335May cause respiratory irritation.H400Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)