

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Benzylalkohol reinst

REACH Registration Number: 01-2119492630-38-XXXX

CAS No: 100-51-6 Index No: 603-057-00-5 EC No: 202-859-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Acute Tox. 4; H302 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 2 of 11

Hazard statements

H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: C6H5CH2OH
Molecular weight: 108,14 g/mol

Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
100-51-6	Benzyl alcohol	Benzyl alcohol				
	202-859-9	603-057-00-5	01-2119492630-38-XXXX			
	Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H332 H302 H319					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. I	Limits, M-factors and ATE					
100-51-6	202-859-9	Benzyl alcohol	100 %				
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 1570 mg/kg						

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a doctor if you feel unwell.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.



according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Cough

Dyspnoea

Respiratory complaints

Dizziness

Inebriation

Unconsciousness

Vomiting

Gastrointestinal complaints

Headache

Spasms

Agitation

4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 4 of 11

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Protect against: Light

Further information on storage conditions

Keep cool. Protect from sunlight.

Protect against: Light

storage temperature < 30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 5 of 11

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
100-51-6	Benzyl alcohol					
Worker DNEL,	long-term	inhalation	systemic	22 mg/m³		
Worker DNEL, acute		inhalation	systemic	110 mg/m³		
Worker DNEL, long-term		dermal	systemic	8 mg/kg bw/day		
Worker DNEL, acute		dermal	systemic	40 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	5,4 mg/m³		
Consumer DNEL, acute		inhalation	systemic	27 mg/m³		
Consumer DNEL, long-term		dermal	systemic	4 mg/kg bw/day		
Consumer DNEL, acute		dermal	systemic	20 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	4 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	20 mg/kg bw/day		

PNEC values

CAS No	Substance				
Environment	Environmental compartment				
100-51-6	Benzyl alcohol				
Freshwater		1 mg/l			
Freshwater (2,3 mg/l				
Marine water	0,1 mg/l				
Freshwater s	5,27 mg/kg				
Marine sedin	0,527 mg/kg				
Micro-organi	39 mg/l				
Soil	0,456 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

KCL 897 Butoject®

Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

KCL 897 Butoject®

Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with occasional contact (splashes): > 480 min



according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: A

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

-15,3 °C

Boiling point or initial boiling point and

205 °C

boiling range:

Flammability: No data available Lower explosion limits: 1.22 vol. % Upper explosion limits: 13 vol. % 101 °C Flash point: 436 °C Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: Viscosity / kinematic: No data available Water solubility: 40 g/L

(at 20 °C)

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

0,07 hPa

(at 20 °C)

Vapour pressure: 0,07 hPa

(at 50 °C)

Density: 1,04 g/cm³
Bulk density: No data available
Relative vapour density: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.



according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 7 of 11

Self-ignition temperature

Solid: No data available Gas: No data available

Oxidizing properties No data available

Other safety characteristics

Evaporation rate: No data available No data available Solvent separation test: 100.00 % Solvent content: Solid content: No data available Sublimation point: No data available Softening point: No data available Pour point: No data available No data available

Viscosity / dynamic: 6,57 mPa·s

(at 20 °C)

Flow time: No data available

Further Information No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

10.2. Chemical stability

Protect against:

Light

Air

10.3. Possibility of hazardous reactions

Oxidising agent

Hydrogen bromide (HBr)

sulphuric acid

Acids

Isocyanates

Iron.

10.4. Conditions to avoid

Protect against: Light

10.5. Incompatible materials

plastic

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Harmful if inhaled.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
100-51-6	Benzyl alcohol	Benzyl alcohol						
	oral	LD50 mg/kg	1570	Rat	Study report	other: Procter and Gamble Standard Proce		
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

Repeated exposure may cause skin dryness or cracking.

11.2. Information on other hazards

Other information

Irritant

Cough

Dyspnoea

Respiratory complaints

Dizziness

Inebriation

Unconsciousness

Vomiting

Gastrointestinal complaints

Headache

Spasms

Agitation

SECTION 12: Ecological information

12.1. Toxicity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 9 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
100-51-6	Benzyl alcohol							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oryzias latipes	Review article or handbook (2009)	OECD Guideline 203	
	Acute algae toxicity	ErC50	770 mg/l		Pseudokirchneriella subcapitata	Review article or handbook (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	230 mg/l	48 h	Daphnia magna	Review article or handbook (2009)	OECD Guideline 202	
	Crustacea toxicity	NOEC	51 mg/l	21 d	Daphnia magna	Review article or handbook (2009)	OECD Guideline 211	
	Acute bacteria toxicity	EC50 mg/l ()	1385		activated sludge, domestic	Study report (1989)	OECD Guideline 209	

12.2. Persistence and degradability

92 - 96 %; 14 d; aerob

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

log Pow: 1 (20 °C)

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-51-6	Benzyl alcohol	1

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

Further information

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 10 of 11

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox: Acute toxicity
Eye Irrit: Eye irritation

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Benzylalkohol reinst

Revision date: 22.04.2024 Product code: 21463 Page 11 of 11

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.