

## IC cation standard lithium 1.000 g Li/I Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
1.4. Emergency telephone	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,		
number:	Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada		
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls	

#### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

accepted)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

## 2.2. Label elements

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

## Hazardous components

none (according to UK REACH Regulation)

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**



## IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

Page 2 of 8

### 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



## IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

Page 3 of 8

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Keep container tightly closed. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eves and clothes.

#### Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No data available

## Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):



## IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

Page 4 of 8

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		2,0
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,005 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical h	azard classos	

#### Information with regard to physical hazard classes Explosive properties No data available



evision date: 24.08.2023	Product code: 21535	Page 5 of 8
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

No data available

## 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

## No data available

Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

## Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Irritation and corrosivity

Based on available data, the classification criteria are not met.



## IC cation standard lithium 1.000 g Li/I Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023	Product code: 21535	Page 6 of 8
Sensitising effects		

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

There are no data available on the mixture itself.

#### Further information

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific



## IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Page 7 of 8

to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

#### Inland waterways transport (ADN)

14.1. UN number or ID number: 14.2. UN proper shipping name:

- 14.3. Transport hazard class(es):
- 14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

# 14.4. Packing group:

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

Marketing and use of explosives precursors (Regulation (EU) 2019/1148): This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Water hazard class (D):

- - non-hazardous to water

#### Additional information

No data available

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



## Safety Data Sheet

according to UK REACH Regulation

## IC cation standard lithium 1.000 g Li/l Li2CO3 in nitric acid 0.1 % traceable to NIST

Revision date: 24.08.2023

Product code: 21535

Page 8 of 8

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)