

Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

UFI: RAXW-G1PK-W00S-R8MN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

nitric acid 20 % sulphuric acid 12 % fluorosilicic acid 10 % hydrofluoric acid 2 %

Signal word: Danger



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 2 of 14

Pictograms:





Hazard statements

H290 May be corrosive to metals.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | | |
|------------|--|------------------------------|----------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulat | | | | |
| 7697-37-2 | nitric acid | | | 20 - < 25 % | |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | | |
| | Ox. Liq. 3, Met. Corr. 1, Acute T | ox. 3, Skin Corr. 1A; H272 H | 290 H331 H314 EUH071 | | |
| 7664-93-9 | sulphuric acid | 10 - < 15 % | | | |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | | |
| | Met. Corr. 1, Skin Corr. 1A, Eye | | | | |
| 16961-83-4 | fluorosilicic acid | 5 - < 10 % | | | |
| | 241-034-8 | 009-011-00-5 | 01-2119488906-19 | | |
| | Skin Corr. 1B; H314 | | | | |
| 7664-39-3 | Hydrofluoric acid % | 1 - < 5 % | | | |
| | 231-634-8 | 009-003-00-1 | 01-2119458860-33 | | |
| | Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314 | | | | |

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|---|--|---|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 7697-37-2 | 231-714-2 | nitric acid | 20 - < 25 % |
| | | E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20 | |
| 7664-93-9 | 231-639-5 | sulphuric acid | 10 - < 15 % |
| | oral: LD50 = 2 ⁻ Eye Irrit. 2; H31 | 140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 9: >= 5 - < 15 | |
| 7664-39-3 | 231-634-8 | Hydrofluoric acid % | 1 - < 5 % |
| inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 1610 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg | | om (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

fast help required

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

Call a physician immediately.

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Remove contaminated, saturated clothing immediately.

Wash immediately with:

Ca-Gluconate solution

Water

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Adverse human health effects and symptoms: Gastric perforation.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Vomiting

Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 4 of 14

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Hydrogen fluoride

Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 5 of 14

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

Unsuitable container/equipment material: Metal, Glass

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 6 of 14

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|--------------------------|-----|-------|-----------|---------------|--------|
| 7664-39-3 | Hydrogen fluoride (as F) | 1.8 | 1.5 | | TWA (8 h) | WEL |
| | | 3 | 2.5 | | STEL (15 min) | WEL |
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | WEL |
| 7664-93-9 | Sulphuric acid (mist) | - | 0.05 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|--------------------|----------------|----------|----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 7664-93-9 | sulphuric acid | | | |
| Worker DNEL, | long-term | inhalation | local | 0,05 mg/m³ |
| Worker DNEL, | acute | inhalation | local | 0,1 mg/m³ |
| 16961-83-4 | fluorosilicic acid | | | |
| Worker DNEL, | long-term | inhalation | systemic | 1,875 mg/m³ |
| Worker DNEL, acute | | inhalation | local | 3,125 mg/m³ |
| Consumer DNE | EL, long-term | inhalation | systemic | 0,04 mg/m³ |
| Consumer DNE | EL, acute | inhalation | systemic | 0,04 mg/m³ |
| Consumer DNEL, long-term | | inhalation | local | 1,56 mg/m³ |
| Consumer DNEL, acute | | inhalation | local | 1,56 mg/m³ |
| Consumer DNEL, long-term | | oral | systemic | 0,01 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 0,01 mg/kg bw/day |

PNEC values

| CAS No | Substance | | | |
|--|---------------------------|-------------|--|--|
| Environmenta | Environmental compartment | | | |
| 7664-93-9 | sulphuric acid | | | |
| Freshwater | | 0,003 mg/l | | |
| Marine water | | 0 mg/l | | |
| Freshwater s | ediment | 0,002 mg/kg | | |
| Marine sedim | nent | 0,002 mg/kg | | |
| Micro-organisms in sewage treatment plants (STP) | | 8,8 mg/l | | |
| 16961-83-4 | fluorosilicic acid | | | |
| Freshwater | | 0,9 mg/l | | |
| Micro-organisms in sewage treatment plants (STP) | | 51 mg/l | | |
| Soil | | 11 mg/kg | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 7 of 14

Eye/face protection

Suitable eye protection: Face protection shield goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable

not applicable lo data available

Print date: 09.03.2023

Lower explosion limits:

Upper explosion limits:

No data available

No data available



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 8 of 14

No data available

Flash point: X
Auto-ignition temperature: No data available
Decomposition temperature: No data available

pH-Value: acidic
Viscosity / kinematic: No data available

Water solubility: very soluble

Solubility in other solvents

not determined

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available No data available Dispersion stability: No data available Vapour pressure: Vapour pressure: No data available Density: 1,253 g/cm3 Relative density: No data available Bulk density: No data available Relative vapour density: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Particle characteristics:

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

The product is: oxidising, Oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.



Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 9 of 14

10.4. Conditions to avoid

Radiant heat.

10.5. Incompatible materials

Metal

Glass

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

Obtain special instructions before use.

ATEmix calculated

ATE (oral) 250,0 mg/kg; ATE (dermal) 250,0 mg/kg; ATE (inhalation vapour) 9,35 mg/l; ATE (inhalation dust/mist) 1,247 mg/l

| CAS No | Chemical name | | | | | | |
|-----------|----------------------|---------------|-----------|---------|----------------------|--|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 7697-37-2 | nitric acid | | | | | | |
| | inhalation vapour | ATE 2,65 r | mg/l | | | | |
| 7664-93-9 | sulphuric acid | | | | | | |
| | oral | LD50 mg/kg | 2140 | Rat | 1969 Sep-Oct; 30(5): | The study was performed as part of a ser | |
| 7664-39-3 | Hydrofluoric acid % | | | | | | |
| | oral | ATE | 5 mg/kg | | | | |
| | dermal | ATE | 5 mg/kg | | | | |
| | inhalation vapour | ATE | 0,5 mg/l | | | | |
| | inhalation dust/mist | ATE | 0,05 mg/l | | | | |
| | inhalation (1 h) gas | LC50 ppm | 1610 | Rat | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 10 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Adverse human health effects and symptoms gastric perforation
Pulmonary oedema
see also Section 4

Further information

It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 11 of 14

| CAS No | Chemical name | | | | | | | |
|------------|--------------------------|----------------|----------|-----------|--|---|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 7697-37-2 | nitric acid | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1559 | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, | other: ASTM E729-26 | |
| | Fish toxicity | NOEC | 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) | Growth tests estimated the test chemical | |
| | Algae toxicity | NOEC mg/l | > 419 | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) | Ten cultures of benthic diatoms were iso | |
| | Acute bacteria toxicity | (EC50 mg/l) | > 1000 | 3 h | Activated sludge | Study report (2008) | OECD Guideline 209 | |
| 7664-93-9 | sulphuric acid | | | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Desmodesmus subspicatus | Study report (2009) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2009) | OECD Guideline 202 | |
| | Fish toxicity | NOEC mg/l | 0,025 | 65 d | Jordanella floridae | Water Research Vol. 11, 612 - 626, 1977 | Groups of sexually mature flagfish | |
| 16961-83-4 | fluorosilicic acid | | | | | | | |
| | Acute fish toxicity | LC50 | 50 mg/l | 96 h | Lepomis macrochirus | Journal of Hazardous Materials Volume 1, | Screening study of acute fish toxicity: | |
| | Acute algae toxicity | ErC50 | 43 mg/l | 96 h | various algae species | European Union Risk Assessment Report, V | Methods not detailed in the review. | |
| | Fish toxicity | NOEC | 4 mg/l | 21 d | Oncorhynchus mykiss | EU RAR Hydrogen Fluoride, Volume 8, 2001 | other: no guideline stated | |
| | Crustacea toxicity | NOEC | 3,7 mg/l | 21 d | Daphnia magna | European Union Risk Assessment Report, V | The publication is a review article of v | |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|--------------------|---------|---------|----------------------|
| 16961-83-4 | fluorosilicic acid | 53 - 58 | | EU RAR Hydrogen Fluo |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties



according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 12 of 14

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 8+6.1 Classification code: CT1 Special Provisions: 274 Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 Hazard No: 86 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Classification code:CT1Special Provisions:274 802Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1



Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 13 of 14

Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Special Provisions:A3 A803Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

(SEVESO III):

H2 ACUTE TOXIC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association



Safety Data Sheet

according to UK REACH Regulation

"Mixed acid standard ""KL 4"" HF/HNO3/H2SO4/H2SiF6 standard solution for METROHM"

Revision date: 09.03.2023 Product code: 21645 Page 14 of 14

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Acute Tox. 3; H301 | Calculation method |
| Acute Tox. 3; H311 | Calculation method |
| Acute Tox. 3; H331 | Calculation method |
| Skin Corr. 1A; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

| H272 | May intensify fire; oxidiser. |
|------|-------------------------------|
| H290 | May be corrosive to metals. |

H300 Fatal if swallowed. H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled.

EUH071 Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)