

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Sodium peroxide (di-sodium peroxide) for analysis, ACS

CAS No: 1313-60-6
Index No: 011-003-00-1
EC No: 215-209-4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
E-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
E-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 1; H271
Skin Corr. 1A; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H271 May cause fire or explosion; strong oxidiser.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 2 of 10

H314 Causes severe skin burns and eye damage.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 IF exposed or concerned:
- P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: Na2O2
Molecular weight: 77,98 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1313-60-6	sodium peroxide			100 %
	215-209-4	011-003-00-1		
	Ox. Sol. 1, Skin Corr. 1A; H271 H314			

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 3 of 10

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive
Cough
Irritant
Dyspnoea
Vomiting
Abdominal pain
Circulatory collapse
Gastrointestinal complaints
Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand
Extinguishing powder

Unsuitable extinguishing media

Water
Foam.
Carbon dioxide (CO₂)

5.2. Special hazards arising from the substance or mixture

Non-combustible solids
Oxidizing
Do not allow contact with water.
After contact with water: Formation of: Hydrogen peroxide

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Oxidizing
Do not allow contact with water.
After contact with water: Formation of: Hydrogen peroxide

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 4 of 10

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Do not allow contact with water.
- Handle and open container with care.
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.
- Avoid dust formation. Do not breathe dust.
- Read label before use.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion

- Keep away from combustible material.
- May intensify fire; oxidiser.

Advice on general occupational hygiene

- Take off contaminated clothing.
- Wash hands before breaks and after work.
- When using do not eat or drink.

Further information on handling

- Take off contaminated clothing and wash it before reuse.
- Wash hands before breaks and after work.
- Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed and dry.

Hints on joint storage

- Keep away from combustible material.

Further information on storage conditions

- storage temperature +15°C - +25°C
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

- Laboratory chemicals

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 5 of 10

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.
Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation
Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	light yellow
Odour:	odourless
Odour threshold:	No data available No data available
Melting point/freezing point:	660 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	not determined not applicable
Lower explosion limits:	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 6 of 10

Upper explosion limits:	not determined
Flash point:	X
Auto-ignition temperature:	No data available
Decomposition temperature:	750 °C
pH-Value (at 20 °C):	~12,8 (100 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	100 g/L
Solubility in other solvents not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 20 °C):	2,8 g/cm ³
Relative density:	No data available
Bulk density:	~1140 kg/m ³
Relative vapour density:	not determined
Particle characteristics:	No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not determined
Gas:	not applicable
Oxidizing properties The product is: oxidising, Oxidising. Oxidizing solids, Category 1	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	100%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Material, oxygen-rich, Oxidising

10.2. Chemical stability

Protect against: Humidity

10.3. Possibility of hazardous reactions

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 7 of 10

Alcohol, Benzene
Combustible substance, Hydrogen sulfide (H₂S)
Acetic acid, antimony
Metal powder, Ethanol
Methanol, Iron.
tin, Ether
Metal, SULPHUR,
White/yellow phosphor, Acetic anhydride
boron, arsenic

10.4. Conditions to avoid

Heat
Humidity

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).
May cause respiratory irritation.

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.
Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 8 of 10

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

corrosive

Cough

Irritant

Dyspnoea

Vomiting

Abdominal pain

Circulatory collapse

Gastrointestinal complaints

Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No data available

12.7. Other adverse effects

After contact with water:

Formation of: Hydrogen peroxide, Caustic soda

Further information

Avoid release to the environment.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 9 of 10

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1504
14.2. UN proper shipping name:	SODIUM PEROXIDE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Classification code:	O2
Limited quantity:	0
Excepted quantity:	E0
Transport category:	1
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1504
14.2. UN proper shipping name:	SODIUM PEROXIDE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Classification code:	O2
Limited quantity:	0
Excepted quantity:	E0

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1504
14.2. UN proper shipping name:	SODIUM PEROXIDE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Special Provisions:	-
Limited quantity:	0
Excepted quantity:	E0
EmS:	F-G, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1504
14.2. UN proper shipping name:	SODIUM PEROXIDE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Special Provisions:	A1
Limited quantity Passenger:	Forbidden
Passenger LQ:	Forbidden
Excepted quantity:	E0
IATA-packing instructions - Passenger:	Forbidden
IATA-max. quantity - Passenger:	Forbidden
IATA-packing instructions - Cargo:	561
IATA-max. quantity - Cargo:	15 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium peroxide (di-sodium peroxide) for analysis, ACS

Revision date: 20.09.2023

Product code: 21696

Page 10 of 10

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III):

P8 OXIDISING LIQUIDS AND SOLIDS

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 6,9,11,12,13.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Ox. Sol: Oxidising solid

Skin Corr: Skin corrosion

Eye Dam: Eye damage

Relevant H and EUH statements (number and full text)

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.