

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)

Revision date: 27.06.2022

Product code: 21765

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)

UFI: 5N8X-71H7-P005-47JD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### Hazard statements

H290 May be corrosive to metals.

#### Precautionary statements

P234 Keep only in original packaging.  
P390 Absorb spillage to prevent material damage.  
P406 Store in a corrosion-resistant container with a resistant inner liner.

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 2 of 11

**Special labelling of certain mixtures**

EUH208 Contains dipotassium hexachloroplatinate. May produce an allergic reaction.  
Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	Hydrochloric acid			1 - < 5 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			
16921-30-5	dipotassium hexachloroplatinate			< 1 %
	240-979-3	078-007-00-3		
	Acute Tox. 3, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1; H301 H318 H334 H317			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		
16921-30-5	240-979-3	dipotassium hexachloroplatinate	< 1 %
	oral: LD50 = 195 mg/kg		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

No data available

**After inhalation**

Provide fresh air.  
Call a doctor if you feel unwell.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
In case of skin irritation, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.  
In case of eye irritation consult an ophthalmologist.

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 3 of 11

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant  
Allergic reactions

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Hydrochloric gas  
Metal oxide smoke, toxic

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Discharge into the environment must be avoided.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 4 of 11

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

- Usual measures for fire prevention.

**Advice on general occupational hygiene**

- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Keep container tightly closed.
- Protect against: Light

**Further information on storage conditions**

- Unsuitable container/equipment material: Metal

**7.3. Specific end use(s)**

- Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 5 of 11

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
7647-01-0	Hydrochloric acid		
Worker DNEL, long-term	inhalation	local	8 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	local	15 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	8 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	15 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
16921-30-5	dipotassium hexachloroplatinate	
Freshwater	0,00014 mg/l	
Freshwater (intermittent releases)	0,000205 mg/l	
Marine water	0,000017 mg/l	
Freshwater sediment	0,261 mg/kg	
Marine sediment	0,026 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,125 mg/l	
Soil	0,005 mg/kg	

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection:  
Face protection shield  
goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact  
Recommended glove articles: KCL 741 Dermatrill® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact  
Recommended glove articles: KCL 741 Dermatrill® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 6 of 11

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

**Skin protection**

Wear suitable protective clothing.

Protective clothing acid-resistant

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not empty into drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
 Colour: yellow  
 Odour: odourless

**Changes in the physical state**

Melting point/freezing point: No data available  
 Boiling point or initial boiling point and boiling range: No data available  
 Sublimation point: No data available  
 Softening point: No data available  
 Pour point: No data available  
 No data available:  
 Flash point: X

**Flammability**

Solid/liquid: not applicable  
 Gas: not applicable

**Explosive properties**

No data available

Lower explosion limits: No data available  
 Upper explosion limits: No data available  
 Auto-ignition temperature: No data available

**Self-ignition temperature**

Solid: not applicable  
 Gas: not applicable

Decomposition temperature: No data available

pH-Value: acidic

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Water solubility: No data available

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 7 of 11

**Solubility in other solvents**

not determined

Partition coefficient n-octanol/water:

No data available

Vapour pressure:

No data available

Vapour pressure:

No data available

Density (at 20 °C):

1,01494 g/cm<sup>3</sup>

Bulk density:

No data available

Relative vapour density:

No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Oxidizing properties

No data available

**Other safety characteristics**

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Evaporation rate:

No data available

**Further Information**

Corrosive to metals

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

Protect against: Light

**10.3. Possibility of hazardous reactions**

The product develops hydrogen in an aqueous solution in contact with metals.

**10.4. Conditions to avoid**

Light

Heat

**10.5. Incompatible materials**

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 8 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
16921-30-5	dipotassium hexachloroplatinate				
	oral	LD50 195 mg/kg	Rat	Study report (1995)	OECD Guideline 401

**Irritation and corrosivity**

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

**Sensitising effects**

Contains dipotassium hexachloroplatinate. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Other information**

There are no data available on the mixture itself.

**Further information**

Irritant  
Allergic reactions

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.



**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 9 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	
16921-30-5	dipotassium hexachloroplatinate					
	Acute fish toxicity	LC50	76,55 mg/l	96 h	Oncorhynchus mykiss	Study report (2005) OECD Guideline 203
	Acute algae toxicity	ErC50	1,3 mg/l	72 h	Desmodesmus subspicatus	Study report (2001) OECD Guideline 201
	Acute crustacea toxicity	EC50	0,0608 mg/l	48 h	Daphnia magna	Study report (2005) OECD Guideline 202
	Crustacea toxicity	NOEC	0,007 mg/l	21 d	Daphnia magna	J. Fish. Res. Bd. Canada 29: 1691-1700 ( ) A standard guideline was not followed, b
	Acute bacteria toxicity	(EC50)	103 mg/l	3 h	activated sludge of a predominantly domestic sewage	Study report (2015) OECD Guideline 209

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not empty into drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number or ID number:**

UN 1789

**14.2. UN proper shipping name:**

HYDROCHLORIC ACID

**14.3. Transport hazard class(es):**

8

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 10 of 11

**14.4. Packing group:** III  
 Hazard label: 8  
 Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 5 L  
 Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: 223  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 75

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Gardner color standard color index 7 according to DIN EN ISO 4630-1:2004 (D)**

Revision date: 27.06.2022

Product code: 21765

Page 11 of 11

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 9.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
EUH208	Contains dipotassium hexachloroplatinate. May produce an allergic reaction.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*