

Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt, validity per

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| e-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| e-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMT | REC Day or Night Within USA and Canada: |
| | 1-800-424-9300 Outside USA and C | Canada: +1 703-741-5970 (collect calls |
| | accepted) | |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 Carc. 2; H351 STOT SE 3; H335 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements


Regulation (EC) No 1272/2008

Hazard components for labelling N,N-dimethylaniline

butylamine

Signal word:





SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Chemical name | | | | | |
|----------|----------------------------------|---|-------------------------------|-------------|--|--|--|
| | EC No | Index No | REACH No | | | | |
| | Classification (Regulati | on (EC) No 1272/2008) | | | | | |
| 121-69-7 | N,N-dimethylaniline | | | 35 - < 40 % | | | |
| | 204-493-5 | 612-016-00-0 | | | | | |
| | Carc. 2, Acute Tox. 3, A H411 | Acute Tox. 3, Acute Tox. 3, Aquatic C | nronic 2; H351 H331 H311 H301 | | | | |
| 109-73-9 | butylamine | butylamine | | | | | |
| | 203-699-2 | 612-005-00-0 | | | | | |
| | Flam. Liq. 2, Acute Tox H314 | . 3, Acute Tox. 3, Acute Tox. 4, Skin (| Corr. 1A; H225 H331 H311 H302 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|----------------|---|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 121-69-7 | 204-493-5 | N,N-dimethylaniline | 35 - < 40 % |
| | | 50 = 34,3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ng/kg; oral: LD50 = 951 mg/kg | |
| 109-73-9 | 203-699-2 | butylamine | 20 - < 25 % |
| | | 50 = 4,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 g; oral: LD50 = 371,8 mg/kg_STOT SE 3; H335: >= 1 - 100 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 3 of 14

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Nitrogen oxides (NOx) Beware of reignition.

5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt.

validity per

Revision date: 15.03.2023

Product code: 21881

Page 4 of 14

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 5 of 14

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a place accessible by authorized persons only.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Vapours may form explosive mixtures with air. Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory use Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|----------|---------------------|-----|-------|---------|---------------|--------|
| 121-69-7 | N,N-Dimethylaniline | 5 | 25 | | TWA (8 h) | |
| | | 10 | 50 | | STEL (15 min) | |
| 109-73-9 | n-Butylamine | 5 | 15 | | STEL (15 min) | |
| 102-71-6 | Triethanolamine | - | 5 | | TWA (8 h) | |



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 6 of 14

DNEL/DMEL values

| CAS No | Substance | | | |
|-------------|---------------------|----------------|----------|-------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 102-71-6 | Triethanolamine | | | |
| Worker DNEL | ., long-term | inhalation | systemic | 5 mg/m³ |
| Worker DNEL | _, long-term | inhalation | local | 5 mg/m³ |
| Worker DNEL | _, long-term | dermal | systemic | 6,3 mg/kg bw/day |
| Consumer DI | NEL, long-term | inhalation | systemic | 1,25 mg/m³ |
| Consumer DI | NEL, long-term | dermal | systemic | 3,1 mg/kg bw/day |
| Consumer D | NEL, long-term | oral | systemic | 13 mg/kg bw/day |
| Consumer DI | NEL, long-term | inhalation | local | 1,25 mg/m ³ |
| 121-69-7 | N,N-dimethylaniline | | | |
| Worker DNEL | , long-term | inhalation | systemic | 3,406 mg/m ³ |
| Consumer DI | NEL, long-term | inhalation | systemic | 0,847 mg/m³ |
| Consumer DI | NEL, long-term | dermal | systemic | 0,737 mg/kg bw/day |
| Consumer DI | NEL, long-term | oral | systemic | 1,474 mg/kg bw/day |
| Worker DNEL | ., long-term | dermal | systemic | 2,988 mg/kg bw/day |
| 109-73-9 | butylamine | | | |
| Worker DNEL | _, long-term | inhalation | systemic | 7,7 mg/m³ |
| Worker DNEL | _, long-term | inhalation | local | 6,1 mg/m³ |
| Worker DNEL | _, acute | inhalation | local | 15 mg/m³ |
| Worker DNEL | _, long-term | dermal | systemic | 1,5 mg/kg bw/day |



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 7 of 14

PNEC values

| CAS No | Substance | |
|---------------------|---------------------------------------|-------------|
| Environmen | tal compartment | Value |
| 102-71-6 | Triethanolamine | |
| Freshwater | | 0,32 mg/l |
| Freshwater | (intermittent releases) | 5,12 mg/l |
| Marine wate | r | 0,032 mg/l |
| Freshwater | sediment | 1,7 mg/kg |
| Marine sedi | ment | 0,17 mg/kg |
| Micro-organ | isms in sewage treatment plants (STP) | 10 mg/l |
| Soil | | 0,151 mg/kg |
| 121-69-7 | N,N-dimethylaniline | |
| Freshwater | | 0,023 mg/l |
| Freshwater | (intermittent releases) | 0,023 mg/l |
| Marine water | | 0,002 mg/l |
| Freshwater sediment | | 4,942 mg/kg |
| Marine sedi | ment | 4,942 mg/kg |
| Micro-organ | isms in sewage treatment plants (STP) | 5,948 mg/l |
| Soil | | 1,906 mg/kg |
| 109-73-9 | butylamine | |
| Freshwater | | 0,03 mg/l |
| Freshwater | (intermittent releases) | 0,083 mg/l |
| Marine wate | r | 0,003 mg/l |
| Freshwater | sediment | 0,273 mg/kg |
| Marine sedi | ment | 0,027 mg/kg |
| Micro-organ | isms in sewage treatment plants (STP) | 65 mg/l |
| Soil | | 0,037 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 8 of 14

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|--------------------|--------------------------|
| Colour: | colourless | |
| Odour: | characteristic | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point | and | >35 °C |
| boiling range: | | |
| Flammability: | | not applicable |
| | | not applicable |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | <21 °C |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | not determined |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | easily soluble |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/wate | er: | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | 0,9497 g/cm ³ |
| Bulk density: | | No data available |
| Relative vapour density: | | not determined |
| 9.2. Other information | | |
| Information with regard to physi | cal hazard classes | |
| Explosive properties | | |
| Vapours can form explosive n | nixtures with air. | |
| Sustaining combustion: | | Sustaining combustion |
| Self-ignition temperature | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| | | |



| Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt, validity per | | | | | |
|---|---------------------|--------------|--|--|--|
| Revision date: 15.03.2023 | Product code: 21881 | Page 9 of 14 | | | |
| Oxidizing properties Not oxidising. | | | | | |
| Other safety characteristics | | | | | |
| Evaporation rate: | not determined | | | | |
| Solvent separation test: | No data available | | | | |
| Solvent content: | No data available | | | | |
| Solid content: | No data available | | | | |
| Sublimation point: | No data available | | | | |
| Softening point: | No data available | | | | |
| Pour point: | No data available | | | | |
| No data available: | | | | | |
| Viscosity / dynamic: | No data available | | | | |

No data available

Flow time:

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

ATEmix calculated

ATE (oral) 249,3 mg/kg; ATE (dermal) 510,3 mg/kg; ATE (inhalation vapour) 5,10 mg/l; ATE (inhalation dust/mist) 0,850 mg/l



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 10 of 14

| CAS No | Chemical name | | | | | | |
|----------|-------------------------|---------------|-----------|---|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 121-69-7 | N,N-dimethylaniline | | | | | | |
| | oral LD50 mg/kg | | 951 Rat | RTECS (Registry of Toxic Effects of Chem | other: | | |
| | dermal | LD50 mg/kg | 1692 | Rabbit | American Industrial Hygiene Association | other: | |
| | inhalation (4 h) vapour | LC50 | 34,3 mg/l | Mouse | QSAR toolbox Version 3.1 (2013) | other: Estimated data | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | | |
| 109-73-9 | butylamine | | | | | | |
| | oral | LD50 mg/kg | 371,8 | Rat | Publication (1982) | OECD Guideline 401 | |
| | dermal | LD50 mg/kg | > 1110 | Rabbit | Publication (1965) | Method: acc. to US regulations, 21 CFR 1 | |
| | inhalation (4 h) vapour | LC50 | 4,2 mg/l | Rat | Study report (1979) | OECD Guideline 403 | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (N,N-dimethylaniline) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (butylamine)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Revision date: 15.03.2023

according to Regulation (EC) No 1907/2006

Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per Product code: 21881

Page 11 of 14

| CAS No | Chemical name | | | | | | | |
|----------|--------------------------|----------------|-----------|-----------|-------------------------------|--|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 121-69-7 | N,N-dimethylaniline | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 78,2 | 96 h | Pimephales promelas | ACToR ;Brooke, L.T., D.J. Call, D.T. Gei | other: | |
| | Acute algae toxicity | ErC50 | 22 mg/l | 72 h | Chlorella pyrenoidosa | Aquatic Toxicology Volume 46, Issue 1, J | other: | |
| | Acute crustacea toxicity | EC50 mg/l | 1,7 - 3,1 | 48 h | Daphnia magna | ECOTOX (ECOTOXicology database);Immobil i | other: | |
| | Acute bacteria toxicity | (EC50 mg/l) | 13,6 | 0,5 h | Photobacterium phosphoreum | Water Pollution Research Journal of Cana | other: | |
| 109-73-9 | butylamine | | | | | | | |
| | Acute fish toxicity | LC50 | 268 mg/l | 96 h | Pimephales promelas | ECOTOX Ecotoxicology Database [http://ww | other: US national guideline | |
| | Acute algae toxicity | ErC50 | 17 mg/l | 72 h | Desmodesmus subspicatus | Study report (2013) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 | 8,3 mg/l | 48 h | Ceriodaphnia dubia | Study report (1994) | other: Standard guide for conducting acu | |
| | Crustacea toxicity | NOEC | 3 mg/l | 7 d | Ceriodaphnia dubia | Study report (1994) | other: Standard guide for conducting acu | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------------|---------|
| 121-69-7 | N,N-dimethylaniline | 14,85 |
| 109-73-9 | butylamine | 1 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|----------|---------------------|-----|---------|----------------------|
| 121-69-7 | N,N-dimethylaniline | 16 | Fish | PBT profiler, Office |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Product code: 21881

Page 12 of 14

12.7. Other adverse effects

Revision date: 15.03.2023

There are no data available on the mixture itself.

Further information

Avoid release to the environment. Do not empty into drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not empty into drains. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 3286 |
|-----------------------------------|---|
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (butylamine, |
| | N,N-dimethylaniline) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1+8 |
| Classification code: | FTC |
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 368 |
| Tunnel restriction code: | D/E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 3286 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (butylamine, |
| | N,N-dimethylaniline) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1+8 |
| Classification code: | FTC |
| Special Provisions: | 274 802 |
| Limited quantity: | 1L |
| Excepted quantity: | E2 |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 3286 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (butylamine, |
| | N,N-dimethylaniline) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1/8 |
| | |



| Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt, validity per | | | | |
|---|---|---------------|--|--|
| Revision date: 15.03.2023 | Product code: 21881 | Page 13 of 14 | | |
| Special Provisions: Limited quantity: Excepted quantity: EmS: | 274 1 L E2 F-E, S-C | | | |
| Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> | UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (butylamine, N,N-dimethylaniline) | | | |
| <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Limited quantity Passenger: Passenger LQ: | 3 II 3+6.1 8 0.5 L Y340 | | | |
| Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | E2 352 1 L 363 5 L | | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | | | |
| Danger releasing substance: | N,N-dimethylaniline | | | |
| <u>14.6. Special precautions for user</u> Warning: Combustible liquid. <u>14.7. Maritime transport in bulk according to</u> not applicable | IMO instruments | | | |
| SECTION 15: Regulatory information | | | | |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | |
| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75 Information according to 2012/18/EU (SEVESO III): | H2 ACUTE TOXIC | | | |
| Additional information: | P5c, E2 | | | |
| National regulatory information | | | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | | | |
| Water hazard class (D): | 2 - obviously hazardous to water | | | |
| SECTION 16: Other information | | | | |

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Test fluid group 13 for amines and their salts (in aqueous solution) according to DIBt,

validity per

Revision date: 15.03.2023

Product code: 21881

Page 14 of 14

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Acute Tox. 3; H301 | Calculation method |
| Acute Tox. 3; H311 | Calculation method |
| Acute Tox. 3; H331 | Calculation method |
| Skin Corr. 1A; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Carc. 2; H351 | Calculation method |
| STOT SE 3; H335 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|----------------|---|
| H301 | Toxic if swallowed. |
| H301+H311+H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H351 | Suspected of causing cancer. |
| H411 | Toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)