



according to Regulation (EC) No 1907/2006

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Dam. 1; H318 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

lanthannitrate hexahydrate

Signal word: Danger

Pictograms:



Hazard statements

H318 H411 Causes serious eye damage. Toxic to aquatic life with long lasting effects.



	Lanthanum nitrate solution 0.1 mol/l titrant for METROHM	
Revision date: 21.11.2023	Product code: 22018	Page 2 of 11
Precautionary statemer	its	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P391	Collect spillage.	
2.3. Other hazards		

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Chemical name		Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
10277-43-7	lanthannitrate hexahydrate			1 - < 5 %
	233-238-0			
	Ox. Sol. 2, Eye Dam. 1, Aquatic Ac	ute 1, Aquatic Chronic 1; H272 H318	H400 H410	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
Specific Conc. Limits, M-factors and ATE			
10277-43-7	233-238-0	lanthannitrate hexahydrate	1 - < 5 %
dermal: LD50 = > 2000 mg/kg; oral: LD50 = 4500 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.



Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.



Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC values

CAS No	Substance	
Environmenta	l compartment	Value
10277-43-7	lanthannitrate hexahydrate	
Freshwater		0,0006 mg/l
Freshwater (ir	ntermittent releases)	0,00245 mg/l
Marine water		0,00006 mg/l
Freshwater se	ediment	13,2 mg/kg
Marine sedime	ent	1,32 mg/kg
Micro-organisms in sewage treatment plants (STP) 7,		7,08 mg/l
Soil		0,93 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment



according to Regulation (EC) No 1907/2006

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 5 of 11

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available



Lanthanum nitrate solution 0.1 mol/l titrant for METROHM Product code: 22018 Revision date: 21.11.2023 Page 6 of 11 Water solubility: No data available Solubility in other solvents not determined Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available 1.027 a/cm³ Density: No data available Relative density: No data available Bulk density: Relative vapour density: No data available Particle characteristics: No data available 9.2. Other information Information with regard to physical hazard classes Explosive properties No data available Sustaining combustion: No data available Self-ignition temperature Solid: No data available No data available Gas: Oxidizing properties No data available Other safety characteristics No data available Evaporation rate: Solvent separation test: No data available Solvent content: No data available Solid content: No data available Sublimation point: No data available No data available Softening point: Pour point: No data available No data available: No data available Viscosity / dynamic: Flow time: No data available **Further Information** No data available **SECTION 10: Stability and reactivity**

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:



according to Regulation (EC) No 1907/2006

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 7 of 11

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
10277-43-7	lanthannitrate hexahydrate					
		LD50 mg/kg	4500	Rat	Industrial Hygiene and Occupational Medi	OECD Guideline 401
		LD50 mg/kg	> 2000	Rat	Study report (2013)	OECD Guideline 402

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 8 of 11

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
10277-43-7	lanthannitrate hexahydrat	е					
	Acute fish toxicity	LC50 mg/l	0,42	96 h	Oncorhynchus mykiss	Study report (2014)	OECD Guideline 203
	Acute algae toxicity	ErC50	0,9 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2014)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,043	48 h	other aquatic crustacea: Daphnia carinata	Chemosphere 41 (10): 1669-1674 (2000)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,26	21 d	Cyprinus carpio	Study report (1995)	OECD Guideline 204
	Crustacea toxicity	NOEC mg/l	0,03	21 d	other aquatic crustacea: Daphnia carinata	Chemosphere 41 (10): 1669-1674 (2000)	OECD Guideline 211
	Acute bacteria toxicity	EC50 ()	221 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2009)	OECD Guideline 209

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
10277-43-7	lanthannitrate hexahydrate	12000	Corophium volutator	Environmental Toxico

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.



Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023

Product code: 22018

Page 9 of 11

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
44.2 Transport barand slass(ss):	(lanthannitrate hexahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.2. ON proper snipping name.	(lanthannitrate hexahydrate)
14.2 Trenenert beyond close (co):	9
14.3. Transport hazard class(es):	-
14.4. Packing group:	
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
······································	(lanthannitrate hexahydrate)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	
Hazard label:	9
Special Provisions:	•
Limited quantity:	274, 335, 969
	5 L E1
Excepted quantity:	
EmS:	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lanthannitrate hexahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lantha Revision date: 21.11.2023	Product code: 22018 Page 10 of 11
IATA-packing instructions - Passeng IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: 14.5. Environmental hazards	ger: 964 450 L 964 450 L
ENVIRONMENTALLY HAZARDOU	S: Yes
Danger releasing substance:	lanthannitrate hexahydrate
14.7. Maritime transport in bulk accor not applicable	ding to IMO instruments
SECTION 15: Regulatory informat	ion
15.1. Safety, health and environmenta	al regulations/legislation specific for the substance or mixture
EU regulatory information Restrictions on use (REACH, annex Entry 3	
Information according to Directive 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
15.2. Chemical safety assessment For this substance a chemical safety	afety assessment has not been carried out.
SECTION 16: Other information	
Abbreviations and acronyms Ox. Sol: Oxidising solid Eye Dam: Eye damage Aquatic Acute: Acute aquatic ha Aquatic Chronic: Chronic aquatic ADR: Accord européen sur le tra (European Agreement concernir IMDG: International Maritime Co IATA: International Air Transport GHS: Globally Harmonized Syst EINECS: European Inventory of ELINCS: European List of Notifie CAS: Chemical Abstracts Servic LC50: Lethal concentration, 50%	c hazard ansport des marchandises dangereuses par Route ng the International Carriage of Dangerous Goods by Road) ode for Dangerous Goods t Association tem of Classification and Labelling of Chemicals Existing Commercial Chemical Substances ed Chemical Substances

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H318	Causes serious eye damage.



according to Regulation (EC) No 1907/2006

Lanthanum nitrate solution 0.1 mol/l titrant for METROHM

Revision date: 21.11.2023	Product code: 22018	Page 11 of 11
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)