

# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung Hilfslösung für Metrohm

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls	
	accepted)	

# Further Information

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Carc. 2; H351

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling hydroxylammonium chloride

Signal word: Warning

#### Pictograms:



# Hazard statements

H317 H351 May cause an allergic skin reaction. Suspected of causing cancer.



# Ad according to Regulation (EC) No 1907/2006 Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

 Hilfslösung für Metrohm

 Revision date: 17.11.2023
 Product code: 22050

Page 2 of 10

#### **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P362+P364	Take off contaminated clothing and wash it before reuse.

## Special labelling of certain mixtures

Restricted to professional users.

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# **Chemical characterization**

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name		Quantity
	EC No Index No REACH No		
	Classification (Regulation (EC) No 1272/2008)		
5470-11-1	hydroxylammonium chloride		5 - < 10 %
	226-798-2 612-123-00-2 01-2120766309-45		
	Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400		

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
5470-11-1	226-798-2	hydroxylammonium chloride	5 - < 10 %
dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

No data available

# After inhalation

Provide fresh air. Call a physician immediately.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 3 of 10

#### Consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

- Irritant
  - Gastrointestinal complaints Vomiting Spasms Circulatory collapse Narcotic effects Respiratory complaints Allergic reactions Cyanosis (blue coloured blood)

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Hydrochloric gas

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 4 of 10

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Do not breathe vapour/aerosol. Use extractor hood (laboratory). Avoid contact with skin, eyes and clothes. Read label before use.

#### Advice on protection against fire and explosion Usual measures for fire prevention.

#### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Avoid contact with skin, eyes and clothes.

#### Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only.

#### Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 5 of 10

### Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

# Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work. Draw up and observe skin protection programme.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid colourless odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 6 of 10

Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,0395 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available
9.2. Other information	
Information with regard to physical hazard classes	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	
Other safety characteristics	
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available
Further Information	

No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Oxidising agent Alkali (lye)

#### 10.4. Conditions to avoid No data available

NO Gala availabi

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 7 of 10

# **Further information**

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5470-11-1	hydroxylammonium chloride				
		ATE 500 mg/kg			
		ATE 1100 mg/kg			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (hydroxylammonium chloride)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (hydroxylammonium chloride) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

# Endocrine disrupting properties

There are no data available on the mixture itself.

### Other information

There are no data available on the mixture itself.



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

Hilfslösung für Metrohm

Product code: 22050

Page 8 of 10

# **Further information**

Revision date: 17.11.2023

Irritant Gastrointestinal complaints Vomiting Spasms Circulatory collapse Narcotic effects Respiratory complaints Allergic reactions Cyanosis (blue coloured blood)

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

# Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung

Hilfslösung für Metrohm		
Revision date: 17.11.2023	Product code: 22050	Page 9 of 10
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tra		
14.7. Maritime transport in bulk according to IMO instruments		
No dangerous good in sense of this transport regulation.		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 75		
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)	
2012/18/EU (SEVESO III):		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or	
	nursing mothers.	
Water hazard class (D):	3 - highly hazardous to water	

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 12.

# Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Carc: Carcinogenicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard



# Hydroxylammoniumchloridlösung 100 g/l zur photometrischen Eisen-Bestimmung Hilfslösung für Metrohm

Revision date: 17.11.2023

Product code: 22050

Page 10 of 10

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)