

according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

UFI:

VN9Y-01Y9-W00R-VJWF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTR	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling potassium fluoride

Signal word:

Pictograms:





according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 2 of 12

Hazard statements

H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H318	Causes serious eye damage.

Precautionary statements

oodallonaly olatoinoi	
P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.

Additional advice on labelling

No information available.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name						
	EC No Index No REACH No						
	Classification (Regulation	(EC) No 1272/2008)					
7789-23-3	potassium fluoride						
	232-151-5 009-005-00-2 01-2119555273-40						
Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Eye Dam. 1; H331 H311 H301 H318							

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name			
	Specific Conc. L	imits, M-factors and ATE		
7789-23-3	232-151-5	potassium fluoride	20 - < 25 %	
		= 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = ca. 148,5 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Call a physician immediately.

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.



according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 3 of 12

After contact with skin

Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Adverse human health effects and symptoms: Gastric perforation Remove casualty to fresh air and keep warm and at rest. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Causes burns. Dyspnoea Respiratory complaints Unconsciousness Spasms Corneal opacity. Agitation Cardiac arrhythmias Circulatory collapse

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen fluoride

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 4 of 12

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Do not breathe vapour/aerosol. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 5 of 12

Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations.

Further information on storage conditions

Store in a dry place. Suitable container/equipment material: plastic Unsuitable container/equipment material: Metal, Glass

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance		-	-
DNEL type		Exposure route	Effect	Value
7789-23-3	potassium fluoride			
Worker DNEL	, long-term	inhalation	systemic	3 mg/m³
Worker DNEL	, acute	systemic	12 mg/m³	
Worker DNEL	, long-term	inhalation	local	3 mg/m³
Worker DNEL	, acute	inhalation	local	12 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,44 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	0,44 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmental compartment Value				
7789-23-3 potassium fluoride				
Freshwater 0,89 mg/l				
Micro-organisms in sewage treatment plants (STP) 51 mg/l				
Soil	11 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact



according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 6 of 12

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid colourless odourless	
Odour threshold:	No data available	
Changes in the physical state		
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Flash point:		Х
Flammability Solid/liquid:		not applicable
Gas:		not applicable
Explosive properties No data available		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		No data available
Self-ignition temperature Solid: Gas:		not applicable not applicable



Kaliumfluor	idlösung 300 g/l reinst, pH 8,5	
Revision date: 08.02.2022	Product code: 22138	Page 7 of 12
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	8,5	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Water solubility:	No data available	
Solubility in other solvents not determined		
Vapour pressure:	No data available	
Vapour pressure:	not determined	
Density:	1,2218 g/cm³	
Bulk density:	No data available	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard classes Sustaining combustion:	s No data available	
Oxidizing properties Not oxidising.		
Other safety characteristics		
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	not determined	
Evaporation rate:	not determined	

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, strong Acid

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 8 of 12

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

ATEmix calculated

ATE (oral) 604,9 mg/kg; ATE (dermal) 1222,0 mg/kg; ATE (inhalation vapour) 12,22 mg/l; ATE (inhalation dust/mist) 2,037 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7789-23-3	potassium fluoride					
	oral	LD50 mg/kg	ca. 148,5	Rat	Other company data (1984)	EPA OPPTS 870.1100
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	EPA OPPTS 870.1200
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met. No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritant Causes burns. Dyspnoea Respiratory complaints Unconsciousness



Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 9 of 12

Spasms Corneal opacity. Agitation Cardiac arrhythmias Circulatory collapse

SECTION 12: Ecological information

12.1. Toxicity

No in	formation available.						
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7789-23-3	potassium fluoride						
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	European Union Risk Assessment Report, V	Methods not detailed in the review.
	Fish toxicity	NOEC	4 mg/l	21 d	Oncorhynchus mykiss	EU RAR Hydrogen Fluoride, Volume 8, 2001	other: no guideline stated
	Algae toxicity	NOEC	50 mg/l	7 d	various	Appendix to Report 785484010, RIVM (1989	The review includes summaries of a numbr
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	European Union Risk Assessment Report, V	The publication is a review article of v

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

log Pow: -0,77

No indication of bioaccumulation potential.

BCF

CAS No	Chemical name	BCF	Species	Source
7789-23-3	potassium fluoride	53 - 58		EU RAR Hydrogen Fluo

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No information available.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations



Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 10 of 12

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3422
14.2. UN proper shipping name:	POTASSIUM FLUORIDE SOLUTION
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Hazard label:	6.1
Classification code:	Τ4
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	2
Hazard No:	60
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3422
14.2. UN proper shipping name:	POTASSIUM FLUORIDE SOLUTION
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	111
Hazard label:	6.1
Classification code:	Τ4
Special Provisions:	802
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3422
14.2. UN proper shipping name:	POTASSIUM FLUORIDE SOLUTION
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Hazard label:	6.1
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-A
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3422
14.2. UN proper shipping name:	POTASSIUM FLUORIDE SOLUTION
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Hazard label:	6.1
Special Provisions:	A3
Limited quantity Passenger:	2 L



Kaliumfluoridlösung 300 g/l reinst, pH 8,5			
Revision date: 08.02.2022	Product code: 22138	Page 11 of 12	
Passenger LQ:	Y642		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:	655		
IATA-max. quantity - Passenger:	60 L		
IATA-packing instructions - Cargo:	663 000 l		
IATA-max. quantity - Cargo:	220 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.7. Maritime transport in bulk according to	DIMO instruments		
not applicable			
CECTION 45. Desculate as information			
SECTION 15: Regulatory information			
	lations/legislation specific for the substance or mixture		
	lations/legislation specific for the substance or mixture		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture		
15.1. Safety, health and environmental regu EU regulatory information Restrictions on use (REACH, annex XVII):	lations/legislation specific for the substance or mixture Not subject to 2012/18/EU (SEVESO III)		
15.1. Safety, health and environmental regule EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3 Information according to 2012/18/EU			
15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3 Information according to 2012/18/EU (SEVESO III):		enile	
15.1. Safety, health and environmental regulering the set of the s	Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juve	enile	

Changes

This data sheet contains changes from the previous version in section(s): 7,9,13,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Acute Tox. 4; H332	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.



according to Regulation (EC) No 1907/2006

Kaliumfluoridlösung 300 g/l reinst, pH 8,5

Revision date: 08.02.2022

Product code: 22138

Page 12 of 12

H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)