



according to Regulation (EC) No 1907/2006

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

REACH Registration Number:	01-2119495676-19-XXXX
CAS No:	7727-21-1
Index No:	016-061-00-1
EC No:	231-781-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

.3. Details of the supplier of the safety data sheet
--

1.3. Details of the supplier of the s	<u>afety data sheet</u>	
Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Danger



according to Regulation (EC) No 1907/2006

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 2 of 12

Pictograms:



Hazard statements

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary statements

·····, ·····	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	K2O8S2
Molecular weight:	270,32 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
7727-21-1	potassium persulphate			100 %
	231-781-8	016-061-00-1	01-2119495676-19-XXXX	
	Ox. Sol. 3, Acute Tox. 4, 5 H302 H315 H319 H334 H		1, Skin Sens. 1, STOT SE 3; H272	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

epecine con			
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7727-21-1	231-781-8	potassium persulphate	100 %
	inhalation: LC5 742 mg/kg	50 = >= 2,95 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 =	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Allergic reactions Cough Dyspnoea

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Oxidizing Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 4 of 12

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Avoid dust formation. Do not breathe dust. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 5 of 12

Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from combustible material.

Further information on storage conditions

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7727-21-1	Persulphate salts, inorganic; Potassium persulphate	-	0.1		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7727-21-1	potassium persulphate				
Worker DNEL	, long-term	inhalation	systemic	2,06 mg/m ³	
Worker DNEL	, acute	inhalation	systemic	590 mg/m³	
Worker DNEL	, long-term	inhalation	local	2,06 mg/m ³	
Worker DNEL	, long-term	dermal	systemic	18,2 mg/kg bw/day	
Worker DNEL	, acute	dermal	systemic	400 mg/kg bw/day	
Worker DNEL	, long-term	dermal	local	0,102 mg/cm ²	
Worker DNEL	, acute	dermal	local	2,248 mg/cm ²	
Consumer DN	IEL, long-term	inhalation	systemic	1,03 mg/m ³	
Consumer DN	IEL, acute	inhalation	systemic	295 mg/m³	
Consumer DN	IEL, long-term	inhalation	local	1,03 mg/m³	
Consumer DN	IEL, acute	inhalation	local	295 mg/m³	
Consumer DN	IEL, long-term	dermal	systemic	9,1 mg/kg bw/day	
Consumer DN	IEL, acute	dermal	systemic	200 mg/kg bw/day	
Consumer DN	IEL, long-term	dermal	local	0,051 mg/cm ²	
Consumer DN	IEL, acute	dermal	local	1,124 mg/cm ²	
Consumer DN	IEL, long-term	oral	systemic	9,1 mg/kg bw/day	
Consumer DN	IEL, acute	oral	systemic	30 mg/kg bw/day	



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 6 of 12

PNEC values

CAS No	Substance	
Environment	tal compartment	Value
7727-21-1	potassium persulphate	
Freshwater		0,076 mg/l
Freshwater (intermittent releases) 0,763 mg/l		0,763 mg/l
Marine wate	r	0,011 mg/l
Freshwater s	sediment	0,275 mg/kg
Marine sediment 0,04 mg/k		0,04 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,6 mg/l
Soil		0,015 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 7 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	solid	
Physical state: Colour:	white	
Odour:	odourless	
Melting point/freezing point:	ododnoss	100 °C
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not determined
· ····································		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		~100 °C
pH-Value (at 20 °C):		~3,2 (50 g/l)
Viscosity / kinematic:		No data available
Water solubility:		50 g/L
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		2,48 g/cm ³
Bulk density:		~1150 kg/m³
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Gas:		not determined
		not applicable
		not applicable
Oxidizing properties		not applicable
Oxidizing properties The product is: oxidising, Oxidising.		not applicable
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics		
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate:		not determined
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point:		not determined No data available
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point: Softening point:		not determined No data available No data available
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point:		not determined No data available
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point: Softening point: Pour point: :		not determined No data available No data available No data available No data available
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point: Softening point: Pour point: : Viscosity / dynamic:		not determined No data available No data available No data available No data available No data available
Oxidizing properties The product is: oxidising, Oxidising. Other safety characteristics Evaporation rate: Sublimation point: Softening point: Pour point: :		not determined No data available No data available No data available No data available

No data available

SECTION 10: Stability and reactivity



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 8 of 12

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Metal, Heavy metals silver, Reducing agent Combustible substance, Alkali (lye) Acid, Water

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Pulmonary oedema

CAS No Chemical name Exposure route Dose Species Source Method 7727-21-1 potassium persulphate oral LD50 742 Rat Study report (2001) EPA OPPTS mg/kg 870.1100 I D50 > 2000 Rat dermal Study report (1991) EPA OPP 81-2 mg/kg inhalation (4 h) LC50 >= 2.95 Rat Study report (1989) EPA OPP 81-3 dust/mist mg/l

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium persulphate) May cause an allergic skin reaction. (potassium persulphate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (potassium persulphate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 9 of 12

Practical experience No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritant Allergic reactions Cough Dyspnoea

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7727-21-1	potassium persulphate						
	Acute fish toxicity	LC50 mg/l	76,3	96 h	Oncorhynchus mykiss	Study report (1993)	other: FIFRA Guideline 72-1 of the Pesti
	Acute algae toxicity	ErC50	136 mg/l		Phaeodactylum tricornutum	Study report	OECD Guideline 201
	Acute crustacea toxicity	EC50	120 mg/l	48 h	Daphnia magna	Study report (1993)	other: FIFRA Guideline 72-2 of the Pesti

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation. Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 10 of 12

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transmort (ADB/BID)		
Land transport (ADR/RID)	UN 1492	
14.1. UN number or ID number:		
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:		
Hazard label:	5.1	
Classification code:	02	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	50	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1492	
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE	
<u>14.3. Transport hazard class(es):</u>	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
Classification code:	02	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1492	
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
Special Provisions:	-	
Limited quantity:	5 kg	
Excepted quantity:	E1	
EmS:	F-A, S-Q	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 1492	
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
Special Provisions:	A803	
Limited quantity Passenger:	10 kg	
Passenger LQ:	Y546	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	559	
IATA-max. quantity - Passenger:	25 kg	
IATA-packing instructions - Cargo:	563	
IATA-max. quantity - Cargo:	100 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		



Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 11 of 12

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 75	
Information according to 2012/18/EU (SEVESO III):	P8 OXIDISING LIQUIDS AND SOLIDS
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

1 - slightly hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

Salz A für die Gebrauchslösung A Kaliumperoxodisulfat

Revision date: 25.01.2023

Product code: 22720

Page 12 of 12