

according to Regulation (EC) No 1907/2006 Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mercury(II) sulfate for analysis, ACS

CAS No:	7783-35-9
Index No:	080-002-00-6
EC No:	231-992-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 1; H310 Acute Tox. 2; H330 Acute Tox. 2; H300 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Danger



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS Revision date: 22.09.2023 Product code: 22727 Page 2 of 11 **Pictograms:** Hazard statements H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. H410 **Precautionary statements** P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 P308 IF exposed or concerned: P310 Immediately call a POISON CENTER/doctor. 2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	HgSO4
Molecular weight:	296,65 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7783-35-9	mercury sulphate			100 %
	231-992-5 080-002-00-6			
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name			
	Specific Conc. Limits, M-factors and ATE			
7783-35-9	231-992-5 mercury sulphate			
inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 625 mg/kg; oral: LD50 = 57 mg/kg STOT RE 2; H373: >= 0,1 - 100				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 3 of 11

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Water, to which activated charcoal may be added Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Vomiting, Cardiac arrhythmias Gastrointestinal complaints, Abdominal pain Blood pressure drop, Circulatory collapse

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Hazardous combustion products In case of fire may be liberated: mercury and its compounds

Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Do not breathe dust.



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 4 of 11

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. Avoid dust formation. Do not breathe dust. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 5 of 11

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only. Protect against: Light

Further information on storage conditions

Store in a dry place.

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: Hg-P3

Environmental exposure controls

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

<u>9.</u>	1. Information on basic physical and cher	<u>mical properties</u>	
	Physical state:	solid	
	Colour:	white	
	Odour:	odourless	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		not applicable
	Auto-ignition temperature:		>450 °C
	Decomposition temperature:		450 °C
	pH-Value (at 20 °C):		~1 (50 g/l)
	Viscosity / kinematic:		No data available
	Solubility in other solvents		
	No data available		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		No data available
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density (at 20 °C):		6,47 g/cm ³
	Relative density:		No data available
	Bulk density:		~670 kg/m³
	Relative vapour density:		No data available
	Particle characteristics:		No data available
9.	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	No data available		
	Sustaining combustion:		No data available
	Self-ignition temperature		
	Solid:		No data available
	Gas:		No data available
	Oxidizing properties		
	No data available		
	Other safety characteristics		
	Evaporation rate:		No data available
	Solvent separation test:		No data available
	Solvent content:		No data available
	Solid content:		100%
	Sublimation point:		No data available
	Softening point:		No data available
	Pour point:		No data available
	No data available:		
	Viscosity / dynamic:		No data available
	Flow time:		No data available



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 7 of 11

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against: Light

10.3. Possibility of hazardous reactions

Hydrogen halide

10.4. Conditions to avoid

Light Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal in contact with skin. Fatal if swallowed. Fatal if inhaled. Pulmonary oedema

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7783-35-9	mercury sulphate	mercury sulphate				
	oral	LD50	57 mg/kg	Rat	Dictionary of Environmentally Important	other: as mentioned below
	dermal	LD50 mg/kg	625	Rat	HSDB (Hazardous Substances Data Bank); U	other: as mentioned below
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 8 of 11

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (mercury sulphate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Irritant, Vomiting, Cardiac arrhythmias Gastrointestinal complaints, Abdominal pain Blood pressure drop, Circulatory collapse, Methaemoglobinaemia

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7783-35-9	mercury sulphate	-0,07

BCF

CAS No	Chemical name	BCF	Species	Source
7783-35-9	mercury sulphate	> 0 - < 5000	Ceriodaphnia dubia	Environmental Pollut

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 9 of 11

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1645
14.2. UN proper shipping name:	MERCURY SULPHATE
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	11
Hazard label:	6.1
Classification code:	Т5
Limited quantity:	500 g
Excepted quantity:	E4
Transport category:	2
Hazard No:	60
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1645
14.2. UN proper shipping name:	MERCURY SULPHATE
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	11
Hazard label:	6.1
Classification code:	Т5
Special Provisions:	802
Limited quantity:	500 g
Excepted quantity:	E4
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1645
14.2. UN proper shipping name:	MERCURY SULPHATE
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	11
Hazard label:	6.1
Marine pollutant:	P
Special Provisions:	-
Limited quantity:	500 g
Excepted quantity:	F4
EmS:	F-A, S-A
Air transport (ICAO-TI/IATA-DGR)	UN 1645
<u>14.1. UN number or ID number:</u>	UN 1040



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS					
Revision date: 22.09.2023	Product code: 22727	Page 10 of 11			
14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Limited quantity Passenger:Passenger LQ:Excepted quantity:IATA-packing instructions - Passenger:IATA-max. quantity - Passenger:IATA-packing instructions - Cargo:	MERCURY SULPHATE 6.1 II 6.1 1 kg Y644 E4 669 25 kg 676 4				
IATA-max. quantity - Cargo: 14.5. Environmental hazards	100 kg				
ENVIRONMENTALLY HAZARDOUS: Danger releasing substance:	Yes mercury sulphate				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII): Entry 18					
Information according to 2012/18/EU (SEVESO III):	H1 ACUTE TOXIC				
Additional information:	E1				
Additional information SVHC substance.					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.				
Water hazard class (D):	3 - highly hazardous to water				
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Acute Tox: Acute toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H300+H310+H330	Fatal if swallowed, in contact with skin or if inhaled.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H373	May cause damage to organs (kidneys) through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Mercury(II) sulfate for analysis, ACS

Revision date: 22.09.2023

Product code: 22727

Page 11 of 11

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.