

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trifluoroacetic acid > 99 %

REACH Registration Number: 01-2119548396-29-XXXX

CAS No: 76-05-1
Index No: 607-091-00-1
EC No: 200-929-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

# **Further Information**

No data available

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Corr. 1A; H314 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

# Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:





# **Hazard statements**

H314 Causes severe skin burns and eye damage.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 2 of 11

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula: CF3COOH
Molecular weight: 114,02 g/mol

### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
76-05-1	trifluoroacetic acid			100 %	
	200-929-3	607-091-00-1	01-2119548396-29-XXXX		
	Acute Tox. 4, Skin Corr. 1A, Aquatic Chronic 3; H332 H314 H412				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
76-05-1	200-929-3	trifluoroacetic acid	100 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists)		

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider

### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

# After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 3 of 11

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Cough

Gastrointestinal complaints

Vomiting

Circulatory collapse

Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Hydrogen fluoride

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 4 of 11

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe vapour/aerosol. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a dry place.

### Further information on storage conditions

storage temperature < +30°C

Unsuitable container/equipment material: Metal

#### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
76-05-1	trifluoroacetic acid					
Worker DNEL, long-term		inhalation	local	2,67 mg/m³		
Worker DNEL, acute		inhalation	local	16 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,042 mg/kg bw/day		

#### **PNEC values**

CAS No	Substance			
Environment	Environmental compartment			
76-05-1	trifluoroacetic acid			
Freshwater		0,56 mg/l		
Freshwater (intermittent releases)		2,37 mg/l		
Marine water		0,056 mg/l		
Freshwater sediment		2,36 mg/kg		
Marine sediment		0,236 mg/kg		
Micro-organisms in sewage treatment plants (STP)		83,2 mg/l		
Soil		0,0047 mg/kg		

# 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Face protection umbrella

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 6 of 11

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device (full mask or mouthpiece) with filter: B-(P2)

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

Melting point/freezing point:

-15 °C

Boiling point or initial boiling point and

71,78 °C

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: 1 (10 g/l) No data available Viscosity / kinematic: Water solubility: very soluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water: log Pow: 0,5
Vapour pressure: 141 hPa

(at 20 °C)

Vapour pressure:No data availableDensity:1,48 g/cm³Bulk density:No data availableRelative vapour density:No data available

# 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

No data available

No data available

No data available



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 7 of 11

No data available

Solid content:

Sublimation point:

Softening point:

Pour point:

No data available

Viscosity / dynamic: 0,91 mPa·s (at 20 °C)

Further Information

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Flow time:

No data available

#### 10.2. Chemical stability

No data available

Protect against: Heat, Humidity

# 10.3. Possibility of hazardous reactions

Acids

Danger of explosion: lithium aluminum hydride, hydrides Exothermic reaction with: alkali, Ammonia (NH3)

#### 10.4. Conditions to avoid

Heat Humidity

# 10.5. Incompatible materials

Metal

Rubber articles

# 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### **Acute toxicity**

Harmful if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

CAS No	Chemical name						
	Exposure route Dose Species Source Method						
76-05-1	trifluoroacetic acid						
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				

# Irritation and corrosivity



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 8 of 11

Causes severe skin burns and eye damage.

Causes serious eye damage. Causes poorly healing wounds.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

No data available

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

No data available

# Other information

Irritant

corrosive

Dyspnoea

Cough

Gastrointestinal complaints

Vomiting

Circulatory collapse

Risk of serious damage to eyes.

# **Further information**

Causes damage to organs.

(kidneys)

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
76-05-1	trifluoroacetic acid						
	Acute fish toxicity	LC50 mg/l	> 1200	96 h	Danio rerio	Study report (1992)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	237,07	72 h	Pseudokirchneriella subcapitata	Study report (2017)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 1200	48 h	Daphnia magna	Study report (1992)	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	>= 100	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge, domestic	Study report (2010)	OECD Guideline 209

### 12.2. Persistence and degradability

11 %; 127 d; aerob OECD-301A

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
76-05-1	trifluoroacetic acid	0,5

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 2699

14.2. UN proper shipping name: TRIFLUOROACETIC ACID

14.3. Transport hazard class(es):



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

	Trifluoroacetic acid > 99 %	
Revision date: 15.08.2023	Product code: 22767	Page 10 of 11
14.4. Packing group:	1	
Hazard label:	8	
Classification code:	C3	
Limited quantity:	0	
Excepted quantity:	E0	
Transport category:	1	
Hazard No:	88	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2699	
14.2. UN proper shipping name:	TRIFLUOROACETIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C3	
Limited quantity:	0	
Excepted quantity:	E0	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2699	
14.2. UN proper shipping name:	TRIFLUOROACETIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	0	
Excepted quantity:	E0	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2699	
14.2. UN proper shipping name:	TRIFLUOROACETIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Limited quantity Passenger:	Forbidden	
Passenger LQ:	Forbidden	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:	850	
IATA-max. quantity - Passenger:	0.5 L	
IATA-packing instructions - Cargo:	854	
IATA-max. quantity - Cargo:	2.5 L	

# SECTION 15: Regulatory information

**ENVIRONMENTALLY HAZARDOUS:** 

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

# **EU** regulatory information

14.5. Environmental hazards

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Trifluoroacetic acid > 99 %

Revision date: 15.08.2023 Product code: 22767 Page 11 of 11

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

Aquatic Chronic: Chronic aquatic hazard

#### Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.