

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

REACH Registration Number: 01-2119457892-27-XXXX

CAS No: 1310-73-2 Index No: 011-002-00-6 EC No: 215-185-5

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

No data available

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 2 of 11

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula: NaOH

Molecular weight: 40,00 g/mol

#### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
1310-73-2	sodium hydroxide			100 %	
	215-185-5	011-002-00-6	01-2119457892-27-XXXX		
	Met. Corr. 1, Skin Corr. 1A; H290 H314				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	sodium hydroxide	100 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 3 of 11

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### <u>5.3. Advice for firefighters</u>

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

### Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.



according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 4 of 11

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe dust. Avoid dust formation.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal, Aluminium, Tin, Zinc

Provide adequate ventilation as well as local exhaustion at critical locations.

## Further information on storage conditions

Store in a dry place.

Keep container tightly closed.

storage temperature +5°C - +30°C

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1310-73-2	sodium hydroxide					
Worker DNEL,	long-term	inhalation	local	1 mg/m³		
Consumer DNEL, long-term		inhalation	local	1 mg/m³		

### 8.2. Exposure controls

## Appropriate engineering controls

Do not breathe dust. Avoid dust formation.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

## Respiratory protection

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P2

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Product code: 22966 Page 6 of 11 Revision date: 12.09.2023

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid Colour: white Odour: odourless Odour threshold: No data available

Melting point/freezing point: 319-322 °C Boiling point or initial boiling point and 1388 °C

boiling range:

Flammability: not applicable not applicable

not determined

Lower explosion limits: Upper explosion limits: not determined Flash point: not applicable not determined Auto-ignition temperature: Decomposition temperature: No data available pH-Value (at 20 °C): >14 (100 g/l) Viscosity / kinematic: No data available Water solubility: 1090 g/L

(at 20 °C)

Solubility in other solvents

not determined

Dissolution rate: No data available Partition coefficient n-octanol/water: not determined No data available Dispersion stability: Vapour pressure: No data available Vapour pressure: No data available Density: 2,13 g/cm<sup>3</sup> Bulk density: No data available Relative vapour density: not determined Particle characteristics: No data available

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.

## Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: No data available Solid content: 100% Sublimation point: No data available Softening point: No data available Pour point: No data available

No data available:

Viscosity / dynamic: No data available



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 7 of 11

Flow time: No data available

### **Further Information**

Corrosive to metals.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

Protect against: Humidity

### 10.3. Possibility of hazardous reactions

Acetone, Chlorine, Fluorine

Hydrogen halide, Acid chlorides, inorganic

Acid, sulphuric acid, peroxides, for example hydrogen peroxide,

Chloroform, Water, White/yellow phosphor

Metal, Light metal, Bromine

Zinc, Tin, Aluminium

### 10.4. Conditions to avoid

Humidity

### 10.5. Incompatible materials

metals (including their alloys)

Aluminium

**Brass** 

tin Zinc

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **Further information**

No data available

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

### **Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 8 of 11

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

No data available

### Information on likely routes of exposure

No data available

### Specific effects in experiment on an animal

No data available

### Additional information on tests

No data available

### Practical experience

No data available

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No data available

## Other information

No data available

### **Further information**

Skin corrosion/irritation

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide						
	Acute crustacea toxicity	EC50 4 mg/l	10,4	48 h		Environmental	other: acute 48-h immobilization test ac

#### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No information available.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.



according to Regulation (EC) No 1907/2006

## Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 9 of 11

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

14.1. UN number or ID number: UN 1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 8 Classification code: C6 Limited quantity: 1 kg Excepted quantity: E2 Transport category: Hazard No: 80 Tunnel restriction code: Ε

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C6Limited quantity:1 kgExcepted quantity:E2

## Marine transport (IMDG)

14.1. UN number or ID number: UN 1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 kgExcepted quantity:E2EmS:F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



according to Regulation (EC) No 1907/2006

Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 10 of 11

Limited quantity Passenger: 5 kg
Passenger LQ: Y844
Excepted quantity: E2

IATA-packing instructions - Passenger:859IATA-max. quantity - Passenger:15 kgIATA-packing instructions - Cargo:863IATA-max. quantity - Cargo:50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion Eye Dam: Eye damage

### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Sodium hydroxide for analysis, Reag. Ph. Eur. pellets

Revision date: 12.09.2023 Product code: 22966 Page 11 of 11

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.