

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Stammlösung Hexacyanoferrat Fe<sub>2</sub><sup>+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung

Revision date: 07.09.2022

Product code: 23094

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Stammlösung Hexacyanoferrat Fe<sub>2</sub><sup>+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung

UFI: 6RX1-V2TT-Q00U-7X04

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household). No data available

##### 1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
e-mail: info@berndkraft.de  
Contact person: Abteilung Produktsicherheit  
e-mail: produktsicherheit@berndkraft.de  
Internet: www.berndkraft.de  
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



###### Hazard statements

H290 May be corrosive to metals.

###### Precautionary statements

P234 Keep only in original packaging.  
P390 Absorb spillage to prevent material damage.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 2 of 10

P406

Store in a corrosion-resistant container with a resistant inner liner.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	sodium hydroxide			< 0.1 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	sodium hydroxide	< 0.1 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

No data available

**After inhalation**

Provide fresh air.

**After contact with skin**

Take off immediately all contaminated clothing and wash it before reuse.  
Wash immediately with: Water

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.  
In case of eye irritation consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Call a doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 3 of 10

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

**Additional information**

Suppress gases/vapours/mists with water spray jet.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

No special environmental measures are necessary.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 4 of 10

**7.1. Precautions for safe handling**

**Advice on safe handling**

Read label before use.  
Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Draw up and observe skin protection programme. Wash hands before breaks and after work.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.  
Unsuitable container/equipment material:  
Metal  
Aluminium  
Tin  
Zinc

**Further information on storage conditions**

Store in a dry place.  
storage temperature: +2°C - +10°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Do not breathe vapour/aerosol.

**Stammlösung Hexacyanoferrat Fe<sub>2</sub><sup>+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 5 of 10

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye/face protection.  
Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined

**Stammlösung Hexacyanoferrat Fe<sub>2</sub><sup>+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 6 of 10

Flash point:	X
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	11,76
Viscosity / kinematic:	not determined
Water solubility:	very soluble
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined

**9.2. Other information**

**Information with regard to physical hazard classes**

Explosive properties not determined	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties Not oxidising.	

**Other safety characteristics**

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	0
Solid content:	0
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic:	not determined
Flow time:	not determined

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Metal

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung

Revision date: 07.09.2022

Product code: 23094

Page 7 of 10

Aluminium  
Tin  
Zinc

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.  
slightly irritant but not relevant for classification.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Specific effects in experiment on an animal**

There are no data available on the mixture itself.

#### **Additional information on tests**

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

### **11.2. Information on other hazards**

#### **Other information**

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4 other: acute 48-h immobilization test ac

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Do not empty into drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Stammlösung Hexacyanoferrat Fe<sup>2+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 9 of 10

Classification code: C5  
 Limited quantity: 5 L  
 Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: 223  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B  
 Segregation group: alkalis

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,7,9,12.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Stammlösung Hexacyanoferrat Fe<sub>2</sub><sup>+</sup> c(CN) = 1000 mg/l in Natronlauge 0,01 mol/l zur Cyanidbestimmung**

Revision date: 07.09.2022

Product code: 23094

Page 10 of 10

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*