

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Color reagent B for NH4+ determination color reagent for METROHM

UFI:

### 3TG2-M25T-P00A-VUXY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

AnalytiChem GmbH	
ACD	
Stempelstraße 6	
D-47167 Duisburg	
0203/5194-0	Telefax: 0203/5194-290
info@analytichem.de	
Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
produktsicherheit@analytichem.de	
www.analytichem.de	
Abteilung Produktsicherheit	
For Hazardous Materials [or Dangeron Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca accepted)	EC Day or Night Within USA and Canada:
	ACD Stempelstraße 6 D-47167 Duisburg 0203/5194-0 info@analytichem.de Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit For Hazardous Materials [or Dangeron Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# **GB CLP Regulation**

Hazard components for labelling thymol

Signal word:

Danger

### Pictograms:





according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 2 of 14

### Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary stateme	nts
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P403+P235	Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation	on)				
64-17-5	ethanol					
	200-578-6					
	Flam. Liq. 2, Eye Irrit. 2; H225 H	319				
89-83-8	thymol					
	201-944-8	604-032-00-1				
	Acute Tox. 4, Skin Corr. 1B, Aquatic Chronic 2; H302 H314 H411					
13755-38-9	Nitroprussid-Natrium-Dihydrat			< 1 %		
	Acute Tox. 3; H301					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Limits, M-factors and ATE						
64-17-5	200-578-6 ethanol						
	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100						
89-83-8	201-944-8	thymol	1 - < 5 %				
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 980 mg/kg						
13755-38-9		Nitroprussid-Natrium-Dihydrat	< 1 %				
	oral: ATE = 100 mg/kg						

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures



## Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 3 of 14

### **General information**

No data available

# After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

### In case of file may be liberated. Carbon dioxide (COZ),

# 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

### -

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.



according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 4 of 14

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.


### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

In case of warming: Vapours may form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.





# according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 5 of 14

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances. national regulations

# Further information on storage conditions

In case of warming: Vapours may form explosive mixtures with air. Protect against: Light, Heat

#### 7.3. Specific end use(s)

Laboratory use Laboratory chemical

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL



according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 6 of 14

# **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol						
Worker DNEL	L, long-term	inhalation	systemic	950 mg/m³			
Worker DNEL	_, long-term	dermal	systemic	343 mg/kg bw/day			
Consumer DI	NEL, long-term	inhalation	systemic	114 mg/m³			
Consumer D	NEL, long-term	dermal	systemic	206 mg/kg bw/day			
Consumer D	NEL, long-term	oral	systemic	87 mg/kg bw/day			
89-83-8	thymol						
Consumer D	NEL, acute	inhalation	local	0,5 mg/m³			
Consumer D	NEL, long-term	dermal	systemic	8,3 mg/kg bw/day			
Consumer D	NEL, acute	inhalation	systemic	29 mg/m³			
Consumer D	NEL, long-term	inhalation	systemic	29 mg/m³			
Consumer D	NEL, long-term	inhalation	local	0,5 mg/m³			
Worker DNEL	L, long-term	inhalation	systemic	117 mg/m <sup>3</sup>			
Worker DNEL	L, acute	inhalation	systemic	117 mg/m <sup>3</sup>			
Worker DNEL	L, long-term	inhalation	local	1 mg/m³			
Worker DNEL	L, acute	inhalation	local	1 mg/m³			
Worker DNEL	L, long-term	dermal	systemic	16,6 mg/kg bw/day			
Worker DNEL	L, acute	dermal	systemic	16,6 mg/kg bw/day			
Consumer DI	NEL, acute	dermal	systemic	8,3 mg/kg bw/day			
Consumer D	NEL, long-term	oral	systemic	8,3 mg/kg bw/day			
Consumer DI	NEL, acute	oral	systemic	8,3 mg/kg bw/day			



according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 7 of 14

### **PNEC** values

CAS No	Substance						
Environmen	tal compartment	Value					
64-17-5	5 ethanol						
Freshwater		0,96 mg/l					
Freshwater	(intermittent releases)	2,75 mg/l					
Marine wate	r	0,79 mg/l					
Freshwater	sediment	3,6 mg/kg					
Marine sedi	ment	2,9 mg/kg					
Secondary	poisoning	380 mg/kg					
Micro-organ	580 mg/l						
Soil		0,63 mg/kg					
89-83-8	thymol						
Freshwater		0,038 mg/l					
Freshwater	(intermittent releases)	0,032 mg/l					
Marine wate	r	0,004 mg/l					
Freshwater	sediment	3,16 mg/kg					
Marine sedi	ment	0,316 mg/kg					
Micro-organ	isms in sewage treatment plants (STP)	0,396 mg/l					
Soil		0,606 mg/kg					

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

#### By long-term hand contact

Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 8 of 14

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	like: Ethanol	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		27 °C
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		No data available
	Viscosity / kinematic:		No data available
	Water solubility:		No data available
	Solubility in other solvents		
	not determined		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		No data available
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	(at 50 °C)		
	Vapour pressure:		No data available
	Density:		0,9332 g/cm <sup>3</sup>
	Relative density:		No data available
	Bulk density:		No data available
	Relative vapour density:		No data available
	Particle characteristics:		No data available
<u>9.</u>	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	In case of warming. Vanours can form	evolosive mixtures with air	

In case of warming: Vapours can form explosive mixtures with air.	
Sustaining combustion:	Sustaining combustion
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Not oxidising.	
Other safety characteristics	



# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024	Product code: 23293	Page 9 of 14
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic: (at 20 °C)	No data available	
Flow time:	No data available	

# **Further Information**

No data available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

In case of warming: Vapours can form explosive mixtures with air.

### 10.2. Chemical stability

Protect against: Light, Heat

### 10.3. Possibility of hazardous reactions

#### Oxidising agent

### 10.4. Conditions to avoid

Protect against: Light, Heat Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

Rubber articles Plastic articles

### 10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

### Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

# Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 10 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol								
	oral	LD50 10470 mg/kg			Study report (1976)	OECD Guideline 401			
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403			
89-83-8	thymol								
	oral	LD50 mg/kg	980	Rat	Fd. Cosmet. Toxicol. 2, 327-343 (1964)	Groups of 10 young adult Osborne-Mendel			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1986)	other: Directive 84/449/EWG			
13755-38-9	Nitroprussid-Natrium-Dihydrat								
	oral	ATE mg/kg	100						

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

# Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

# Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

### Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).



# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 11 of 14

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
64-17-5	ethanol									
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975			
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11			
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a			
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th			
89-83-8	thymol									
	Acute fish toxicity	LC50	3,2 mg/l	96 h	Pimephales promelas	REACh Registration Dossier	other: Refer below			
	Acute algae toxicity	ErC50	14 mg/l	72 h	Green algae	REACh Registration Dossier	other: as mention below			
	Acute crustacea toxicity	EC50	4,5 mg/l	48 h	Daphnia magna	Review article or handbook (2004)	OECD Guideline 202			
	Crustacea toxicity	NOEC	2 mg/l	21 d	Other aquatic invertebrates	REACh Registration Dossier	other: as mention below			
	Acute bacteria toxicity	EC50 mg/l()	39,6	3 h	activated sludge of a predominantly industrial sew	Study report (1986)	OECD Guideline 209			

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
89-83-8	thymol	3,3

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi
89-83-8	thymol	> 7,8 - < 19	Cyprinus carpio	REACh Registration D



# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 12 of 14

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

# 12.7. Other adverse effects

Do not empty into drains.

## **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	



# according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Color reagent B fo	or NH4+ determination color reagent for METROHM	
Revision date: 18.03.2024	Product code: 23293	Page 13 of 14
14.1. UN number or ID number:	UN 1987	
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1987	
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label: Special Provisions:	3 A3 A180	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L	
IATA-packing instructions - Cargo:	366	
IATA-max. quantity - Cargo:	220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: Combustible liquid.		
14.7. Maritime transport in bulk according to	<u>o IMO instruments</u>	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety. health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information	······	
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	nile
Water hazard class (D):	work protection guideline' (94/33/EC). 2 - obviously hazardous to water	
15.2. Chemical safety assessment	,	
For this substance a chemical safety as	ssessment has not been carried out	

# SECTION 16: Other information

# Changes

This data sheet contains changes from the previous version in section(s): 1,9.



according to UK REACH Regulation

# Color reagent B for NH4+ determination color reagent for METROHM

Revision date: 18.03.2024

Product code: 23293

Page 14 of 14

### Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

# Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)