

AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Schwefelsäure 48 % zur Analyse

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone: e-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290
Contact person: e-mail: Internet:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de	Telephone: 0203/5194-107/117
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMT	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling sulphuric acid

Signal word:

Pictograms:



Danger

Hazard statements

H290 H314 May be corrosive to metals. Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 2 of 11

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves and eye/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
7664-93-9	sulphuric acid	sulphuric acid					
	231-639-5 016-020-00-8 01-2119458838-20						
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318						

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fa	ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	45 - < 50 %
	oral: LD50 = 2	2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15	
	Eye Irrit. 2; H3	19: >= 5 - < 15	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes. Causes burns. Irritant Cough Dyspnoea Vomiting Gastric perforation Nausea Abdominal pain

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 4 of 11

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal

Further information on storage conditions

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,01 - Replaces version: 1,00



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 5 of 11

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance	-	-				
DNEL type		Exposure route	Effect	Value			
7664-93-9	sulphuric acid						
Worker DNEL,	Worker DNEL, long-term inhalation local 0,05 mg/m ³						
Worker DNEL, acute inhalation local 0,1 mg/m³							

PNEC values

CAS No	Substance				
Environmental compartment Value					
7664-93-9 sulphuric acid					
Freshwater 0,003 mg/l					
Marine water 0 mg/l					
Freshwater sediment 0,002 mg/kg					
Marine sediment 0,0					
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l					

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles Face protection shield

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 6 of 11

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: ABEK

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

. I. IIIIOIIIIalioii oli basic priysicai allu che	annear properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		very soluble (Heat)
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,3759 g/cm ³
Bulk density:		No data available
Relative vapour density:		No data available
2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
No data available		

9.



according to Regulation (EC) No 1907/2006

Schwefelsäure	48 %	ZUL	Analyse
Juliweleisaule	HU /0	zui .	Allaly SC

Revision date: 01.02.2023

Product code: 23383

Page 7 of 11

Other safety characteristics	
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available
Further Information	

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent, strong

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Water, Alkali metals, Ammonia aldehydes, Alkaline earth metal, Acids Alkali (lye), Metal, Phosphorus oxides, Combustible substance Solvent, Aniline, permanganates, e.g. potassium permanganate Peroxides, Amines, Carbide peroxides, for example hydrogen peroxide , Nitriles

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals. Cellulose

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Irritation to respiratory tract (Cough, Dyspnoea)



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 8 of 11

CAS No	Chemical name										
	Exposure route Dose Species Source Method										
7664-93-9	sulphuric acid	sulphuric acid									
	oral	LD50 mg/kg	2140		1969 Sep-Oct; 30(5):	The study was performed as part of a ser					

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

Risk of serious damage to eyes. Causes burns. Irritant Cough Dyspnoea Vomiting Gastric perforation Nausea Abdominal pain

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 9 of 11

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d] Species		Source	Method			
7664-93-9	sulphuric acid									
	Acute algae toxicity	ErC50 > 100 72 h Desmodesmus mg/l subspicatus				Study report (2009)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish			

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes. Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	SULPHURIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2



an analyti**chem** company

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse				
Revision date: 01.02.2023	Product co	-	Page 10 of 11	
Hazard No:	80			
Tunnel restriction code:	E			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	UN 2796			
14.2. UN proper shipping name:	Sulphuric acid			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	11			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2796			
14.2. UN proper shipping name:	Sulphuric acid			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2796			
14.2. UN proper shipping name:	SULPHURIC ACID			
14.3. Transport hazard class(es):	8			
<u>14.4. Packing group:</u>				
Hazard label:	8			
Limited quantity Passenger: Passenger LQ:	0.5 L Y840			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:		851		
IATA-max. quantity - Passenger:		1 L		
IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		
14.5. Environmental hazards				
	NI-			
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user Warning: strongly corrosive.				
14.7. Maritime transport in bulk according to	IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation spe	ecific for the substance or mixture		
EU regulatory information				
Restrictions on use (REACH, annex XVII): Entry 3				
National regulatory information				
Employment restrictions:		to employment for juveniles according to the 'juve	nile	
Water hazard class (D):	work protection guid 1 - slightly hazardou			



according to Regulation (EC) No 1907/2006

Schwefelsäure 48 % zur Analyse

Revision date: 01.02.2023

Product code: 23383

Page 11 of 11

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,6,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)