

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

UFI: NQR2-52PA-U00V-R8JW

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household). No data available

##### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: Abteilung Produktsicherheit  
E-mail: produktsicherheit@analytichem.de  
Internet: www.analytichem.de  
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

Signal word: Warning

Pictograms:



###### Hazard statements

H290

May be corrosive to metals.

H315

Causes skin irritation.

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 2 of 12

H319 Causes serious eye irritation.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P390 Absorb spillage to prevent material damage.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

##### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1310-73-2	sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
151-50-8	potassium cyanide			< 0.1 %
	205-792-3	006-007-00-5	01-2119486407-29	
	Acute Tox. 1, Acute Tox. 1, Acute Tox. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H300 H372 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	1 - < 5 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
151-50-8	205-792-3	potassium cyanide	< 0.1 %
		inhalation: ATE = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); inhalation: LC50 = 63 ppm (gases); dermal: LD50 = ca. 11,28 mg/kg; oral: LD50 = >= 7,49 mg/kg Aquatic Chronic 1; H410: M=10	

##### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

No data available

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 3 of 12

#### After inhalation

Provide fresh air.

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Wash immediately with: Water

If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

##### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

No special environmental measures are necessary.

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 4 of 12

#### **6.3. Methods and material for containment and cleaning up**

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Read label before use.

Do not breathe vapour/aerosol.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### **Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme. Wash hands before breaks and after work.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

Unsuitable container/equipment material:

Metal

Aluminium

Tin

Zinc

##### **Hints on joint storage**

national regulations

##### **Further information on storage conditions**

Store in a dry place.

#### **7.3. Specific end use(s)**

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 5 of 12

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
151-50-8	Potassium cyanide (as cyanide)	-	1		TWA (8 h)	WEL
		-	5		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
151-50-8	potassium cyanide			
Worker DNEL, long-term		inhalation	systemic	0,94 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	12,5 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,14 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	4,03 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
151-50-8	potassium cyanide	
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,0032 mg/l
Marine water		0,0002 mg/l
Freshwater sediment		0,004 mg/kg
Marine sediment		0,0008 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,05 mg/l
Soil		0,007 mg/kg

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

**Safety Data Sheet**

according to UK REACH Regulation

**Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM**

Revision date: 07.11.2023

Product code: 23385

Page 6 of 12

supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		13,0
Viscosity / kinematic:		No data available
Water solubility:		very soluble
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 7 of 12

Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,0149 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties	
not determined	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Not oxidising.	

##### **Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

##### **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Corrosive to metals.

### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

Light metal  
Ammonia (NH<sub>3</sub>)  
Metal  
Acid

### **10.4. Conditions to avoid**

No data available

### **10.5. Incompatible materials**

Keep away from: Metal.  
The product develops hydrogen in an aqueous solution in contact with metals.

### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 8 of 12

#### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

##### Acute toxicity

Based on available data, the classification criteria are not met.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
151-50-8	potassium cyanide					
	oral	LD50 mg/kg	>= 7,49	Rat	Clinical and Experimental Toxicology of	A reputable corporate laboratory
	dermal	LD50 mg/kg	ca. 11,28	Rabbit	J Toxicol – Cut and Ocular Toxicol 13:24	Animals were exposed to a solution of cy
	inhalation vapour	ATE	0,05 mg/l			
	inhalation dust/mist	ATE mg/l	0,005			
	inhalation (1 h) gas	LC50	63 ppm	Rat	Study report (1981)	OECD Guideline 403

##### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Information on likely routes of exposure

There are no data available on the mixture itself.

##### Specific effects in experiment on an animal

There are no data available on the mixture itself.

##### Additional information on tests

There are no data available on the mixture itself.

##### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards



**Safety Data Sheet**

according to UK REACH Regulation

**Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM**

Revision date: 07.11.2023

Product code: 23385

Page 9 of 12

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

CAS No	Chemical name		Dose		[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide							
	Aquatic toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4	other: acute 48-h immobilization test ac	
151-50-8	potassium cyanide							
	Acute crustacea toxicity	LC50 mg/l	0,1038	96 h	Gasterosteus aculeatus	Study report (2005)	other: ASTM E729-96. Standard Guide for	
	Acute algae toxicity	ErC50 mg/l	0,116	72 h	Pseudokirchneriella subcapitata	Journal of Hazardous Materials 197 (2011)	ISO 8692	
	Acute crustacea toxicity	EC50 mg/l	0,21638	48 h	other aquatic crustacea: Acartia tonsa	Study report (2006)	other: ASTM E 729-96: Standard Guide for	
	Algae toxicity	NOEC	0,1 mg/l	10 d	Chlamydomonas sp.	Bulletin 106. Virginia Water resources R	Bartsch, A.F. 1971. Algal Assay Procedur	
	Acute bacteria toxicity	EC50 ( )	2,3 mg/l	0,5 h	activated sludge, domestic	Acta hydrochim. hydrobiol. 20, 3 (1992)	EU Method C.11	

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
151-50-8	potassium cyanide	3,162		United States Enviro

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 10 of 12

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.  
There are no data available on the mixture itself.

#### **12.7. Other adverse effects**

Discharge into the environment must be avoided.

#### **Further information**

Harmful effect due to pH shift.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

##### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1824
<b><u>14.2. UN proper shipping name:</u></b>	SODIUM HYDROXIDE SOLUTION
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1824
<b><u>14.2. UN proper shipping name:</u></b>	SODIUM HYDROXIDE SOLUTION
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1

#### **Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1824
<b><u>14.2. UN proper shipping name:</u></b>	SODIUM HYDROXIDE, SOLUTION
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

#### **Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1824
---	---------

**Safety Data Sheet**

according to UK REACH Regulation

**Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM**

Revision date: 07.11.2023

Product code: 23385

Page 11 of 12

<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE, SOLUTION	
<b>14.3. Transport hazard class(es):</b>	8	
<b>14.4. Packing group:</b>	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): - - non-hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9.

## Safety Data Sheet

according to UK REACH Regulation

### Cyanide standard solution KCN in sodium hydroxide solution 0.4 mol/l standard solution for METROHM

Revision date: 07.11.2023

Product code: 23385

Page 12 of 12

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals  
 Acute Tox: Acute toxicity  
 Skin Corr: Skin corrosion  
 Skin Irrit: Skin irritation  
 Eye Irrit: Eye irritation  
 STOT RE: Specific target organ toxicity - repeated exposure  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.  
 H300 Fatal if swallowed.  
 H310 Fatal in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H330 Fatal if inhaled.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH032 Contact with acids liberates very toxic gas.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*