

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Nitric acid 5.5 % for analysis in 2-propanol

UFI: V0T2-S219-F009-ND9V

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
|                         | ACD                              |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| E-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| E-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Met. Corr. 1; H290  
Flam. Liq. 2; H225  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol  
nitric acid

Signal word: Danger

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 2 of 13

#### Pictograms:



#### Hazard statements

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.      |
| H290 | May be corrosive to metals.              |
| H314 | Causes severe skin burns and eye damage. |
| H336 | May cause drowsiness or dizziness.       |

#### Precautionary statements

|                |  |
|----------------|--|
| P260           | Do not breathe dust/fume/gas/mist/vapours/spray.   |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.                                    |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.                           |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER/doctor.   |

#### Special labelling of certain mixtures

|        |                                     |
|--------|-------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
|--------|-------------------------------------|

#### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Relevant ingredients

| CAS No    | Chemical name   |              |                  | Quantity    |
|-----------|---|--------------|------------------|-------------|
|           | EC No   | Index No     | REACH No         |             |
|           | Classification (GB CLP Regulation)  |              |                  |             |
| 67-63-0   | propan-2-ol; isopropyl alcohol; isopropanol                                       |              |                  | 90 - < 95 % |
|           | 200-661-7   | 603-117-00-0 |                  |             |
|           | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336                             |              |                  |             |
| 7697-37-2 | nitric acid   |              |                  | 5 - < 10 %  |
|           | 231-714-2   | 007-030-00-3 | 01-2119487297-23 |             |
|           | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071 |              |                  |             |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No   | Chemical name | Quantity   |
|-----------|---|---------------|------------|
|           | Specific Conc. Limits, M-factors and ATE  |               |            |
| 7697-37-2 | 231-714-2   | nitric acid   | 5 - < 10 % |
|           | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 |               |            |

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 3 of 13

#### **4.1. Description of first aid measures**

##### **General information**

No data available

##### **After inhalation**

Provide fresh air.

Call a physician immediately.

##### **After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

##### **After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

##### **After ingestion**

Rinse mouth immediately and drink plenty of water.

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.

Irritant

Respiratory complaints

Headache

Dizziness

Dizziness

Inebriation

Anaesthetic state

Unconsciousness

Repeated exposure may cause skin dryness or cracking.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

##### **Unsuitable extinguishing media**

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide

Nitrogen oxides (NO<sub>x</sub>)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 4 of 13

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 5 of 13

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe vapour/aerosol. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat or drink.

Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store in a cool dry place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

national regulations

##### Further information on storage conditions

Protect from sunlight.

Protect against: Light

Corrosive to metals.

Unsuitable container/equipment material: Metal

#### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

| CAS No    | Substance   | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|-----------|-------------|-----|-------------------|-----------|---------------|--------|
| 7697-37-2 | Nitric acid | 1   | 2.6               |           | STEL (15 min) | WEL    |
| 67-63-0   | Propan-2-ol | 400 | 999               |           | TWA (8 h)     | WEL    |
|           |             | 500 | 1250              |           | STEL (15 min) | WEL    |

#### DNEL/DMEL values

| CAS No                   | Substance                                   | Exposure route | Effect   | Value                 |
|--------------------------|---|----------------|----------|-----------------------|
| 67-63-0                  | propan-2-ol; isopropyl alcohol; isopropanol |                |          |                       |
| Worker DNEL, long-term   |   | inhalation     | systemic | 500 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |   | dermal         | systemic | 888 mg/kg bw/day      |
| Consumer DNEL, long-term |   | inhalation     | systemic | 89 mg/m <sup>3</sup>  |
| Consumer DNEL, long-term |   | dermal         | systemic | 319 mg/kg bw/day      |
| Consumer DNEL, long-term |   | oral           | systemic | 26 mg/kg bw/day       |

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 6 of 13

#### PNEC values

| CAS No  | Substance  |            |
|---------|--|------------|
|         | Environmental compartment                        | Value      |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol      |            |
|         | Freshwater                                       | 140,9 mg/l |
|         | Freshwater (intermittent releases)               | 140,9 mg/l |
|         | Marine water                                     | 140,9 mg/l |
|         | Freshwater sediment                              | 552 mg/kg  |
|         | Marine sediment                                  | 552 mg/kg  |
|         | Secondary poisoning                              | 160 mg/kg  |
|         | Micro-organisms in sewage treatment plants (STP) | 2251 mg/l  |
|         | Soil   | 28 mg/kg   |

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Face protection umbrella

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation KCL 890 Vitoject®

Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Skin protection

Wear fire resistant or flame retardant clothing.

Take off immediately all contaminated clothing and wash it before reuse.

Wear suitable protective clothing. Take off immediately all contaminated clothing.

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 7 of 13

Wash hands and face before breaks and after work and take a shower if necessary.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |                           |
|---|-------------------|---------------------------|
| Physical state:   | Liquid            |                           |
| Colour:   | colourless        |                           |
| Odour:  | like: Alcohol     |                           |
| Odour threshold:  | No data available |                           |
| Melting point/freezing point:                             |                   | No data available         |
| Boiling point or initial boiling point and boiling range: |                   | ~82,5 °C                  |
| Flammability:   |                   | No data available         |
| Lower explosion limits:                                   |                   | No data available         |
| Upper explosion limits:                                   |                   | No data available         |
| Flash point:  |                   | ~11,7 °C                  |
| Auto-ignition temperature:                                |                   | No data available         |
| Decomposition temperature:                                |                   | No data available         |
| pH-Value:   |                   | acidic                    |
| Viscosity / kinematic:                                    |                   | No data available         |
| Water solubility:   |                   | No data available         |
| Solubility in other solvents:                             |                   | No data available         |
| Dissolution rate:   |                   | No data available         |
| Partition coefficient n-octanol/water:                    |                   | No data available         |
| Dispersion stability:                                     |                   | No data available         |
| Vapour pressure:  |                   | No data available         |
| Density:  |                   | 0,82449 g/cm <sup>3</sup> |
| Relative density:   |                   | No data available         |
| Bulk density:   |                   | No data available         |
| Relative vapour density:                                  |                   | No data available         |
| Particle characteristics:                                 |                   | No data available         |

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion: Sustaining combustion

##### Self-ignition temperature

Solid: No data available

Gas: No data available

##### Oxidizing properties

No data available

#### Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 8 of 13

|                      |                   |
|----------------------|-------------------|
| Solid content:       | No data available |
| Sublimation point:   | No data available |
| Softening point:     | No data available |
| Pour point:          | No data available |
|                      | No data available |
| Viscosity / dynamic: | No data available |
| Flow time:           | No data available |

#### Further Information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Vapours may form explosive mixtures with air.  
Formation of: Peroxides  
Corrosive to metals.

### 10.2. Chemical stability

Protect against:  
Light  
Air

### 10.3. Possibility of hazardous reactions

Oxidising agent, Alkali metals, Alkaline earth metal,  
chromium trioxide, Nitric acid, aldehydes  
Amines, Aluminium, Chlorine (Cl<sub>2</sub>)  
Phosphorus trichloride, Strong acid, Phosgene  
Hydrogen peroxide, Nitrogen oxides (NO<sub>x</sub>), Iron.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Light  
Air

### 10.5. Incompatible materials

Unsuitable container/equipment material: Metal  
Plastic articles

### 10.6. Hazardous decomposition products

Peroxides  
SECTION 5: Firefighting measures

#### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



**Safety Data Sheet**

according to UK REACH Regulation

**Nitric acid 5.5 % for analysis in 2-propanol**

Revision date: 18.03.2024

Product code: 23400

Page 9 of 13

| CAS No    | Chemical name     |               |         |        |        |
|-----------|-------------------|---------------|---------|--------|--------|
|           | Exposure route    | Dose          | Species | Source | Method |
| 7697-37-2 | nitric acid       |               |         |        |        |
|           | inhalation vapour | ATE 2,65 mg/l |         |        |        |

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Corrosive to the respiratory tract.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

**Other information**

Observe risk of aspiration if vomiting occurs. Pulmonary oedema Pneumonia  
Repeated exposure may cause skin dryness or cracking.

**Further information**

There are no data available on the preparation/mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Nitric acid 5.5 % for analysis in 2-propanol**

Revision date: 18.03.2024

Product code: 23400

Page 10 of 13

| CAS No    | Chemical name                               |                  |           |         |  |  |
|-----------|---|------------------|-----------|---------|--|--|
|           | Aquatic toxicity                            | Dose             | [h]   [d] | Species | Source   | Method   |
| 67-63-0   | propan-2-ol; isopropyl alcohol; isopropanol |                  |           |         |  |  |
|           | Acute fish toxicity                         | LC50<br>mg/l     | 10000     | 96 h    | Pimephales promelas                                | Publication (1983)<br>OECD Guideline 203                                     |
| 7697-37-2 | nitric acid                                 |                  |           |         |  |  |
|           | Acute fish toxicity                         | LC50<br>mg/l     | 1559      | 96 h    | Topeka shiner                                      | Environmental Toxicology and Chemistry,<br>other: ASTM E729-26               |
|           | Fish toxicity                               | NOEC             | 268 mg/l  | 30 d    | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009)<br>Growth tests estimated the test chemical              |
|           | Algae toxicity                              | NOEC<br>mg/l     | > 419     | 10 d    | several benthic diatoms; see results               | Marine Biology 43:307-315 (1977)<br>Ten cultures of benthic diatoms were iso |
|           | Acute bacteria toxicity                     | EC50<br>mg/l ( ) | > 1000    | 3 h     | Activated sludge                                   | Study report (2008)<br>OECD Guideline 209                                    |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

| CAS No  | Chemical name                               | Log Pow |
|---------|---|---------|
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | 0,05    |

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 11 of 13

#### Land transport (ADR/RID)

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | UN 2924  |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (nitric acid, propan-2-ol; isopropyl alcohol; isopropanol) |
| <b>14.3. Transport hazard class(es):</b> | 3  |
| <b>14.4. Packing group:</b>              | II   |
| Hazard label:                            | 3+8  |
| Classification code:                     | FC   |
| Special Provisions:                      | 274  |
| Limited quantity:                        | 1 L  |
| Excepted quantity:                       | E2   |
| Transport category:                      | 2  |
| Hazard No:                               | 338  |
| Tunnel restriction code:                 | D/E  |

#### Inland waterways transport (ADN)

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | UN 2924  |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (nitric acid, propan-2-ol; isopropyl alcohol; isopropanol) |
| <b>14.3. Transport hazard class(es):</b> | 3  |
| <b>14.4. Packing group:</b>              | II   |
| Hazard label:                            | 3+8  |
| Classification code:                     | FC   |
| Special Provisions:                      | 274  |
| Limited quantity:                        | 1 L  |
| Excepted quantity:                       | E2   |

#### Marine transport (IMDG)

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | UN 2924  |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Nitric acid, propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3  |
| <b>14.4. Packing group:</b>              | II   |
| Hazard label:                            | 3+8  |
| Special Provisions:                      | 274  |
| Limited quantity:                        | 1 L  |
| Excepted quantity:                       | E2   |
| EmS:                                     | F-E, S-C   |

#### Air transport (ICAO-TI/IATA-DGR)

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | UN 2924  |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Nitric acid, propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3  |
| <b>14.4. Packing group:</b>              | II   |
| Hazard label:                            | 3+8  |
| Special Provisions:                      | A3   |
| Limited quantity Passenger:              | 0.5 L  |
| Passenger LQ:                            | Y340   |
| Excepted quantity:                       | E2   |
| IATA-packing instructions - Passenger:   | 352  |
| IATA-max. quantity - Passenger:          | 1 L  |
| IATA-packing instructions - Cargo:       | 363  |
| IATA-max. quantity - Cargo:              | 5 L  |

#### 14.5. Environmental hazards

|                            |    |
|----------------------------|----|
| ENVIRONMENTALLY HAZARDOUS: | No |
|----------------------------|----|

**Safety Data Sheet**

according to UK REACH Regulation

**Nitric acid 5.5 % for analysis in 2-propanol**

Revision date: 18.03.2024

Product code: 23400

Page 12 of 13

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9.

**Abbreviations and acronyms**

Ox. Liq: Oxidising liquids

Met. Corr: Corrosive to metals

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Dam: Eye damage

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Flam. Liq. 2; H225  | On basis of test data    |
| Skin Corr. 1B; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |
| STOT SE 3; H336     | Calculation method       |

**Relevant H and EUH statements (number and full text)**

|        |  |
|--------|--|
| H225   | Highly flammable liquid and vapour.      |
| H272   | May intensify fire; oxidiser.            |
| H290   | May be corrosive to metals.              |
| H314   | Causes severe skin burns and eye damage. |
| H318   | Causes serious eye damage.               |
| H319   | Causes serious eye irritation.           |
| H331   | Toxic if inhaled.                        |
| H336   | May cause drowsiness or dizziness.       |
| EUH071 | Corrosive to the respiratory tract.      |

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

## Safety Data Sheet

according to UK REACH Regulation

### Nitric acid 5.5 % for analysis in 2-propanol

Revision date: 18.03.2024

Product code: 23400

Page 13 of 13

processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.  
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*