

### Reagenz für die Bromindexbestimmung mittels Coulometrie Revision date: 07.09.2022

Product code: 23629

Page 1 of 14

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagenz für die Bromindexbestimmung mittels Coulometrie

UFI:

#### MPE3-P236-K00M-4JRN

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

### Hazard components for labelling methanol

acetic acid Signal word:

Danger



according to Regulation (EC) No 1907/2006

	Reagenz für die Bromindexbestimmung mittels Coulometrie	
Revision date: 07.09.2022	Product code: 23629	Page 2 of 14
Pictograms:		
Hazard statements	• • • • •	
H225 H302+H312+H332 H314 H370	Highly flammable liquid and vapour. Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to organs.	
Precautionary statemer		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P260	-	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No			
64-19-7	acetic acid			60 - < 65 %
	200-580-7			
	Flam. Liq. 3, Skin Corr. 1A; H226			
67-56-1	methanol	15 - < 20 %		
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute	Tox. 3, Acute Tox. 3, STOT SE	1; H225 H331 H311 H301 H370	
7758-02-3	potassium bromide		1 - < 5 %	
	231-830-3		01-2119962195-33	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.



### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 3 of 14

### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	60 - < 65 %
		50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg  Skin Corr. 1A; H314: >= 90 - r. 1B; H314: >= 25 - < 90  Skin Irrit. 2; H315: >= 10 - < 25  Eye Irrit. 2; H319: >=	
67-56-1	200-659-6	methanol	15 - < 20 %
		50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: /kg; oral: LD50 = 6000 mg/kg   STOT SE 1; H370: >= 10 - 100   STOT SE 2; 10	
7758-02-3	231-830-3	potassium bromide	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness Dizziness, Anaesthetic state Agitation, Spasms Inebriation, Vomiting Headache, Impairment of vision Repeated exposure may cause skin dryness or cracking.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media



an analyti**chem** company

### Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 4 of 14

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquids Highly flammable. Hazardous combustion products In case of fire may be liberated: Carbon dioxide, Carbon monoxide Vapours are heavier than air, spread along floors and form explosive mixtures with air. Beware of reignition.

Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.



#### an analyti**chem** company

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 5 of 14

Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used. Store in a place accessible by authorized persons only.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Keep cool. Protect from sunlight.

#### 7.3. Specific end use(s)

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection** 

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
67-56-1	Methyl alcohol	200	260		TWA (8 h)	

#### **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-56-1	Methanol	Methanol	15 mg/L	Urine	End of shift



according to Regulation (EC) No 1907/2006

## Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 6 of 14

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-19-7	acetic acid			
Worker DNEL	, long-term	inhalation	local	25 mg/m³
Worker DNEL	, acute	inhalation	local	25 mg/m³
Consumer DN	IEL, long-term	inhalation	local	25 mg/m³
Consumer DN	IEL, acute	inhalation	local	25 mg/m³
67-56-1	methanol			
Consumer DN	IEL, acute	inhalation	systemic	50 mg/m³
Worker DNEL	, long-term	inhalation	systemic	260 mg/m³
Worker DNEL	, acute	inhalation	systemic	260 mg/m³
Worker DNEL	, long-term	inhalation	local	260 mg/m³
Worker DNEL	, acute	inhalation	local	260 mg/m <sup>3</sup>
Worker DNEL	, long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	40 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	50 mg/m³
Consumer DN	IEL, long-term	inhalation	local	50 mg/m³
Consumer DN	IEL, acute	inhalation	local	50 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	8 mg/kg bw/day
Consumer DN	IEL, acute	dermal	systemic	8 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	8 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	8 mg/kg bw/day
7758-02-3	potassium bromide			
Worker DNEL	, long-term	inhalation	systemic	4,75 mg/m³
Worker DNEL	, long-term	dermal	systemic	95 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	95 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	1,66 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	95 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	95 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,475 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	50 mg/kg bw/day



### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 7 of 14

**PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater	(intermittent releases)	30,58 mg/l
Marine wate	er en	0,306 mg/l
Freshwater	sediment	11,36 mg/kg
Marine sedi	ment	1,136 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg
67-56-1	methanol	
Freshwater		20,8 mg/l
Freshwater	(intermittent releases)	1540 mg/l
Marine wate	er en	2,08 mg/l
Freshwater	sediment	77 mg/kg
Marine sedi	ment	7,7 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	100 mg/l
Soil		100 mg/kg
7758-02-3	potassium bromide	
Freshwater		0,52 mg/l
Freshwater	(intermittent releases)	109 mg/l
Marine wate	9r	41 mg/l
Micro-organ	isms in sewage treatment plants (STP)	100 mg/l
Soil		3,2 mg/kg

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Face protection umbrella

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11 mm



according to Regulation (EC) No 1907/2006

### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 8 of 14

Wearing time with permanent contact: > 480 min

By short-term hand contact KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse. Wear fire resistant or flame retardant clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		>64 °C
boiling range:		
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		<21 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		not determined
pH-Value:		0,89
Viscosity / kinematic:		No data available
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,01060 g/cm <sup>3</sup>
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		not determined



Reagenz fü	ir die Bromindexbestimmung mittels Coulometrie	
evision date: 07.09.2022	Product code: 23629	Page 9 of 14
Particle characteristics:	No data available	
2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
	d along floors and form explosive mixtures with air.	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
:	No data available	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.



### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 10 of 14

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-19-7	acetic acid						
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin	
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403	
67-56-1	methanol						
	oral	LD50 mg/kg	6000	Monkey	Amer J Ophthalmol 40: 76-83 (cited in DG	Determination of the acute toxicity of t	
	dermal	ATE mg/kg	300				
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	Study report (1980)	Study performed according to internal co	
	inhalation dust/mist	ATE	0,5 mg/l				
7758-02-3	potassium bromide						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1992)	EPA OPP 81-1	
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1988)	other: EPA FIFRA 81-6	

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Causes damage to organs. (methanol)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Practical experience**

No data available

#### 11.2. Information on other hazards

#### Other information

No data available

### Further information

No data available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	Calculation performed with ECOSAR
	Crustacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	Toxicity of the target chemical is predi
7758-02-3	potassium bromide				•		
	Acute fish toxicity	LC50 mg/l	> 440	96 h	Scophthalmus maximus	Study report (2000)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 440	72 h	Skeletonema costatum	Study report (2000)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1996)	OECD Guideline 202
	Fish toxicity	NOEC	10 mg/l	124 d	Poecilia reticulata	Fd. Chem. Toxic. Vol. 21, No. 4, 369-378	Dutch Standardisation Organisation
	Crustacea toxicity	NOEC	7,5 mg/l	21 d	Daphnia magna	Ecotoxicology and Environmental Safety,	other: OECD
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2007)	OECD Guideline 209

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17
67-56-1	methanol	-0,77



### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 12 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
67-56-1	methanol	1	Cyprinus carpio	Comparative Biochemi
7758-02-3	potassium bromide	0,23	Artemia salina	Environmental Toxico

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Do not empty into drains.

#### Further information

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**


#### Land transport (ADR/RID) UN 3286 14.1. UN number or ID number: 14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, acetic acid) 3 14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3+6.1+8 Classification code: FTC **Special Provisions:** 274 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 368 Tunnel restriction code: D/E Inland waterways transport (ADN) 14.1. UN number or ID number: UN 3286 14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, acetic acid) 3 14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3+6.1+8



Reagenz für o	die Bromindexbestimmung mittels Coulometrie					
Revision date: 07.09.2022	Product code: 23629 Page 13 of 14					
Classification code:	FTC					
Special Provisions:	274 802					
Limited quantity:	1L					
Excepted quantity:	E2					
Marine transport (IMDG)						
<u>14.1. UN number or ID number:</u>	UN 3286					
14.2. UN proper shipping name:	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, acetic acid)					
14.3. Transport hazard class(es):	3					
14.4. Packing group:	ll					
Hazard label:	3+6.1/8					
Special Provisions:	274					
Limited quantity:	1L					
Excepted quantity: EmS:	E2 F-E, S-C					
	г-е, 5-с					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	methanol3286					
14.2. UN proper shipping name:	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol, acetic acid)					
14.3. Transport hazard class(es):	3					
14.4. Packing group:						
Hazard label:	3+6.1 8					
Limited quantity Passenger:	0.5 L					
Passenger LQ:	Y340					
Excepted quantity:	E2					
IATA-packing instructions - Passenger:	352					
IATA-max. quantity - Passenger:	1 L					
IATA-packing instructions - Cargo:	363					
IATA-max. quantity - Cargo:	5 L					
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
14.6. Special precautions for user						
Warning: Combustible liquid. Toxic. str						
14.7. Maritime transport in bulk according to	D INC Instruments					
not applicable						
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture					
EU regulatory information						
Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69						
National regulatory information						
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).					
Water hazard class (D):	1 - slightly hazardous to water					
Skin resorption/Sensitization:	Permeates easily through outer skin and causes poisoning.					
15.2. Chemical safety assessment						

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**





according to Regulation (EC) No 1907/2006

### Reagenz für die Bromindexbestimmung mittels Coulometrie

Revision date: 07.09.2022

Product code: 23629

Page 14 of 14

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12,13.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H370	Causes damage to organs.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)