

# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

### Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von Prüflösung.....

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls
	accepted)	

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

- Hazard components for labelling
- acetonitrile
- Signal word: Pictograms:
  - oru.





R

# according to Regulation (EC) No 1907/2006

# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

# Prüflösung....

	Fruitosung	
Revision date: 06.02.2023	Product code: 23811	Page 2 of 12
Hazard statements		
H225	Highly flammable liquid and vapour.	
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.	
H319	Causes serious eye irritation.	
Precautionary statemen	ts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P280	Wear protective gloves and eye/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P403+P235	Store in a well-ventilated place. Keep cool.	

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
75-05-8	acetonitrile			50 - < 55 %			
	200-835-2	200-835-2 608-001-00-3 01-2119471307-38					
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319						

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name				
	Specific Conc. Limits, M-factors and ATE					
75-05-8	200-835-2 acetonitrile					
	inhalation: LC50 = 3587 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 469 mg/kg					

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 3 of 12

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Headache Dyspnoea Irritant Vomiting Spasms Unconsciousness Respiratory complaints Cardiac arrhythmias Dizziness Release of: Hydrogen cyanide (hydrocyanic acid)

# 4.3. Indication of any immediate medical attention and special treatment needed

Release of: Hydrogen cyanide (hydrocyanic acid)

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquid. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Hydrogen cyanide (hydrocyanic acid) Nitrogen oxides (NOx) Beware of reignition.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

## Additional information

Danger of bursting container. Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Keep away from sources of ignition - No smoking. This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

# Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 4 of 12

lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.





# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

# Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 5 of 12

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Further information on storage conditions

Keep cool. Protect from sunlight.

storage temperature: +5°C - +30°C

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
75-05-8	Acetonitrile	40	70		TWA (8 h)	

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
75-05-8	acetonitrile			
Worker DNEL	_, long-term	inhalation	systemic	68 mg/m³
Worker DNEL	_, acute	inhalation	systemic	68 mg/m³
Worker DNEL	_, long-term	inhalation	local	68 mg/m³
Worker DNEL	_, acute	inhalation	local	68 mg/m³
Worker DNEL	_, long-term	dermal	systemic	32,2 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	systemic	4,8 mg/m <sup>3</sup>
Consumer DN	NEL, acute	inhalation	systemic	220 mg/m³
Consumer DN	NEL, long-term	inhalation	local	4,8 mg/m <sup>3</sup>
Consumer DN	NEL, acute	inhalation	local	22 mg/m <sup>3</sup>
Consumer DN	NEL, acute	oral	systemic	0,6 mg/kg bw/day



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 6 of 12

### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
75-05-8 acetonitrile					
Freshwater 10 mg/l					
Freshwater (int	10 mg/l				
Marine water	1 mg/l				
Freshwater see	diment	7,53 mg/kg			
Micro-organisms in sewage treatment plants (STP) 32 mg/l					
Soil 2,41 mg/kg					

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 7 of 12

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che		
Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Ether	
Odour threshold:	No data available	
Melting point/freezing point:	No data ava	
Boiling point or initial boiling point and	No data ava	ilable
boiling range:		
Flammability:	not appli	
	not appli No data ava	
Lower explosion limits:		
Upper explosion limits:	No data ava	illable
Flash point:	No data ava	
Auto-ignition temperature:	No data ava	
Decomposition temperature:	No data ava	
pH-Value:	No data ava	ilable
Viscosity / kinematic:	No data ava	ilable
Water solubility:	Soluble in: \	Water
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	No data ava	ilable
Vapour pressure:	No data ava	ilable
Vapour pressure:	No data ava	
Density:	No data ava	
Bulk density:	No data ava	
Relative vapour density:	No data ava	ilable
9.2. Other information		
Information with regard to physical has	zard classes	
Explosive properties		
Vapours are heavier than air, spread	l along floors and form explosive mixtures with a	ir.
Sustaining combustion:	No data ava	ilable
Self-ignition temperature		
Solid:	not appli	cable
Gas:	not appli	cable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	No data ava	ilable
Solvent separation test:	No data ava	ilable
Solvent content:	No data ava	
Solid content:	No data ava	
Sublimation point:	No data ava	
Softening point:	No data ava	
Pour point:	No data ava	llable
No data available:		
Viscosity / dynamic:	No data ava	
Flow time:	No data ava	ilable
Further Information		



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

## Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 8 of 12

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapours may form explosive mixtures with air.

#### 10.2. Chemical stability

Keep away from heat.

### 10.3. Possibility of hazardous reactions

Violent reaction with: Base, Reducing agent, strong Danger of explosion: sulphuric acid, NO3, Perchlorate, Perchloracid Ignition hazard: Oxidising agent, Nitric acid, Nitrogen dioxide Possibility of hazardous reactions: Acid

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

Rubber articles

Plastic articles

# 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

### **Further information**

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

No data available

Acute toxicity Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

### ATEmix calculated


ATE (oral) 869,5 mg/kg; ATE (inhalation dust/mist) 2,781 mg/l

CAS No	Chemical name								
	Exposure route	Exposure route Dose			Source	Method			
75-05-8	acetonitrile	acetonitrile							
	oral	LD50 mg/kg	469	Mouse	Study report (1998)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1997)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50	3587 mg/l	Mouse	Study report (1998)	OECD Guideline 403			
	inhalation dust/mist	ATE	1,5 mg/l						

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.





Lösemittelgemisch 60 Vol% Ac	etonitril + 40 Vol.% TFA 0,3% - zur Herstellung von	
	Prüflösung	
Revision date: 06.02.2023	Product code: 23811	Page 9 of 12
Sensitising effects Based on available data, the classification criteri	a are not met.	
Carcinogenic/mutagenic/toxic effects for reprodu Based on available data, the classification criteri		
STOT-single exposure Based on available data, the classification criteri	a are not met.	
STOT-repeated exposure Based on available data, the classification criteri	a are not met.	
Aspiration hazard Based on available data, the classification criteri	a are not met.	
Specific effects in experiment on an animal No data available		
Additional information on tests No data available		
Practical experience No data available		
11.2. Information on other hazards		
Other information Headache Dyspnoea Irritant Vomiting Spasms Unconsciousness Respiratory complaints Cardiac arrhythmias Dizziness		
Release of: Hydrogen cyanide (hydrocyanic acid	3)	

### Further information

No data available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
75-05-8	acetonitrile	acetonitrile								
	Acute fish toxicity	LC50 mg/l	1640	96 h	Pimephales promelas	Review article or handbook (1984)	Guideline not specified			
	Acute algae toxicity	ErC50 mg/l	3560		Phaeodactylum tricornutum	Study report (2010)	ISO 10253			
	Acute crustacea toxicity	EC50 mg/l	3600	48 h	Daphnia magna	Bull. Environ. Contam. Toxicol. 57:655-6	other: OECD Guidelines for Testing Chemi			
	Fish toxicity	NOEC	102 mg/l	7 d	Oryzias latipes	Study report (1996)	OECD Guideline 204			
	Crustacea toxicity	NOEC	960 mg/l	21 d	Daphnia magna	Study report (1996)	other: OECD Guideline 202			

# 12.2. Persistence and degradability



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 10 of 12

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name				Log Pow
75-05-8	acetonitrile				0,29
BCF					
CAS No	Chemical name	BCE	Snecies	Source	

CAS No	Chemical name	BCF	Species	Source
75-05-8	acetonitrile	3		HSDB (2009)

# 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains. Do not mix with other wastes.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1648		
14.2. UN proper shipping name:	ACETONITRILE		
<u>14.3. Transport hazard class(es):</u>	3		
14.4. Packing group:	II		
Hazard label:	3		
Classification code:	F1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Transport category:	2		
Hazard No:	33		
Tunnel restriction code:	D/E		
Inland waterways transport (ADN)			



Lösemittelgemisch 60 Vol% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von				
Prüflösung   Revision date: 06.02.2023 Product code: 23811 Page 11 of 12				
Revision date: 06.02.2023	Product code: 2	3811	Page 11 of 12	
14.1. UN number or ID number:	UN 1648			
14.2. UN proper shipping name:	ACETONITRILE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:				
Hazard label: Classification code:	3 F1			
Limited quantity:	FI 1 L			
Excepted quantity:	E2			
	E2			
Marine transport (IMDG)	UN 1648			
14.1. UN number or ID number:	ACETONITRILE			
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	3			
	3 			
<u>14.4. Packing group:</u> Hazard label:	3			
Special Provisions:	-			
Limited quantity:	- 1 L			
Excepted quantity:	E2			
EmS:	F-E, S-D			
Air transport (ICAO-TI/IATA-DGR)	,			
<u>14.1. UN number or ID number:</u>	UN 1648			
14.2. UN proper shipping name:	ACETONITRILE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	ll			
Hazard label:	3			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y341			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	353			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	364			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Warning: Combustible liquid.				
14.7. Maritime transport in bulk according t	o IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/legislation specific	for the substance or mixture		
EU regulatory information				
Restrictions on use (REACH, annex XVII)				
Entry 3, Entry 40, Entry 75				
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIE	5		
National regulatory information				
Employment restrictions:	Observe restrictions to en work protection guideline'	nployment for juveniles according to the 'ju (94/33/EC).	ivenile	
Water hazard class (D): 2 - obviously hazardous to water				



# Lösemittelgemisch 60 Vol.-% Acetonitril + 40 Vol.% TFA 0,3% - zur Herstellung von

Prüflösung.....

Revision date: 06.02.2023

Product code: 23811

Page 12 of 12

Skin resorption/Sensitization:

Permeates easily through outer skin and causes poisoning.

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,6,8,9,11,12,15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	
Acute Tox. 4; H332	Calculation method
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

-		
	H225	Highly flammable liquid and vapour.
	H302	Harmful if swallowed.
	H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
	H312	Harmful in contact with skin.
	H319	Causes serious eye irritation.
	H332	Harmful if inhaled.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)