

according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

**Pictograms:** 

#### Regulation (EC) No 1272/2008

Signal word:

Warning



#### **Hazard statements**

ŀ	1319	
ŀ	H410	

P273

Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

### Precautionary statements

Avoid release to the environment.



Kupfer(II)-sulfatlösung 2,5% reinst in Wasser					
Revision date: 08.02.2023	Product code: 24041	Page 2 of 11			
P280	Wear protective gloves and eye/face protection.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P337+P313	If eye irritation persists: Get medical advice/attention.				

2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
7758-98-7	copper sulphate	1 - < 5 %			
	231-847-6	029-004-00-0			
	Acute Tox. 4, Skin Irrit. 2, H400 H410	Eye Dam. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H302 H315 H318		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7758-98-7	231-847-6	copper sulphate			
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 482 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10				

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available

#### After inhalation

Provide fresh air.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.


#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed Irritant





according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 3 of 11

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides Metal oxide smoke, toxic

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



AnalytiChem GmbH

# according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 4 of 11

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Store in a dry place.

#### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **PNEC** values

CAS No	Substance			
Environmental	Environmental compartment Value			
7758-98-7	copper sulphate			
Freshwater		0,0078 mg/l		
Marine water		0,0052 mg/l		
Freshwater sec	liment	87 mg/kg		
Marine sedime	nt	676 mg/kg		
Micro-organism	s in sewage treatment plants (STP)	0,23 mg/l		
Soil		65 mg/kg		

## 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.



according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 5 of 11

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid blue	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		not determined
		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not applicable
Auto-ignition temperature:		not determined
Decomposition temperature:		No data available
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		completely miscible



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Kupfe	er(II)-sulfatlösung 2,5% reinst in Wasser	
Revision date: 08.02.2023	Product code: 24041	Page 6 of 11
Solubility in other solvents not determined Partition coefficient n-octanol/water: Vapour pressure: Vapour pressure:	No data available No data available not determined	
Density: Bulk density: Relative vapour density:	1,0243 g/cm³ No data available not determined	
9.2. Other information		
Information with regard to physical haza Explosive properties No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties No data available	<b>Ird classes</b> No data available not determined not applicable	
Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: not determined:	not determined not determined 0 0 not determined not determined not determined	
Viscosity / dynamic: Flow time:	not determined not determined	
Flow unle. Further Information		
not determined		

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

# Further information

No data available



according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 7 of 11

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7758-98-7	copper sulphate					
	oral	LD50 mg/kg	482	Rat	Study report (1994	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1993	B) OECD Guideline 402

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

### Practical experience

There are no data available on the mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

# **Further information**

Irritant

# **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7758-98-7	copper sulphate							
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard	
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t	
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de	
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef	
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# BCF

CAS No	Chemical name	BCF	Species	Source
7758-98-7	copper sulphate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

## **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 9 of 11

# **SECTION 14: Transport information**

and transport (ADR/RID)	
14.1. UN number or ID number:	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper sulphate)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
land waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.2. On proper empony name.	(copper sulphate)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	
Hazard label:	9
Classification code:	м6
-	274 335 375 601
Special Provisions:	
Limited quantity:	5 L
Excepted quantity:	E1
arine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(copper sulphate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F
ir transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(copper sulphate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-packing instituctions - Passenger: IATA-max. quantity - Passenger:	450 L
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	964
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	450 L



an analyti**chem** company

# Safety Data Sheet

AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Kupfer(II)-sulfatlösung 2,5% reinst in Wasser			
Revision date: 08.02.2023	Product code: 24041	Page 10 of 11	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	Yes		
Danger releasing substance:	copper sulphate		
14.7. Maritime transport in bulk according to not applicable	o IMO instruments		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75			
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to work protection guideline' (94/33/EC).	the 'juvenile	
Water hazard class (D):	3 - highly hazardous to water		
15.2. Chemical safety assessment			
For this substance a chemical safety as	ssessment has not been carried out.		
SECTION 16: Other information			

### Changes

This data sheet contains changes from the previous version in section(s): 2,6,9,11,13,14,15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our



according to Regulation (EC) No 1907/2006

# Kupfer(II)-sulfatlösung 2,5% reinst in Wasser

Revision date: 08.02.2023

Product code: 24041

Page 11 of 11

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)